INDEXES TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY

INCLUDING ADVANCED CERAMIC MATERIALS AND COMMUNICATIONS

compiled by

The American Ceramic Society

VOLUME 76, 1993

AUTHOR INDEX TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY INCLUDING ADVANCES IN CERAMICS AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal*; numbers following are *page* numbers.

Abbaschian, Reza See Shaw, Leon

Abé, Hiroyuki See Muraoka, Mikio

Abe, Koich See Jen, Cheng-Kuei

Abe, Teruyoshi See Hendrix, Bryan C.

Abe, Yoshihiro See Kasuga, Toshihiro; Lee, Won-Hyuk

Accardo, Patrizio See Sergo, Valter

Adachi, Hideki See Matsumoto, Yasumichi

Adachi, Hirohiko See Tanaka, Isao

Adair, James H. See Bendale, Priya

Aggarwal, Ishwar D. See Sanghera, Jas S.

Aghajanian, Michael K. See Breval, Else

Aglietti, Esteban F. See Mazzoni, Alfredo D.

Aihara, Yasuhiko See Matsuda, Motohide

Ajayi, Oyelayo O.; Erdemir, Ali; Lee, Richard H.; and Nichols, Fred A.
Sliding wear of silicon carbide–titanium boride ceramic-matrix composite. (2) 511

Akimune, Yoshio See Hirosaki, Naoto

Akinc, Mufit See Tas, A. Cuneyt

Alexander, Kathleen B. See Becher, Paul F.

Ali, Naseef J.; and Milne, Steven J.
Synthesis and processing characteristics of $Ba_{0.65}Sr_{0.35}TiO_3$ powders from catecholate precursors. (9) 2321

Alles, Aldo B.; and Burdick, Vernon L.
Grain boundary oxidation in PTCR barium titanate thermistors. (2) 401

Alles, Aldo B.; Puskas, Robert; Callahan, Gregory; and Burdick, Vernon L.
Compositional effects on the liquid-phase sintering of praseodymium oxide-based zinc oxide varistors. (8) 2098

Alwan, Jamil M. See Naaman, Antoine E.

Ambrose, John R. See Bendale, Priya

Anderson, Collin D. See Weber, J. K. Richard

Anderson, Edward M. See Hasselman, D. P. H.

Anderson, Marc A. See Xu, Qunyin

Ando, Ken See Nomura, Shunji; Sakka, Yoshio

Andreasen, Jens Henrik
Statistics of brittle failure in multiaxial stress states. (11) 2933

Annamalai, V. E.; Ponraj, R.; Iyer, S. Ramakrishna; Gokularathnam, C. V.; and Krishnamurthy, R.
Simple notch preparation techniques for fracture toughness measurements in partially stabilized zirconia. (3) 785

Antolin, Stanislav See Breval, Else

Aoi, Tsuneharu See Aruga, Atsushi

Ardell, Alan J. See Zhang, Jimin

Armini, Anthony J. See Bunker, Stephen N.

Aruga, Atsushi; Nakamura, Yoshikazu; Aoi, Tsuneharu; Watanabe, Yoshihisa; Hirayama, Shigekazu; and Fujimoto, Shirou
Synthesis of $0.4Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.3Pb(Mg_{1/2}W_{1/2})O_3$–$0.3PbTiO_3$ ceramics by metal alkoxide method, and its dielectric properties. (11) 2939

Arunachalam, V. S. See Ramakrishnan, N.

Asai, Emi See Hirano, Shin-ichi

Asai, Lika See Yamaguchi, Takashi

Ashida, Masaaki See Tanaka, Katsuhisa

Attarwala, Abbas I. See Borofka, Janine C.

Ayaki, Hiroko See Yamaguchi, Takashi

Babonneau, Florence See Sorarù, Gian Domenico

Bae, Byeong-Soo; and Weinberg, Michael C.
Crystallization of copper metaphosphate glass. (6) 1395

Bae, So Ik; and Baik, Sunggi
Determination of critical concentrations of silica and/or calcia for abnormal grain growth in alumina. (4) 1065

Bahloul, Djamila; Pereira, Mario; and Goursat, Paul
Preparation of silicon carbonitrides from an organosilicon polymer: II, Thermal behavior at high temperatures under argon. (5) 1163

Bahloul, Djamila; Pereira, Mario; Goursat, Paul; Yive, N. S. Choong Kwet; and Corriu, Robert J. P.
Preparation of silicon carbonitrides from an organosilicon polymer: I, Thermal decomposition of the cross-linked polysilazane. (5) 1156

Bai, B. N. Pramila See Mitra, Nibedita

Baik, Sunggi See Bae, So Ik

Baither, Dietmar See Baufeld, Bernd

Balachandran, Uthamalingam See Ravichandran, Duraiswamy

Ban, Takayuki; and Okada, Kiyoshi
Analysis of local cation arrangement in mullite using ^{29}Si magic-angle spinning nuclear magnetic resonance spectra. (10) 2491

Bansal, Narottam P.; and Drummond, Charles H., III
Kinetics of hexacelsian-to-celsian phase transformation in $SrAl_2Si_2O_8$. (5) 1321

Bargeron, C. Brent; Benson, Richard C.; Jette, A. Norman; and Phillips, Terry E.
Oxidation of hafnium carbide in the temperature range 1400° to 2060°C. (4) 1040

Barsoum, Michel W.; and Houng, Boen
Transient plastic phase processing of titanium–boron–carbon composites. (6) 1445

Bartsch, Martin See Baufeld, Bernd

Bar-On, Isa See Woodilla, David

Baskaran, Suresh See Nunn, Stephen D.

Baskaran, Suresh; and Halloran, John W.
Fibrous monolithic ceramics: II, Flexural strength and fracture behavior of the silicon carbide/graphite system. (9) 2217

Baskaran, Suresh; Nunn, Stephen D.; Popovic, Dragan; and Halloran, John W.
Fibrous monolithic ceramics: I, Fabrication, microstructure, and indentation behavior. (9) 2209

Bass, Jay D. See Masnik, John E.

Batchelor, Warren J.; Finlayson, Trevor R.; and Gross, Anita K.
Contributions of transformation and microcracking to the plastic deformation of magnesia-partially-stabilized zirconia. (7) 1895

Bates, John B.; Dudney, Nancy J.; Luck, Chris F.; Sales, Brian C.; Zuhr, Raymond A.; and Robertson, J. David
Deposition and characterization of Li_2O–SiO_2–P_2O_5 thin films. (4) 929

Baufeld, Bernd; Baither, Dietmar; Messerschmidt, Ulrich; Bartsch, Martin; and Merkel, Ingolf
In situ study on the generation of radiation damage in cubic-zirconia in the high-voltage electron microscope. (12) 3163

Baumard, Jean-François See Caillaud, Frédéric

Beaman, Donald R. See Pyzik, Aleksander J.

Becher, Paul F. See Funkenbusch, Eric F.; Kim, Dae-Joon

Becher, Paul F.; Alexander, Kathleen B.; Bleier, Alan; Waters, Shirley B.; and Warwick, Wilbur H.
Influence of ZrO_2 grain size and content on the transformation response in the Al_2O_3–ZrO_2 (12 mol% CeO_2) system. (3) 657

Beeman, M. See Duong, H.

Behrens, Gesa; Dransmann, Gerd W.; and Heuer, Arthur H.
On the isothermal martensitic transformation in 3Y-TZP. (4) 1025

Behrens, Peter See Zschech, Ehrenfried

Bendale, Priya; Venigalla, Sridhar; Ambrose, John R.; Verink, Ellis D., Jr.; and Adair, James H.
Preparation of barium titanate films at 55°C by an electrochemical method. (10) 2619

Bennison, Stephen J. See Lawn, Brian R.; Padture, Nitin P.

Benson, Richard C. See Bargeron, C. Brent

Benziger, Jay B. See Ying, Jackie Y.

Berger, Axel See Winter, Wolfgang

Berriche, Ridha; and Holt, Richard T.
Effect of load on the hardness of hot isostatically pressed silicon nitride. (6) 1602

Besson, Jean-Louis See Rouxel, Tanguy

Besson, Jean-Louis; Billieres, Dominique; Rouxel, Tanguy; Goursat, Paul; Flynn, Robert; and Hampshire, Stuart
Crystallization and properties of a Si-Y-Al-O-N glass-ceramic. (8) 2103

Beyerle, Douglas S.; Spearing, S. M.; Zok, Frank W.; and Evans, Anthony G.
Damage and failure in unidirectional ceramic-matrix composites—correction. (2) 560

Bhatt, Hemanshu D. See Donaldson, Kimberly Y.

Biel, John P. See Breval, Else

Bike, S. G. See Nunn, Stephen D.

Billieres, Dominique See Besson, Jean-Louis

Billy, Michel See Lefort, Pierre

Binks, D. Jason; and Grimes, Robin W.
Incorporation of monovalent ions in ZnO and their influence on varistor degradation. (9) 2370

Birnie, Dunbar P. III See Kim, Seong-Jin

Bischoff, Ewald See Davis, Janet B.

Biswas, Dharani Kanta See Ravichandran, Duraiswamy

Biswas, Pratim See Zhou, Derong

Biswas, S. K. See Mitra, Nibedita

Blanchard, Cheryl R.; and Chan, Kwai S.
Evidence of grain-boundary-sliding-induced cavitation in ceramics under compression. (7) 1651

Bleier, Alan See Becher, Paul F.; DeLiso, Evelyn M.

Blinc, Robert See Papavassiliou, George

Bloyer, Donald R.; Cho, Jaephil; and Martin, Steve W.
Infrared spectroscopy of wide composition range $xNa_2S + (1 - x)B_2S_3$ glasses. (11) 2753

Bodet, Raphael See Jia, Nanying

Bohac, Petr See Sasaki, Kazunari

Boike, Martin; Hilpert, Klaus; and Müller, Franz
Thermodynamic activities in B_2O_3–SiO_2 melts at 1475 K. (11) 2809
Bonen, David See Diamond, Sidney
Bonnell, Dawn A. See Nowakowski, Marilyn J.; Zhong, Qian
Bonnell, Lee See Jen, Cheng-Kuei
Boolchand, Punit See Zhou, Derong
Bordia, Rajendra K.; and Jagota, Anand
Crack growth and damage in constrained sintering films. (10) 2475
Borglum, Brian P.; Bukowski, John M.; Young, J. Francis; and Buchanan, Relva C.
Low-temperature synthesis of hexagonal anorthite via hydrothermal processing. (5) 1354
Borofka, Janine C. See Hendrix, Bryan C.
Borofka, Janine C.; Hendrix, Bryan C.; Attarwala, Abbas I.; and Tien, John K.
Hot isostatic pressing of $YBa_2Cu_3O_{7-\delta}$ and $YBa_2Cu_3O_{7-\delta}$/Ag composites. (4) 1011
Bothe, James V., Jr.; and Brown, Paul W.
Low-temperature formation of aluminum orthophosphate. (2) 362; Reactivity of alumina toward phosphoric acid. (9) 2353
Bourell, David L.; Parimal; and Kaysser, Wolfgang
Sol–gel synthesis of nanophase yttria-stabilized tetragonal zirconia and densification behavior below 1600 K. (3) 705
Boutin, Jacques See Konsztowicz, Krzysztof J.
Bowen, H. Kent See Hardy, Anne Bagley; Saegusa, Kunio
Bowman, Keith J. See Lee, Famjeng
Bowman, Keith J.; and Chen, I-Wei
Transformation textures in zirconia. (1) 113
Braun, Linda M. See Lawn, Brian R.; Padture, Nitin P.
Braun, Paul V. See Keddie, Joseph L.
Breder, Kristin See Wereszczak, Andrew A.; Zeng, Kaiyang
Breval, Else; Aghajanian, Michael K.; Biel, John P.; and Antolin, Stanislav
Structure of aluminum nitride/aluminum and aluminum oxide/aluminum composites produced by the directed oxidation of aluminum. (7) 1865
Brezny, Rasto; and Green, David J.
Uniaxial strength behavior of brittle cellular materials. (9) 2185
Brinkman, Hendrik W. See Cao, Guo-zhong
Brito, Manuel E. See Ohashi, Masayoshi
Brooks, Keith See Selvaraj, Ulagaraj
Brough, Adrian R. See Richardson, Ian G.
Brow, Richard K
Nature of alumina in phosphate glass: I, Properties of sodium aluminophosphate glass. (4) 913
Brow, Richard K.; Kirkpatrick, R. James; and Turner, Gary L.
Nature of alumina in phosphate glass: II, Structure of sodium aluminophosphate glass. (4) 919
Brown, Paul W.
Kinetics of tricalcium aluminate and tetracalcium aluminoferrite hydration in the presence of calcium sulfate. (12) 2971; See also Bothe, James V., Jr.
Brown, Paul W.; Gulick, Julie; and Dumm, John
The system MgO–P_2O_5–H_2O at 25°C. (6) 1558
Bruno, Salvatore A.; Swanson, Donald K.; and Burn, Ian
High-performance multilayer capacitor dielectrics from chemically prepared powders. (5) 1233
Brydson, Rik See Richardson, Ian G.
Buchanan, Relva C. See Borglum, Brian P.
Bukowski, John M. See Borglum, Brian P.
Bunker, Bruce C. See Michalske, Terry A.
Bunker, Stephen N.; and Armini, Anthony J.
Adherent zirconia films by reactive ion implantation. (2) 347
Buonomo, Michael See Woodilla, David
Burdick, Vernon L. See Alles, Aldo B.
Burggraaf, Anthonie J. See Cao, Guo-zhong
Burn, Ian See Bruno, Salvatore A.
Burns, Richard P.; Gabriel, Kenneth A.; and Pierce, Daniel E.
Metal atom–ceramic binding energies. (2) 273
Butkus, Lawrence M.; Holmes, John W.; and Nicholas, Theodore
Thermomechanical fatigue behavior of a silicon carbide fiber-reinforced calcium aluminosilicate composite. (11) 2817
Butt, Darryl P.; and Wallace, Terry C., Sr.
The U–Zr–C ternary phase diagram above 2473 K. (6) 1409
Cagliostro, Domenick E.; and Riccitiello, Salvatore R.
Model for the formation of silicon carbide from the pyrolysis of dichlorodimethylsilane in hydrogen: I, Silicon formation from chlorosilanes. (1) 39; Model for the formation of silicon carbide from the pyrolysis of dichlorodimethylsilane in hydrogen: II, Silicon carbide formation from silicon and methane. (1) 49
Caillaud, Frédéric; Smith, Agnès; and Baumard, Jean-François
Effect of pH of the solution on the deposition of zinc oxide films by spray pyrolysis. (4) 998
Cain, Markys G.; and Lewis, Mike H.
Microstructure and fracture toughness of hot-pressed zirconia-toughened sialon. (6) 1401
Callahan, Gregory See Alles, Aldo B.
Cameron, Andrew M. See Ghanbari-Ahari, Kazem
Cannon, Rowland M. See Kleebe, Hans-Joachim
Cannon, W. Roger See Yan, Hongwen
Cao, Guo-zhong; Brinkman, Hendrik W.; Meijerink, Joan; de Vries, Karel J.; and Burggraaf, Anthonie J.
Pore narrowing and formation of ultrathin yttria-stabilized zirconia layers in ceramic membranes by chemical vapor deposition/electrochemical vapor deposition. (9) 2201
Cao, Hengchu; De Graef, Marc; and Evans, Anthony G.
Structure and properties at the ferroelectric/electrode interface between lead zirconate titanate and copper. (12) 3019
Cao, Hengchu; and Evans, Anthony G.
Nonlinear deformation of ferroelectric ceramics. (4) 890
Capobianco, Christopher See Sambasivan, Sankar
Carim, Altaf H. See Kelkar, Girish P.
Carry, Claude See Liang, Hong
Cartz, Louis See Hishmeh, Gary
Caspers, Bernhard See Debschütz, Klaus D.
Castro, Francisco See Wang, Chong-Min
Cavin, O. Burl See Su, Pomin
Cawley, James D.
Numerical models for predicting tracer profiles in silicon double-oxidation experiments. (5) 1124
Cesarano, Joseph III See Fahrenholtz, William G.
Chabert, Françoise See Chatain, Dominique
Chadwick, Margaret M.; Jupp, Robert S.; and Wilkinson, David S.
Creep behavior of a sintered silicon nitride. (2) 385
Chadwick, Margaret M.; and Wilkinson, David S.
Microstructural evolution in annealed and crept silicon nitride. (2) 376
Chae, Ki-Woong; Kim, Doh-Yeon; Kim, Byung-Chan; and Kim, Kyung-Bae
Effect of Y_2O_3 additions on the densification of an Al_2O_3–TiC composite. (7) 1857
Chaklader, Asoke C.D. See Poisl, W. Howard
Chan, Helen M. See Padture, Nitin P.; Zhao, Junhong
Chan, Kwai S. See Blanchard, Cheryl R.
Chan, Kwai S.; and Page, Richard A.
Creep damage development in structural ceramics. (4) 803
Chang, Hsiao-Lan; and Lloyd, Isabel K.
Alumina prepared from freeze-dried aluminum isopropoxide. (5) 1357
Chao, Benjamin S. See Li, Yi
Chao, Luen-Yuan See Ramachandran, Nageswaran
Chatain, Dominique; Chabert, Françoise; Ghetta, Véronique; and Fouletier, Jacques
New experimental setup for wettability characterization under monitored oxygen activity: I, Role of oxidation state and defect concentration on oxide wettability by gold. (6) 1568
Chaudhri, M. Munawar See Enomoto, Yuji
Chaumont, Jacques See Hishmeh, Gary
Chen, I-Wei See Bowman, Keith J.; Chen, Pei-Lin; Xue, Liang A.
Chen, Jong See Fung, Kuan Zong
Chen, Jong; Tian, Qiang; and Virkar, Anil V.
Effect of coherency strains on phase separation in the AlN–Al_2OC pseudobinary system. (10) 2419
Chen, Long-Qing See Wang, Yunzhi
Chen, Pei-Lin; and Chen, I-Wei
Reactive cerium(IV) oxide powders by the homogeneous precipitation method. (6) 1577
Chen, William W.; and Dunn, Bruce
Characterization of pore size distribution by infrared scattering in highly dense ZnS. (8) 2086
Chen, Ying-Chung See Meen, Teen-Hang
Chen, Zheng; and Mecholsky, John J., Jr.
Toughening by metallic lamina in nickel/alumina composites. (5) 1258
Cheng, Herbert S. See Liu, Haiyan
Cheng, Hsiu-Fung; Lin, Tsai-Fa; Hu, Chen-Ti; and Lin, I-Nan
Effect of sintering aids on microstructures and PTCR characteristics of $(Sr_{0.7}Ba_{0.3})TiO_3$ ceramics. (4) 827
Cheng, Humin; Ma, Jiming; Zhu, Bin; and Cui, Yuhong
Reaction mechanisms in the formation of lead zirconate titanate solid solutions under hydrothermal conditions. (3) 625
Cheng, Weili; and Finnie, Iain
A prediction on the strength of glass following the formation of subsurface flaws by scribing—correction. (1) 256
Cheng, Yi-Bing; and Thompson, Derek P.
Role of anion vacancies in nitrogen-stabilized zirconia. (3) 683
Chiang, Yet-Ming See Ikeda, Jeri Ann S.
Chiu, Raymond C.; and Cima, Michael J.
Drying of granular ceramic films: II, Drying stress and saturation uniformity. (11) 2769
Chiu, Raymond C.; Garino, T. J.; and Cima, Michael J.
Drying of granular ceramic films: I, Effect of processing variables on cracking behavior. (9) 2257
Chmel, Alexandre; Krivda, Alexy; Mazurina, Ekatherina; Shashkin, Victor; and Zhizhenkov, Valery
Various scale levels of the gel-to-glass transformation. (6) 1563
Cho, Jaephil See Bloyer, Donald R.
Cho, Yong-Soo See Yoon, Ki Hyun
Choi, Gyeong Man See Hwang, Tae Jin; Jang, Se-Aug
Choi, Jun-Youp; Kang, Suk-Joong L.; Fukunaga, O.; Park, Jong-Ku; and Eun, K. Y.
Effect of B_2O_3 and hBN crystallinity on cBN synthesis. (10) 2525
Choi, Sung R. See Tikare, Veena
Cholet, Vincent; and Vandenbulcke, Lionel
Chemical vapor infiltration of boron nitride interphase in ceramic fiber preforms: Discussion of some aspects of the fundamentals of the isothermal chemical vapor infiltration process. (11) 2846
Chou, Tsu-Wei See Fang, Nancy J.-J.; Karandikar, Prashant G.
Chou, Yeong-Shyung; and Green, David J.
Silicon carbide platelet/alumina composites: II, Mechanical properties. (6) 1452; Silicon carbide platelet/alumina composites: III, Toughening mechanisms. (8) 1985
Christensen, Bruce J. See Coverdale, R. Tate
Christensen, Renee J. See Thomas, Jeffrey J.
Chu, Cha-Yang; Singh, Jitendra P.; and Routbort, Jules L.
High-temperature failure mechanisms of hot-pressed Si_3N_4 and Si_3N_4/Si_3N_4-whisker-reinforced composites. (5) 1349
Chu, Xi; Chung, Won-Il; and Schmidt, Lanny D.
Sintering of sol–gel-prepared submicrometer particles studied by transmission electron microscopy. (8) 2115
Chun, Dong-Il; Kim, Doh-Yeon; and Eun, Kwang-Yong
Microstructural evolution during the sintering of TiC–Mo–Ni cermets. (8) 2049
Chung, Won-Il See Chu, Xi
Chyung, Kenneth See Donaldson, Kimberly Y.
Cima, Michael J. See Chiu, Raymond C.; Sakai, Hiroshi
Cinibulk, Michael K. See Kleebe, Hans-Joachim
Cinibulk, Michael K.; Kleebe, Hans-Joachim; and Rühle, Manfred
Quantitative comparison of TEM techniques for determining amorphous intergranular film thickness. (2) 426
Cinibulk, Michael K.; Kleebe, Hans-Joachim; Schneider, Gerold A.; and Rühle, Manfred
Amorphous intergranular films in silicon nitride ceramics quenched from high temperatures. (11) 2801
Clark, Ronald D. See Lux, Byron C.
Clarke, David R. See Ma, Qing
Clarke, David R.; Shaw, Thomas M.; Philipse, Albert P.; and Horn, Roger G.
Possible electrical double-layer contribution to the equilibrium thickness of intergranular glass films in polycrystalline ceramics. (5) 1201
Claussen, Nils See Knechtel, Mathias C.; Wu, Suxing
Clerc, Catherine See Hishmeh, Gary
Cohen, Mark E. See Kelly, J. Robert
Colombo, Paolo See Della Mea, Gianantonio
Cong, Xiandong; and Kirkpatrick, R. James
Hydration of calcium aluminate cements: A solid-state ^{27}Al NMR study. (2) 409
Cook, Robert F. See Lawn, Brian R.; Liniger, Eric G.; Tandon, Rajan; Zhao, Junhong
Cook, Robert F.; and Liniger, Eric G.
Kinetics of indentation cracking in glass. (5) 1096
Cooke, R. G. See Russell-Floyd, R. S.
Cooper, Reid F.; and Hall, Peter C.
Reactions between synthetic mica and simple oxide compounds with application to oxidation-resistant ceramic composites. (5) 1265
Corpus, Joey M.; and Gupta, Prabhat K.
Diameter dependence of the refractive index of melt-drawn glass fibers. (5) 1390
Corriu, Robert J. P. See Bahloul, Djamila
Courtney, Thomas H. See Kosmac, Tomaz
Coverdale, R. Tate; Garboczi, Edward J.; Jennings, Hamlin M.; Christensen, Bruce J.; and Mason, Thomas O.
Computer simulation of impedance spectroscopy in two dimensions: Application to cement paste. (6) 1513
Cross, L. Eric See Kushida, Keiko; Selvaraj, Ulagaraj
Cui, Yuhong See Cheng, Humin
Curtin, William A.; Eldridge, Jeffrey I.; and Srinivasan, Gajawalli V.
Push-out tests on a new silicon carbide/reaction-bonded silicon carbide ceramic matrix composite. (9) 2300
Dadras, Parviz; and Mehrotra, Gopal M.
Solid-state diffusion bonding of carbon–carbon composites with borides and carbides. (5) 1274
Dal Maschio, Roberto See Della Mea, Gianantonio; Sorarù, Gian Domenico
Danchaivijit, Sawai; and Shetty, Dinesh K.
Matrix cracking in ceramic-matrix composites. (10) 2497
Danforth, Stephen C. See Tsao, Inlin
Darroudi, Taghi; Tressler, Richard E.; and Kasprzyk, Martin R.
Low-cost melt-formed siliconized silicon carbide radiant tube materials. (1) 173
Das, P. K. See Mukerji, J.
Davis, Janet B.; Löfvander, Jan P. A.; Evans, Anthony G.; Bischoff, Ewald; and Emiliani, Mario L.
Fiber coating concepts for brittle-matrix composites. (5) 1249
Davis, Robert F. See Du, Honghua
Davison, Terry S. See Eldridge, Jeffrey I.
Day, Delbert E. See Weber, J. K. Richard

Debschütz, Klaus D.; Caspers, Bernhard; Schneider, Gerold A.; and Petzow, Gunter
Critical evaluation of the compression creep test. (10) 2468
Deepak; and Evans, James W.
Calculation of temperatures in microwave-heated two-dimensional ceramic bodies. (8) 1915; Mathematical model for chemical vapor infiltration in a microwave-heated preform. (8) 1921
Dejneka, Matthew; Riman, Richard E.; and Snitzer, Elias
Sol-gel synthesis of high-quality heavy-metal fluoride glasses. (12) 3147
Deki, Shigehito See Hashimoto, Noboru
DeLiso, Evelyn M.; and Bleier, Alan
Nonaqueous processing of silicon for reaction-bonded silicon nitride. (1) 81
Della Mea, Gianantonio; Rigato, Valentino; Dal Maschio, Roberto; Sighel, Corrado; and Colombo, Paolo
Electrically conducting Pb_yO_x–SiO_2 glass films deposited by reactive radio-frequency magnetron sputtering. (11) 2930
Deltour, Robert See Diko, Pavel
Demczyk, Brian G. See Narula, Chaitanya K.
Derby, Brian See Qin, Cai-Dong
Derep, Jean Luc See Touanen, Muriel
De Arellano-López, Antonio R.; Domínguez-Rodríguez, Arturo; Goretta, Kenneth C.; and Routbort, Jules L.
Plastic deformation mechanisms in SiC-whisker-reinforced alumina. (6) 1425
De Aza, Piedad N.; López, Carmen M.; Guitián, Francisco; and De Aza, Salvador
Phase diagram of wollastonite–zirconia. (4) 1052
De Aza, Salvador See De Aza, Piedad N.
de Baranda, Pedro Sainz; Knudsen, Arne K.; and Ruh, Edwin
Effect of CaO on the thermal conductivity of aluminum nitride. (7) 1751; Effect of silica on the thermal conductivity of aluminum nitride. (7) 1761
de Biasi, Ronaldo S.; Fernandes, Antonio A.R.; and Grillo, Maria L. N.
Measurement of small concentrations of chromium and iron in rutile (TiO_2) using electron spin resonance. (1) 223
De Graef, Marc See Cao, Heng C.
De Jonghe, Lutgard C. See Rahaman, Mohamed N.
de Villiers, Johan P. R. See Nell, Johan
de Vries, Karel J. See Cao, Guo-zhong
Diamond, Sidney; and Bonen, David
Microstructure of hardened cement paste—A new interpretation. (12) 2993
DiCarlo, Joseph; and Navrotsky, Alexandra
Energetics of cobalt(II) oxide with the zinc-blende structure. (10) 2465
Dickerson, Robert M.; and Heuer, Arthur H.
Precipitate morphology in ternary MgO, CaO-partially-stabilized zirconias. (4) 833
Dickinson, J. Thomas See Norton, M. Grant
Diko, Pavel; Duvigneaud, Paul.-H.; Lanckbeen, Alain; Van Moer, André; Naessens, Georges; and Deltour, Robert
Influence of iron doping on the microstructure of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ ceramics. (11) 2859
Ding, Pu See Wang, Ting-ji
Dobson, Christopher M. See Richardson, Ian G.
Dokiya, Masayuki See Sakai, Natsuko
Dollar, Anna; and Steif, Paul S.
Cohesive zone approach to interpreting the fiber push-out test. (4) 897
Domínguez-Rodríguez, Arturo See De Arellano-López, Antonio R.
Donaldson, Kimberly Y. See Hasselman, D. P. H.; Withers, James C.
Donaldson, Kimberly Y.; Bhatt, Hemanshu D.; Hasselman, D. P. H.; Chyung, Kenneth; and Taylor, Mark P.
Role of interfacial gaseous heat transfer in the transverse thermal conductivity of a uniaxial carbon fiber-reinforced aluminoborosilicate glass. (7) 1888
Dou, Shi-xue See Shao, Zhong B.
Douglas, William H. See Wolf, William D.
Dransmann, Gerd W. See Behrens, Gesa
Dravid, Vinayak P. See Zhang, Hong
Dregia, Suliman A. See Iwagoshi, Thawi
Drofenik, Miha
Origin of the grain growth anomaly in donor-doped barium titanate. (1) 123
Drory, Michael D. See Mumm, Daniel R.
Drory, Michael D.; McClelland, Robert J.; Zok, Frank W.; and Heredia, Fernando E.
Fiber-reinforced diamond matrix composites. (5) 1387
Drummond, Charles H., III See Bansal, Narottam P.
Du, Honghua; Yang, Zunde; Libera, Matthew; Jacobson, Dale C.; Wang, Yu C.; and Davis, Robert F.
Chemistry and structure of beta silicon carbide implanted with high-dose aluminum. (2) 330
Ducarroir, Michel See Touanen, Muriel
Dudney, Nancy J. See Bates, John B.
Dumm, John See Brown, Paul W.
Dunlop, Gordon See Olsson, Eva
Dunn, Bruce See Chen, William W.
Dunn, Martin L.; and Taya, Minoru
Electromechanical properties of porous piezoelectric ceramics. (7) 1697
Duong, H.; Beeman, M.; and Wolfenstine, Jeff
Creep behavior of potassium chloride–rubidium chloride solid solution alloys. (1) 185
Duvigneaud, Paul.-H. See Diko, Pavel
Eatough, Michael O. See Tuttle, Bruce A.
Ebata, Kiyoshi See Muraoka, Mikio
Eberhard, Emil See Schneider, Hartmut
Einarsrud, Mari-Ann; and Mitomo, Mamoru
Mechanism of grain growth of β-SiAlON. (6) 1624
Elpers-Smith, Ketti; Waters, Kelsey; and Schultz, J. Albert
Atomic beam modifications of insulator surfaces. (2) 284
Eiras, José Antonio See Menegazzo, Bruno Acácio
El-Batal, Hatem Abdel Rahman; and Ezz-El-Din, Fathy Mahmoud
Interaction of γ-rays with some alkali–alkaline-earth borate glasses containing chromium. (2) 523
Eldridge, Jeffrey I. See Curtin, William A.
Eldridge, Jeffrey I.; Wiening, Jonathan P.; Davison, Terry S.; and Pindera, Marek-Jerzy
Transverse strength of SCS-6 silicon carbide fibers. (12) 3151
Elices, Manuel See Pastor, Jose Ygnacio
Emiliani, Mario L. See Davis, Janet B.
Endo, Shoichi See Tang, Jie
Enomoto, Naoya See Tsukamoto, Keizou
Enomoto, Yuji; and Chaudhri, M. Munawar
Fracto-emission during fracture of engineering ceramics. (10) 2583
Erdemir, Ali See Ajayi, Oyelayo O.
Eriksson, Gunnar See Wu, Ping
Erny, Tobias; Seibold, Michael; Jarchow, Otto; and Greil, Peter
Microstructure development of oxycarbide composites during active-filler-controlled polymer pyrolysis. (1) 207
Eun, Kwang-Yong See Choi, Jun-Youp; Chun, Dong-Il
Evans, Anthony G. See Beyerle, Douglas S.; Cao, Hengchu; Davis, Janet B.; Flinn, Brian D.
Evans, James W. See Deepak
Evans, Julian R. G. See Zhang, Tao
Eyring, LeRoy See Tong, Jianzhu
Ezz-El-Din, Fathy Mahmoud See El-Batal, Hatem Abdel Rahman
Faber, K. T. See Mumm, Daniel R.
Fahrenholtz, William G.; Smith, Douglas M.; and Cesarano, Joseph III
Effect of precursor particle size on the densification and crystallization behavior of mullite. (2) 433
Fang, Nancy J.-J.; and Chou, Tsu-Wei
Characterization of interlaminar shear strength of ceramic matrix composites. (10) 2539
Fang, Tsang-Tse; Hsieh, Huey-Lin; and Shiau, Fuh-Shan
Effects of pore morphology and grain size on the dielectric properties and tetragonal–cubic phase transition of high-purity barium titanate. (5) 1205
Fardis, Michael See Papavassiliou, George
Farmer, Serene C. See Ning, Xian-Jie
Faudot, Françoise See Daniel Michel
Ferber, Mattison K. See Jenkins, Michael G.; Wereszczak, Andrew A.
Fernandes, Antonio A. R. See de Biasi, Ronaldo S.
Fine, Morris E. See Liu, Haiyan
Finlayson, Trevor R. See Batchelor, Warren J.
Finnie, Iain See Cheng, Weili
Fischer, Donald F. See Lewis, Michele A.
Fischer, Reinhard X. See Schneider, Hartmut
Fischer, Traugott E. See Liang, Hong
Fleischer, Elizabeth L. See Norton, M. Grant
Flinn, Brian D.; Lo, Calvin S.; Zok, Frank W.; and Evans, Anthony G.
Fracture resistance characteristics of a metal-toughened ceramic. (2) 369
Flynn, Robert See Besson, Jean-Louis
Fouletier, Jacques See Chatain, Dominique
Frahm, Ronald See Zschech, Ehrenfried
Francis, Lorraine Falter See Kim, Young-Joo; Wolf, William D.
French, Roger H. See McNeil, Laurie E.
Frischat, Günther H. See Steffestun, Bärbel
Fujikawa, Nobuyoshi See Osawa, Shin-ichi
Fujimoto, Shirou See Aruga, Atsushi
Fujiyoshi, Kaichi; Yokoyama, Hisanori; Ren, Feng; and Ishida, Shingo
Chemical state of vanadium in tin-based yellow pigment. (4) 981
Fukuda, Koichiro; Maki, Iwao; Ikeda, Susumu; and Ito, Suketoshi
Microtextures formed by the remelting reaction in belite crystals. (11) 2942
Fukuda, Koichiro; Maki, Iwao; Toyoda, Kazuhiro; and Ito, Suketoshi
Kinetics of the α-to-α'_H polymorphic phase transition of Ca_2SiO_4 solid solutions. (7) 1821
Fukui, Toshimi See Sakurai, Chihiro
Fukunaga, O. See Choi, Jun-Youp
Fukunaga, Toshiharu See Jin, Jisun
Funahashi, Satoru See Igawa, Naoki
Funayama, Osamu; Kato, Tomohiro; Tashiro, Yuji; and Isoda, Takeshi
Synthesis of a polyborosilazane and its conversion into inorganic compounds. (3) 717
Fung, Kuan Zong; Chen, Jong; and Virkar, Anil V.
Effect of aliovalent dopants on the kinetics of phase transformation and ordering in RE_2O_3–Bi_2O_3 (RE = Yb, Er, Y, or Dy) solid solutions. (10) 2403
Funkenbusch, Eric F.; Plovnick, Ross H.; and Becher, Paul F.
Properties of zirconia–ceria–hafnia alloys. (6) 1531
Furubayashi, Takao See Hirata, Toshiya
Furukawa, Osamu See Kanai, Hideyuki
Furuta, Atsushi; and Uchino, Kenji
Dynamic observation of crack propagation in piezoelectric multilayer actuators. (6) 1615
Furuzawa, Akira See Osawa, Shin-ichi
Fuzita, Toshifumi See Suzuki, Suguru
Gabriel, Kenneth A. See Burns, Richard P.
Gaffet, Eric See Michel, Daniel
Garboczi, Edward J. See Coverdale, R. Tate
Garcia, Daniel E. See Knechtel, Mathias C.
García-Rosales, Carmen; Schulze, Horst A.; Naoumidis, Aristides; and Nickel, Hubertus
Influence of oxygen partial pressure on the quasi-ternary system Cr-Mn-Ti oxide. (11) 2869
Gardinier, Clayton F. See Mumm, Daniel R.
Garino, T. J. See Chiu, Raymond C.
Garofalini, Stephen H. See Rudd, Gregory I.
Garratt-Reed, Anthony J. See Ikeda, Jeri Ann S.
Gartner, Ellis; and Myers, David
Influence of tertiary alkanolamines on portland cement hydration. (6) 1521
Gauckler, Ludwig J. See Sasaki, Kazunari
Geiger, Alan L. See Liu, Haiyan
Ghanbari-Ahari, Kazem; and Cameron, Andrew M.
Phase diagram of Na_2O–B_2O_3–SiO_2 system. (8) 2017
Ghetta, Véronique See Chatain, Dominique
Ghonge, Subodh G.; Goo, Edward; Ramesh, R.; Sands, T.; and Keramidas, V. G.
Microstructure of epitaxial ferroelectric $YBa_2Cu_3O_{7-x}$/$Pb_{0.9}La_{0.1}(Zr_{0.7}Ti_{0.3})_{0.975}O_3$/$YBa_2Cu_3O_{7-x}$ heterostructures on $LaAlO_3$. (12) 3141
Giannelis, Emmanuel P. See Keddie, Joseph L.; Levine, Timothy E.
Gilbert, Paul See Hill, Robert
Glaeser, Andreas M. See Powers, James D.
Gogotsi, Yury G.; and Grathwohl, Georg
Stress-enhanced oxidation of silicon nitride ceramics. (12) 3093
Goktas, Aydin A. See Uhlmann, Eugenie V.
Gokularathnam, C.V. See Annamalai, V. E.
Gonsalves, Kenneth E. See Xiao, Tongsan D.
Gonzalez-Carreño, Teresita See Ocaña, Manuel
Goo, Edward See Ghonge, Subodh G.
Goo, Grace See Gust, Maria
Goodnow, David C. See Tuttle, Bruce A.
Goretta, Kenneth C. See De Arellano-López, Antonio R.
Goto, Takashi See Narushima, Takayuki
Goto, Yasuhiro; and Tsuge, Akihiko
Mechanical properties of unidirectionally oriented SiC-whisker-reinforced Si_3N_4 fabricated by extrusion and hot-pressing. (6) 1420
Goursat, Paul See Bahloul, Djamila; Besson, Jean-Louis; Rouxel, Tanguy
Grader, Gideon S.; and Zuri, Limor
Tape casting slip preparation by *in situ* polymerization. (7) 1809
Grathwohl, Georg See Gogotsi, Yury G.; Kuntz, Meinhard; Liu, Tianshun
Green, David J. See Brezny, Rasto; Chou, Yeong-Shyung; Watkins, Thomas R.
Greil, Peter See Erny, Tobias
Griesheim, Gary E.; Pollock, Peter B.; and Yen, Shing-Chung
Notch strength and fracture behavior of 2-D carbon–carbon copmposites. (4) 944
Grillo, Maria L. N. See de Biasi, Ronaldo S.
Grimes, Robin W. See Binks, D. Jason
Grimsditch, Marcos See McNeil, Laurie E.
Groseclose, Lance E. See Sanders, William A.
Gross, Anita K. See Batchelor, Warren J.
Groves, Geoffrey W. See Richardson, Ian G.
Grutzeck, Michael W. See Ramachandran, A.R.
Gu, Koufen See Liang, Kaiming
Guillou, Marie-Odile; Henshall, John Leslie; and Hooper, Robert Maurice
Indentation cyclic fatigue of single-crystal magnesium oxide. (7) 1832
Guitián, Francisco See De Aza, Piedad N.
Gulick, Julie See Brown, Paul W.
Gupta, Prabhat K.
Rigidity, connectivity, and glass-forming ability. (5) 1088; See also Corpus, Joey M.; Iwagoshi, Thawi

Gupta, Prabhat K.; and Heuer, Arthur H.
A. R. Cooper symposium on glass science and technology. (5) 1076; Alfred R. Cooper's contributions to glass science and technology. (5) 1077
Gupta, Tapan K. See Jean, Jau-Ho; Lu, Guo-Quan
Gupta, Vijay; Yuan, Jun; and Martinez, Doris
Calculation, measurement, and control of interface strength in composites. (2) 305
Gusmano, Gualtiero; Montesperelli, Giampiero; Traversa, Enrico; and Mattogno, Giulia
Microstructure and electrical properties of $MgAl_2O_4$ thin films for humidity sensing. (3) 743
Gust, Maria; Goo, Grace; Wolfenstine, Jeff; and Mecartney, Martha L.
Influence of amorphous grain boundary phases on the superplastic behavior of 3-mol%-yttria-stabilized tetragonal zirconia polycrystals (3Y-TZP). (7) 1681
Hall, Peter C. See Cooper, Reid F.
Halloran, John W. See Baskaran, Suresh; Nunn, Stephen D.
Hamaguchi, Hiro-o See Kim, Byung-Kook
Hammett, F. W. See Russell-Floyd, R. S.
Hampshire, Stuart See Besson, Jean-Louis
Han, Sang-Moo; and Kang, Suk-Joong L.
Kinetics of β-Si_3N_4 grain growth in Si_3N_4 ceramics sintered under high nitrogen pressure—comment. (12) 3178
Hansson, Thomas; Warren, Richard; and Wasén, Jonas
Fracture toughness anisotropy and toughening mechanisms of a hot-pressed alumina reinforced with silicon carbide whiskers. (4) 841
Hardy, Anne Bagley; Rhine, Wendell E.; and Bowen, H. Kent
Preparation of spherical, submicrometer oxide particles by hydrolysis of emulsified alkoxide droplets. (1) 97
Harmer, Martin P. See Thompson, A. Mark; Zhao, Junhong
Harris, B. See Russell-Floyd, R. S.
Harris, Jody E. See Hefter, Jesse
Hasegawa, Shinya See Miyaji, Fumiaki
Hashimoto, Noboru; Yoden, Hiroyoshi; and Deki, Shigehito
Effect of milling treatment on the particle size in the preparation of AlN powder from aluminum polynuclear complexes. (2) 438
Hasselman, D. P. H. See Donaldson, Kimberly Y.; Withers, James C.
Hasselman, D. P. H.; Donaldson, Kimberly Y.; Anderson, Edward M.; and Johnson, Thomas A.
Effect of thermal history on the thermal diffusivity and thermal expansion of an alumina–aluminum titanate composite. (9) 2180
Hay, Jack C.; and White, Kenneth W.
Grain-bridging mechanisms in monolithic alumina and spinel. (7) 1849
Headley, Thomas J. See Tuttle, Bruce A.
Hecker, Arlene See Hefter, Jesse
Hefter, Jesse; Hecker, Arlene; Mahoney, F. Michael; and Harris, Jody E.
Microstructural characterization of structural ceramics using image processing and analysis. (6) 1551
Hellstrom, Eric E. See Schartman, Richard R.
Hendrix, Bryan C. See Borofka, Janine C.
Hendrix, Bryan C.; Abe, Teruyoshi; Borofka, Janine C.; Wang, Pin-Chin; and Tien, John K.
Hot deformation of $YBa_2Cu_3O_{7-\delta}$ and composite $YBa_2Cu_3O_{7-\delta}$/Ag. (4) 1008
Henshall, John Leslie See Guillou, Marie-Odile
Hensley, David A. See Rudd, Gregory I.
Heredia, Fernando E. See Drory, Michael D.
Hermansson, Leif See Li, Jianguo
Heuer, Arthur H. See Behrens, Gesa; Dickerson, Robert M.; Gupta, Prabhat K.; Jacobson, Nathan S.
Hikichi, Yasuo See Suzuki, Suguru
Hill, Robert; and Gilbert, Paul
High-temperature dynamic mechanical thermal analysis of a lithium zinc silicate glass-ceramic. (2) 417
Hillel, Roger See Touanen, Muriel
Hillig, William B.
A methodology for estimating the mechanical properties of oxides at high temperatures. (1) 129; See also Patibandla, Nag
Hilpert, Klaus See Boike, Martin
Hirai, Toshio See Narushima, Takayuki; Yamane, Hisanori
Hirano, Shin-ichi; Yogo, Toshinobu; Kikuta, Ko-ichi; Asai, Emi; Sugiyama, Kiyoshi; and Yamamoto, Hiroshi
Preparation and phase separation behavior of $(Co,Fe)_3O_4$ films. (7) 1788
Hirao, Kazuyuki See Tanaka, Katsuhisa
Hirao, Kiyoshi See Ohashi, Masayoshi
Hirata, Toshiya; Zhu, Haiyan; Furubayashi, Takao; and Nakatani, Isao
Low-temperature structural phase transition in ZrO_2–12 mol% CeO_2 studied by infrared spectroscopy and X-ray diffractometry. (5) 1361
Hirayama, Shigekazu See Aruga, Atsushi
Hirosaki, Naoto; Akimune, Yoshio; and Mitomo, Mamoru
Effect of grain growth of β-silicon nitride on strength, Weibull modulus, and fracture toughness. (7) 1892
Hirota, Ken See Matsumoto, Yosuke
Hirvonen, J.-P. See Jervis, Thomas R.
Hishmeh, Gary; Cartz, Louis; Karioris, Frank G.; Templier, Claude; Chaumont, Jacques; and Clerc, Catherine
Retention of implanted gases and enhanced thermal expansion of mica. (2) 343
Ho, In-Chyuan; and Hsieh, Huey-Lin
Influence of potassium on preparation and performance of PTC resistors. (9) 2385
Hoffmann, Michael J. See Krämer, Martin
Holmes, John W. See Butkus, Lawrence M.; Shuler, Stephen F.; Wu, Xin
Holmes, John W.; Park, Yong H.; and Jones, J. Wayne
Tensile creep and creep-recovery behavior of a SiC-fiber–Si_3N_4-matrix composite. (5) 1281
Holt, Richard T. See Berriche, Ridha
Holz, Dietmar See Wu, Suxing
Hombo, Jukichi See Matsumoto, Yasumichi
Hong, Byungson; and Mason, Thomas O.
High-temperature electrical properties of the $Bi_{2.1}Sr_{1.9}(Ca_{1-x}Y_x)Cu_2O_y$ solid solution. (3) 635
Hong, Kug Sun; Lee, Sang Won; and Speyer, Robert F.
Thermal analysis of reactions in soda-lime silicate glass batches containing melting accelerants: II, Multicomponent systems. (3) 605
Hong, Kug Sun; and Speyer, Robert F.
Thermal analysis of reactions in soda-lime silicate glass batches containing melting accelerants: I, One- and two-component systems. (3) 598
Hooper, Robert Maurice See Guillou, Marie-Odile
Hopper, Robert W.
Coalescence of two viscous cylinders by capillarity: Part I, Theory. (12) 2947; Coalescence of two viscous cylinders by capillarity: Part II, Shape evolution. (12) 2953
Horn, Roger G. See Clarke, David R.
Houng, Boen See Barsoum, Michel W.
Howell, F. Scott See Murata, Tsuyoshi
Hsieh, Huey-Lin See Fang, Tsang-Tse; Ho, In-Chyuan
Hsu, PeiPei; Ip, Sikyin; Park, Chan; and McNallan, Michael J.
Oxidation of silicon, silicon carbide, and silicon nitride in gases containing oxygen and chlorine. (6) 1621
Hsu, Stephen M. See Lee, Soo W.
Hsueh, Chun-Hway
Evaluation of interfacial properties of fiber-reinforced ceramic composites using a mechanical properties microprobe. (12) 3041
Hu, Chen-Ti See Cheng, Hsiu-Fung
Hu, Ching-Li; and Rahaman, Mohamed N.
SiC-whisker-reinforced Al_2O_3 composites by free sintering of coated powders. (10) 2549
Huang, Shui-Q. See Liu, Donhang
Huang, Xue-Ning See Sarkar, Partho
Huang, Xue-Ning; and Nicholson, Patrick S.
Mechanical properties and fracture toughness of α-Al_2O_3-platelet-reinforced Y-PSZ composites at room and high temperatures. (5) 1294
Hubbard, Camden R. See Kim, Dae-Joon; Su, Pomin
Hubbard, K. M. See Jervis, Thomas R.
Hudgens, James J.; and Martin, Steve W.
Glass transition and infrared spectra of low-alkali, anhydrous lithium phosphate glasses. (7) 1691
Huebner, Wayne See Wang, Sea Fue
Hutchinson, John W. See Tvergaard, Viggo
Hwang, Tae Jin; and Choi, Gyeong Man
Humidity response characteristics of barium titanate. (3) 766
Igawa, Naoki; Ishii, Yoshinobu; Nagasaki, Takanori; Morii, Yukio; Funahashi, Satoru; and Ohno, Hideo
Crystal structure of metastable tetragonal zirconia by neutron powder diffraction study. (10) 2673
Iguchi, Yasutaka See Narushima, Takayuki
Ikeda, Jeri Ann S.; and Chiang, Yet-Ming
Space charge segregation at grain boundaries in titanium dioxide: I, Relationship between lattice defect chemistry and space charge potential. (10) 2437
Ikeda, Jeri Ann S.; Chiang, Yet-Ming; Garratt-Reed, Anthony J.; and Vander Sande, John B.
Space charge segregation at grain boundaries in titanium dioxide: II, Model experiments. (10) 2447
Ikeda, Ko See Schneider, Hartmut
Ikeda, Susumu See Fukuda, Koichiro
Ikeda, Yoji See Sakka, Yoshio
Ikushima, Akira J. See Uno, Tomoko
Imanishi, Nobuyuki See Kohno, Kazushige
Inamura, Suguru See Matsumoto, Yosuke
Inniss, Daryl See Kurkjian, Charles R.
Inniss, Daryl; Zhong, Qian; and Kurkjian, Charles R.
Chemically corroded pristine silica fibers: Blunt or sharp flaws? (12) 3173
Inoue, Satoru; Soga, Kohei; and Makishima, Akio
Effect of introduction of chloride on the upconversion emission intensity in Er- and Yb-codoped ZBLAN fluoride glasses. (6) 1591
Inukai, Eikichi See Lee, Won-Hyuk
Ip, Sikyin See Hsu, PeiPei
Ishida, Hideki See Sasaki, Kaori
Ishida, Hideki; Yamazaki, Satoru; Sasaki, Kaori; Okada, Yoshihiko; and Mitsuda, Takeshi
α-Dicalcium silicate hydrate: Preparation, decomposed phase, and its hydration. (7) 1707
Ishida, Shingo See Fujiyoshi, Kaichi; Ren, Feng
Ishida, Shingo; Ren, Feng; Takeuchi, Nobuyuki
New yellow ceramic pigment based on codoping pyrochlore-type $Y_2Ti_2O_7$ with V^{5+} and Ca^{2+}. (10) 2644
Ishihara, Tsuguo See Tanaka, Katsuhisa
Ishii, Mamoru See Tsukamoto, Keizou
Ishii, Yoshinobu See Igawa, Naoki
Ishizaki, Kozo See Kuzjukēvičs, Anatolijs
Ishizawa, Nobuo See Yashima, Masatomo
Isoda, Takeshi See Funayama, Osamu
Itatani, Kiyoshi See Murata, Tsuyoshi
Ito, Suketoshi See Fukuda, Koichiro
Itoh, Hideaki; Takao, Hisaaki; and Iwahara, Hiroyasu
Reaction sintering of cubic boron nitride using volatile catalysts. (11) 2889
Iturriza, Iñigo See Wang, Chong-Min
Iwagoshi, Thawi; Gupta, Prabhat K.; and Dregia, Suliman A.
Computer simulation of the elastic and fracture behavior of sodium chloride crystal. (2) 465
Iwahara, Hiroyasu See Itoh, Hideaki
Iyer, S. Ramakrishna See Annamalai, V. E.
Jacobson, Dale C. See Du, Honghua
Jacobson, Nathan S.
Corrosion of silicon-based ceramics in combustion environments. (1) 3
Jacobson, Nathan S.; Lee, Kang N.; Maloy, Stuart A.; and Heuer, Arthur H.
Chemical reactions in the processing of $MoSi_2$ + carbon compacts. (8) 2005
Jagota, Anand See Bordia, Rajendra K.
Jagota, Anand; and Scherer, George W.
Viscosities and sintering rates of a two-dimensional granular composite. (12) 3123
Jakus, Karl; Ritter, John E.; and Schwillinski, Roland H.
Viscous glass crack bridging forces in a sintered glassy alumina at elevated temperatures. (1) 33
Jandhyala, Subrahmanyam
Thermochemical evaluation of combustion synthesis of $MoSi_2$–SiC composites. (1) 226
Jang, Hyun M. See Lim, Byung C.; Moon, Jong H.
Jang, Se-Aug; and Choi, Gyeong Man
Electrical conduction in aluminum nitride. (4) 957
Jarchow, Otto See Erny, Tobias
Jarh, Orest See Papavassiliou, George
Jayanthi, Gopal V. See Messing, Gary L.
Jean, Jau-Ho; and Gupta, Tapan K.
Alumina as a devitrification inhibitor during sintering of borosilicate glass powders. (8) 2010; Alumina as a devitrification inhibitor during sintering of borosilicate glass powders—correction. (12) 3180; Crystal growth inhibitor in binary borosilicate glass composite—gallium oxide. (3) 751
Jee, Young A.; Kang, Suk-Joong L.; Suh, Jeong-Hun; and Yoon, Duk Yong
Grain alignment in bulk $YBa_2Cu_3O_x$ superconductors by isothermal peritectic reaction process. (10) 2701
Jen, Cheng-Kuei; Neron, Christian; Shang, Alain; Abe, Koichi; Bonnell, Lee; and Kushibiki, Junichi
Acoustic characterization of silica glasses. (3) 712
Jenkins, Michael G.; Ferber, Mattison K.; and Lin, Chih-Kuang J.
Apparent enhanced fatigue resistance under cyclic tensile loading for a HIPed silicon nitride. (3) 788
Jennings, Hamlin M. See Coverdale, R. Tate; Lange, David A.; Thomas, Jeffrey J.
Jensen, Leslie C. See Norton, M. Grant
Jervis, Thomas R. See Zaleski, Mark A.
Jervis, Thomas R.; Nastasi, Michael; Hubbard, K. M.; and Hirvonen, J.-P.
Excimer laser surface processing of ceramics: process and properties. (2) 350
Jette, A. Norman See Bargeron, C. Brent
Jewell, John M.
Thermooptic coefficients of soda–lime–silica glasses. (7) 1855
Jia, Nanying; Bodet, Raphael; and Tressler, Richard E.
Effects of microstructural instability on the creep behavior of Si-C-O (nicalon) fibers in argon. (12) 3051
Jiang, Wenbiao See Norton, M. Grant
Jimbo, Genji See Kamiya, Hidehiro
Jin, Fuxue See Kaneko, Hiroyuki
Jin, Jisun; Yoko, Toshinobu; Miyaji, Fumiaki; Sakka, Sumio; Fukunaga, Toshiharu; and Misawa, Masakatsu
Neutron diffraction study on the structure of Na-Si-O-N oxynitride glasses. (3) 630
Jin, Zong-zhe See Wang, Ting-ji
Johnson, D. Lynn See Thomas, Jeffrey J.
Johnson, Paul F. See Zheng, Jingmin
Johnson, Thomas A. See Hasselman, D. P. H.
Johnson, William C.; and Schmalzried, Hermann
Phenomenological thermodynamic treatment of elastically stressed ionic crystals. (7) 1713
Jones, J. Wayne See Holmes, John W.

Jones, Robert L.
Resistance of tin dioxide to chemical reaction with vanadate–sulfate melts. (6) 1635
Jones, Robert L.; Reidy, Richard F.; and Mess, Derek
Vanadate hot corrosion behavior of india, yttria-stabilized zirconia. (10) 2660
Jung, Hyung-Jin See Kim, Dae-Joon
Jupp, Robert S. See Chadwick, Margaret M.
Kagotani, Hiroshi See Nagamoto, Hidetoshi
Kamiya, Hidehiro; Suzuki, Hisao; Kato, Daisuke; and Jimbo, Genji
Densification of alkoxide-derived fine silica powder compact by ultra-high-pressure cold isostatic pressing. (1) 54
Kanai, Hideyuki; Furukawa, Osamu; Nakamura, Shin-ichi; and Yamashita, Yohachi
Effect of stoichiometry on the dielectric properties and life performance of $(Pb_{0.875}Ba_{0.125})[(Mg_{1/3}Nb_{2/3})_{0.5}(Zn_{1/3}Nb_{2/3})_{0.5}]_{0.7}Ti_{0.3}]O_3$ relaxor dielectric ceramic: Part I, dielectric properties. (2) 454; Effect of stoichiometry on the dielectric properties and life performance of $(Pb_{0.875}Ba_{0.125})[(Mg_{1/3}Nb_{2/3})_{0.5}(Zn_{1/3}Nb_{2/3})_{0.5}]_{0.7}Ti_{0.3}]O_3$ relaxor dielectric ceramic: Part II, life performance. (2) 459
Kaneko, Hiroyuki; Jin, Fuxue; Taimatsu, Hitoshi; and Kusakabe, Hirotatsu
Electrical conductivity of zirconia stabilized with scandia and yttria. (3) 793
Kang, Dong-Heon See Yoon, Ki Hyun
Kang, Suk-Joong L.
Analysis of the sintering pressure—comment. (7) 1902; See also Choi, Jun-Youp; Han, Sang-Moo; Jee, Young A.; Shin, Yu-Seon; Yoon, Kyung J.
Kanzaki, Shuzo See Ohashi, Masayoshi
Kanzaki, Tadao; Kitayama, Kenzo; and Shimokoshi, Kazuo
Mössbauer spectroscopy studies on Zn-bearing ferrite. (6) 1491
Kao, Ming-yuan
Properties of silicon nitride–molybdenum disilicide particulate ceramic composites. (11) 2879
Karandikar, Prashant G.; and Chou, Tsu-Wei
Damage development and moduli reductions in nicalon–calcium aluminosilicate composites under static fatigue and cyclic fatigue. (7) 1720
Karioris, Frank G. See Hishmeh, Gary
Kasprzyk, Martin R. See Darroudi, Taghi
Kasuga, Toshihiro See Uno, Tomoko
Kasuga, Toshihiro; and Abe, Yoshihiro
Phase separation and crystallization of $BiSrCaCu_2Al_{0.5}O_z$ glass. (7) 1885
Katayama, Shinya See Matsuda, Atsunori
Kato, Daisuke See Kamiya, Hidehiro
Kato, Riso See Tanaka, Katsuhisa
Kato, Tomohiro See Funayama, Osamu
Katz, R. Nathan See Woodilla, David
Kawada, Tatsuya See Sakai, Natsuko
Kawamura, Katsuyuki See Unuma, Hidero
Kawashima, Toshio See Kimura, Osamu
Kaysser, Wolfgang A. See Bourell, David L.; Schneider, Hartmut
Kecskes, Laszlo J.; Niiler, Andrus; and Kottke, Thomas
Precursor morphology effects in combustion-synthesized and dynamically consolidated titanium carbide and titanium boride. (12) 2961
Keddie, Joseph L. See Levine, Timothy E.
Keddie, Joseph L.; Braun, Paul V.; and Giannelis, Emmanuel P.
Relationship between water desorption and low-temperature densification of colloidal anatase thin films. (10) 2529
Keddie, Joseph L.; Norton, Laura J.; Kramer, Edward J.; and Giannelis, Emmanuel P.
Neutron reflectometry characterization of interface width between sol-gel titanium dioxide and silicon dioxide thin films. (10) 2534
Keith, Olga See Kusy, Robert P.
Kelkar, Girish P.; and Carim, Altaf H.
Synthesis, properties, and ternary phase stability of M_xX compounds in the Ti–Cu–O system. (7) 1815
Kelly, J. Robert; Cohen, Mark E.; and Tesk, John A.
Error propagation biases in the calculation of indentation fracture toughness for ceramics. (10) 2665
Keramidas, V. G. See Ghonge, Subodh G.
Keulen, Nico M.
Indentation creep of hydrated soda–lime silicate glass determined by nanoindentation. (4) 904
Khachaturyan, A. G. See Wang, Yunzhi
Kieffer, John See Masnik, John E.
Kikuta, Ko-ichi See Hirano, Shin-ichi
Kim, A. S. See Ramamurty, U.
Kim, Byung-Chan See Chae, Ki-Woong
Kim, Byung-Kook; Park, Soon-Ja; and Hamaguchi, Hiro-o
Determination of the oxygen self-diffusion coefficients in Y_2O_3-containing tetragonal zirconia polycrystals by Raman spectrometric monitoring of the ^{16}O–^{18}O exchange reaction. (8) 2119
Kim, Chong Hee See Kim, Do-Hyeong
Kim, Dae-Joon; Becher, Paul F.; and Hubbard, Camden R.
Effect of Nb_2O_5 alloying on thermal expansion anisotropy of 2 mol% Y_2O_3-stabilized tetragonal ZrO_2. (11) 2904
Kim, Dae-Joon; Jung, Hyung-Jin; and Yang, In-Sang
Raman spectroscopy of tetragonal zirconia solid solutions. (8) 2106
Kim, Doh-Yeon See Chae, Ki-Woong; Chun, Dong-Il; Lee, Sang-Ho
Kim, Do-Hyeong; and Kim, Chong Hee
Effect of heating rate on pore shrinkage in yttria-doped zirconia. (7) 1877
Kim, Kitae T.; and Suh, Jeong
Effect of compressive stress on fatigue of alumina under uniaxial cyclic loading. (1) 229
Kim, Kyung-Bae See Chae, Ki-Woong
Kim, Sae-Hoon; Yoko, Toshinobu; and Sakka, Sumio
Linear and nonlinear optical properties of TeO_2 glass. (10) 2486; Nonlinear optical properties of TeO_2-based glasses: La_2O_3–TeO_2 binary glasses. (4) 865
Kim, Seong-Jin; Birnie, Dunbar P. III; and Uhlmann, Donald R.
Early-stage microstructure development in Bi-Sr-Ca-Cu-O glasses. (12) 3087
Kim, Young-Joo; and Francis, Lorraine Falter
Processing and characterization of porous TiO_2 coatings. (3) 737
Kim, Youn Joong See Nettleship, Ian
Kimura, Osamu; and Kawashima, Toshio
Effect of interlayer thickness on residual thermal stresses in a ceramic-to-metal cylindrical joint. (3) 757
Kinoshita, Makio See Murata, Tsuyoshi
Kirkpatrick, R. James See Brow, Richard K.; Cong, Xiandong
Kishioka, Akira See Murata, Tsuyoshi
Kitayama, Kenzo See Kanzaki, Tadao
Kleebe, Hans-Joachim See Cinibulk, Michael K.; Sigl, Lorenz S.
Kleebe, Hans-Joachim; Cinibulk, Michael K.; Cannon, Rowland M.; and Rühle, Manfred
Statistical analysis of the intergranular film thickness in silicon nitride ceramics. (8) 1969
Knechtel, Mathias C.; Garcia, Daniel E.; Rödel, Jürgen; and Claussen, Nils
Subcritical crack growth in Y-TZP and Al_2O_3-toughened Y-TZP. (10) 2681
Knudsen, Arne K. See de Baranda, Pedro Sainz
Kobayashi, Hidehiko See Mitamura, Takashi
Kobayashi, Hidehiko; Mitamura, Takashi; Kuramochi, Hideto; Mori, Toshiyuki; and Yamamura, Hiroshi
Conductivity of tazheranite ceramics synthesized by controlling composition. (2) 530
Kobayashi, Hidehiko; Shimosaka, Kenichi; Saitoh, Miki; and Mitamura, Takashi
Low-temperature synthesis of ZrC powder by cyclic reaction of Mg in ZrO_2–Mg–CH_4. (9) 2389
Kogure, Toshihiro See Matsuda, Atsunori
Kohno, Kazushige; Takeda, Yasuo; Imanishi, Nobuyuki; Sakaki, Yoshinori; Sakamoto, Katsuyuki; and Yamamoto, Osamu
Preparation and characterization of platinum–ceramic composite powders and thin films. (1) 192
Koizumi, Mitsue See Oda, Kohei
Kojima, Isao See Sakai, Natsuko
Kolar, Drago See Škapin, Srečo
Komarneni, Sridhar See Selvaraj, Ulagaraj
Komatsu, Takayuki; Sato, Ryuji; Kuken, Yusuke; and Matusita, Kazumasa
Kinetics of nonisothermal crystallization of $Bi_2Sr_2CaCu_2O_z$ glasses with different copper valence states. (11) 2795
Komatsu, Takayuki; Shioya, Kazuhide; and Matusita, Kazumasa
Fabrication of transparent tellurite glasses containing potassium niobate crystals by an incorporation method. (11) 2923
Konsztowicz, Krzysztof J.; and Boutin, Jacques
Study of porosity in corroded refractories. (5) 1169
Kopp, Michael W. See Thomas, Warren A.
Kosmac, Tomaz; Maurice, David; and Courtney, Thomas H.
Synthesis of nickel sulfides by mechanical alloying. (9) 2345
Kottke, Thomas See Kecskes, Laszlo J.
Kountouros, Paris N. See Zschech, Ehrenfried
Koya, Toshiyuki See Nagamoto, Hidetoshi
Koyasu, Shigeji See Sagala, Djuniadi A.
Kramer, Edward J. See Keddie, Joseph L.
Krämer, Martin
Topotactically oriented α-Si_3N_4 cores in sintered β-Si_3N_4. (6) 1627
Krämer, Martin; Hoffmann; Michael J.; Petzow, Günter
Grain growth studies of silicon nitride dispersed in an oxynitride glass. (11) 2778
Krebs, Michael A. See Lux, Byron C.
Kreidl, Norbert J. See Uhlmann, Eugenie V.
Krishnamurthy, R. See Annamalai, V. E.
Krivda, Alexy See Chmel, Alexandre
Kriven, Waltraud M. See Nettleship, Ian
Krupanidhi, S. B. See Kushida, Keiko
Kubo, Yukio See Kusunoki, Michiko
Kuken, Yusuke See Komatsu, Takayuki
Kumar, Suresh; Messing, Gary L.; and Randall, Clive A.
Preparation of unsupported metal organic and ceramic thin film specimens for TEM observation. (7) 1882
Kumar, Suresh; Messing, Gary L.; and White, William B.
Metal organic resin derived barium titanate: I, Formation of barium titanium oxycarbonate intermediate. (3) 617
Kuntz, Meinhard; Meier, Bernhard; and Grathwohl, Georg
Residual stresses in fiber-reinforced ceramics due to thermal expansion mismatch. (10) 2607
Kuramochi, Hideto See Kobayashi, Hidehiko
Kurata, Natsuko; and Kuwabara, Makoto
Semiconducting–insulating transition for highly donor-doped barium titanate ceramics. (6) 1605
Kurkjian, Charles R. See Inniss, Daryl
Kurkjian, Charles R.; Simpkins, Peter G.; and Inniss, Daryl
Strength, degradation, and coating of silica lightguides. (5) 1106
Kusakabe, Hirotatsu See Kaneko, Hiroyuki
Kusakabe, Katsuki See Tsugeki, Keiichi
Kushibiki, Junichi See Jen, Cheng-Kuei
Kushida, Keiko; Udayakumar, K. R.; Krupanidhi, S. B.; and Cross, L. Eric
Origin of orientation in sol-gel-derived lead titanate films. (5) 1345
Kusunoki, Michiko; Yonemitsu, Kyoko; Sasaki, Yukichi; and Kubo, Yukio
In situ observation of zirconia particles at 1200°C by high-resolution electron microscopy. (3) 763
Kusy, Robert P.; Keith, Olga; Whitley, John Q.; and Saunders, Carl R.
Coefficient of friction characterization of surface-modified polycrystalline alumina. (2) 336; Coefficient of friction characterization of surface-modified polycrystalline alumina—correction. (7) 1904
Kusy, Robert P.; Stuart, James M.; Whitley, John Q.; and Saunders, Carl R.
Laser specular reflectance and the optical rms roughness of alumina. (2) 299; Laser specular reflectance and the optical rms roughness of alumina—correction. (7) 1904
Kuwabara, Makoto See Kurata, Natsuko
Kuzjukēvičs, Anatolijs; and Ishizaki, Kozo
Sintering of silicon nitride with $YAlO_3$ additive. (9) 2373
Laganas, Edward See Papavassiliou, George
Lagerlof, Peter D. See Unal, Ozer
Lai, Chun-Hung; and Tseng, Tseung-Yuen
Preparation and ac electrical response analysis for (Ba,Pb) TiO_3 PTCR ceramics. (3) 781
Lai, Kou-Rueh; and Tien, Tseng-Ying
Kinetics of β-Si_3N_4 grain growth in Si_3N_4 ceramics sintered under high nitrogen pressure. (1) 91
Lamppa, Diana L. See Tuttle, Bruce A.
Lanckbeen, Alain See Diko, Pavel
Lange, David A.; Jennings, Hamlin M.; and Shah, Surendra P.
Relationship between fracture surface roughness and fracture behavior of cement paste and mortar. (3) 589
Lange, Frederick F. See Seifert, Andreas; Slamovich, Elliott B.
Langford, Stephen C. See Norton, M. Grant
Lankford, James See Staehler, James M.
Larson, Richard S.
Kinetics of silicon nitride chemical vapor deposition from silicon tetrafluoride and ammonia. (8) 1930
Laurie, J. See Russell-Floyd, R. S.
Lawn, Brian R. See Padture, Nitin P.
Lawn, Brian R.; Braun, Linda M.; Bennison, Stephen J.; and Cook, Robert F.
Role of grain size in the strength and *R*-curve properties of alumina—reply. (7) 1900
Lawn, Brian R.; Padture, Nitin P.; Braun, Linda M.; and Bennison, Stephen J.
Model for toughness curves in two-phase ceramics: I, Basic fracture mechanics. (9) 2235
Lawson, Simon; and Smith, Paul A.
A new technique for monitoring aging in yttria–tetragonal zirconia polycrystals. (12) 3170
Lee, Byeong-Joo See Lee, Dong Nyung
Lee, Dong Nyung; and Lee, Byeong-Joo
Effects of temperature and oxygen partial pressure on nonstoichiometry of $YBa_2Cu_3O_{6+x}$. (6) 1609
Lee, Dong-Heon See Yoon, Ki Hyun
Lee, Farnjeng; Sandlin, Michael S.; and Bowman, Keith J.
Toughness anisotropy in textured ceramic composites. (7) 1793
Lee, Jong-Heun; and Park, Soon-Ja
Preparation of spherical SnO_2 powders by ultrasonic spray pyrolysis. (3) 777
Lee, Kang N. See Jacobson, Nathan S.
Lee, Richard H. See Ajayi, Oyelayo O.
Lee, Sang Won See Hong, Kug Sun
Lee, Sang-Ho; Yang, Jae-Kyun; and Kim, Doh-Yeon
Elimination of large artificial pores during the hot isostatic pressing of presintered alumina. (4) 880
Lee, Soo W.; Hsu, Stephen M.; and Shen, Ming C.
Ceramic wear maps: Zirconia. (8) 1937
Lee, Won-Hyuk; Abe, Yoshihiro; and Inukai, Eikichi
Ag_2O-doped $Bi_2Sr_2Ca_1Cu_2O_z$ superconductors prepared via melt-quenching. (4) 849
Lee, Woo Y.; and Strife, James R.
Effects of SiF_4 and NH_3 concentrations on the low-pressure CVD of polycrystalline α-Si_3N_4. (2) 542

Lee, Ying-Sheng See Shen, Ann-Tinn
Lefort, Pierre; and Billy, Michel
Mechanism of AlN formation through the carbothermal reduction of Al_2O_3 in a flowing N_2 atmosphere. (9) 2295
Lencka, Malgorzata M.; and Riman, Richard E.
Synthesis of lead titanate: Thermodynamic modeling and experimental verification. (10) 2649
Lercher, Johannes A. See Stockenhuber, Michael
Lessmann, Alex See Zschech, Ehrenfried
Levi, Carlos G. See Manor, Eitan
Levine, Timothy E.; Keddie, Joseph L.; Revesz, Peter; Mayer, James W.; and Giannelis, Emmanuel P.
Ion-beam-induced densification of zirconia sol–gel thin films. (5) 1369
Lewis, Michele A.; Fischer, Donald F.; and Smith, Londa J.
Salt-occluded zeolites as an immobilization matrix for chloride waste salt. (11) 2826
Lewis, Mike H. See Cain, Markys G.
Li, Jianguo; Hermansson, Leif; and Söremark, Rune
Joining of ceramics of different biofunction by hot isostatic pressing. (10) 2685
Li, Kang-Wen K.; and Schneider, Alfred
Rise velocities of large bubbles in viscous Newtonian liquids. (1) 241
Li, Yi; Youdelis, William V.; Chao, Benjamin S.; and Yamauchi, Hisao
Effect of substrate texture on orientations of rf-sputtered $Ba_2Si_2TiO_8$ thin films. (12) 2985
Li, Zongjin See Shah, Surendra P.
Liang, Chich-Kow; and Wu, Long
Microstructure and properties of Cr_2O_3-doped ternary lead zirconate titanate ceramics. (8) 2023
Liang, Hong; Fischer, Traugott E.; Nauer, Marco; and Carry, Claude
Effect of grain boundary impurities on the mechanical and tribological properties of zirconia surfaces. (2) 325
Liang, Kaiming; and Gu, Koufen
Transformation driving force for indentation cracking in zirconia ceramics. (12) 3144
Liaw, Ken-Whie See Meen, Teen-Hang
Libera, Matthew See Du, Honghua
Lim, Byung C.; and Jang, Hyun M.
Homogeneous fabrication and densification of cordierite–zirconia composites by a mixed colloidal processing route. (6) 1482
Lin, Chih-Kuang J. See Jenkins, Michael G.
Lin, Chun-Pin See Wolf, William D.
Lin, I-Nan See Cheng, Hsiu-Fung
Lin, Ray Y. See Narushima, Takayuki
Lin, Tsai-Fa See Cheng, Hsiu-Fung
Liniger, Eric G. See Cook, Robert F.
Liniger, Eric G.; and Cook, Robert F.
A controlled flaw technique for lifetime characterization. (8) 2123
Lipowitz, Jonathan See Xu, Youren
Liu, Donhang; Liu, Yi; Huang, Shui-Q.; and Yao, Xi
Phase structure and dielectric properties of Bi_2O_3–ZnO–Nb_2O_5-based dielectric ceramics. (8) 2129
Liu, Gui-xing See Wang, Ting-ji
Liu, Haiyan; and Fine, Morris E.
Modeling of grain-size-dependent microfracture-controlled sliding wear in polycrystalline alumina. (9) 2393
Liu, Haiyan; Fine, Morris E.; Cheng, Herbert S.; and Geiger, Alan L.
Lubricated rolling and sliding wear of a SiC-whisker-reinforced Si_3N_4 composite against M2 tool steel. (1) 105
Liu, Hua K. See Shao, Zhong B.
Liu, Ke R. See Shao, Zhong B.
Liu, Ling Q. See Shao, Zhong B.
Liu, Tianshun; Mai, Yiu-Wing; and Grathwohl, Georg
Cyclic fatigue crack propagation behavior of 9Ce-TZP ceramics with different grain size. (10) 2601
Liu, Yi See Liu, Donhang
Lloyd, Isabel K. See Chang, Hsiao-Lan
Lo, Calvin S. See Flinn, Brian D.
Löfvander, Jan P. A. See Davis, Janet B.
López, Carmen M. See De Aza, Piedad N.
Loutfy, Raouf O. See Withers, James C.
Lu, Guo-Quan; Sutterlin, Robert C.; and Gupta, Tapan K.
Effect of mismatched sintering kinetics on camber in a low-temperature cofired ceramic package. (8) 1907
Lu, Ping; Sun, Guokuang; and Young, J. Francis
Phase composition of hydrated DSP cement pastes. (4) 1003
Lu, Ping; and Young, J. Francis
Slag–portland cement based DSP paste. (5) 1329
Luck, Chris F. See Bates, John B.
Luprano, Vincenza See Marrow, James
Luss, Dan See Shelukar, Suhas D.
Lutz, Ekkehard H.; and Sakai, Mototsugu
R-curve and compliance change upon renotching. (12) 3113
Lux, Byron C.; Clark, Ronald D.; Salazar, Abe; Sveum, Larry K.; and Krebs, Michael A.
Aerosol generation of lanthanum aluminate. (10) 2669
Ma, Jiming See Cheng, Humin
Ma, Qing; and Clarke, David R.
Stress measurement in single-crystal and polycrystalline ceramics using their optical fluorescence. (6) 1433
Macey, Edward P.; and Stubican, Vladimir S.
Diffusion of ^{57}Co in surface layers of nickel oxide and alumina. (2) 557
Macías, Manuel See Sánchez-Soto, Pedro J.
Mackenzie, John D. See Pope, Edward J. A.
Maeda, Hideaki See Tsugeki, Keiichi
Maekawa, Hideki See Unuma, Hidero
Mah, Tai-Il See Parthasarathy, Triplicane A.
Mahoney, F. Michael See Hefter, Jesse
Mai, Yiu-Wing See Liu, Tianshun
Maier, Joachim
Mass transport in the presence of internal defect reactions—Concept of conservative ensembles: I, Chemical diffusion in pure compounds. (5) 1212; Mass transport in the presence of internal defect reactions—Concept of conservative ensembles: II, Evaluation of electrochemical transport measurements. (5) 1218; Mass transport in the presence of internal defect reactions—Concept of conservative ensembles: III, Trapping effect of dopants on chemical diffusion. (5) 1223; Mass transport in the presence of internal defect reactions—Concept of conservative ensembles: IV, Tracer diffusion and intercorrelation with chemical diffusion and ion conductivity. (5) 1228; See also Opila, Elizabeth J.
Maki, Iwao See Fukuda, Koichiro
Makishima, Akio See Inoue, Satoru; Morita, Kazuki
Maline, Mohammed See Touanen, Muriel
Maloy, Stuart A. See Jacobson, Nathan S.
Maniette, Yves See Suzuki, Masaaki
Manor, Eitan; Ni, Hu; Levi, Carlos G.; and Mehrabian, Robert
Microstructure evolution of SiC/Al_2O_3/Al-alloy composites produced by melt oxidation. (7) 1777
Maricq, M. Matti See Narula, Chaitanya K.
Marrow, James; Luprano, Vincenza; and Roberts, Steve
Scanning acoustic microscopy observations of high-temperature crack-bridging mechanisms in alumina. (11) 2915
Martin, Steve W. See Bloyer, Donald R.; Hudgens, James J.
Martinez, Doris See Gupta, Vijay
Maruyama, Toru See Suzuki, Suguru
Masaki, Takaki See Oishi, Manabu
Masnik, John E.; Kieffer, John; and Bass, Jay D.
Structural relaxations in alkali silicate systems by Brillouin light scattering. (12) 3073
Mason, Thomas O. See Coverdale, R. Tate; Hong, Byungson
Matson, Lawrence E. See Parthasarathy, Triplicane A.
Matsuda, Atsunori; Kogure, Toshihiro; Matsuno, Yoshihiro; Katayama, Shinya; Tsuno, Toshio; Tohge, Noboru; and Minami, Tsutomu
Structural changes of sol–gel-derived TiO_2–SiO_2 coatings in an environment of high temperature and high humidity. (11) 2899
Matsuda, Motohide; Ogawa, Yoshihisa; Aihara, Yasuhiko; Yamashita, Kimihiro; and Umegaki, Takao
Synthesis of $Ba_2RCu_3O_8$ (R = Y, Sm) superconductors at oxygen pressure of 1 atm by spray-frozen/freeze-drying method. (6) 1618
Matsuda, Yukihisa See Oishi, Manabu
Matsumoto, Hiroshi See Pan, Wen Xia
Matsumoto, Yasumichi; Adachi, Hideki; and Hombo, Jukichi
New preparation method for PZT films using electrochemical reduction. (3) 769
Matsumoto, Yosuke; Hirota, Ken; Yamaguchi, Osamu; Inamura, Suguru; Miyamoto, Hiroki; Shiokawa, Nobuaki; and Tsuji, Kazuhiro
Mechanical properties of hot isostatically pressed zirconia-toughened alumina ceramics prepared from coprecipitated powders. (10) 2677
Matsuno, Yoshihiro See Matsuda, Atsunori
Matthewson, M. John See Rondinella, Vincenzo V.
Mattogro, Giulia See Gusmano, Gualtiero
Matusita, Kazumasa See Komatsu, Takayuki
Maurice, David See Kosmac, Tomaz
Mayer, Helmut See Stockenhuber, Michael
Mayer, James W. See Levine, Timothy E.; Norton, M. Grant; Zaleski, Mark A.
Mayo, Merrilea J. See Seidensticker, John R.
Mazerolles, Léo See Michel, Daniel
Mazurina, Ekatherina See Chmel, Alexandre
Mazzoni, Alfredo D.; Aglietti, Esteban F.; and Pereira, Enrique
Carbonitriding of clay: Relation between the weight loss and crystalline phases during reaction. (9) 2337
McArdle, James L.; and Messing, Gary L.
Transformation, microstructure development, and densification in α-Fe_2O_3-seeded boehmite-derived alumina. (1) 214
McClelland, Robert J. See Drory, Michael D.
McLean, Arnold See Yu, Ai-Bing
McNallan, Michael J. See Hsu, PeiPei
McNeil, Laurie E.; Grimsditch, Marcos; and French, Roger H.
Vibrational spectroscopy of aluminum nitride. (5) 1132
Mecartney, Martha L. See Gust, Maria
Mecholsky, John J., Jr. See Chen, Zheng
Meen, Teen-Hang; Chen, Ying-Chung; Liaw, Ken-White; and Yang, Hung-Duen
Effect of praseodymium on superconductivity and magnetism in $Y_{1-x}Pr_xBa_2Cu_3O_8$ prepared by nitrite pyrolysis method. (8) 1948
Mehrabian, Robert See Manor, Eitan
Mehrotra, Gopal M. See Dadras, Parviz
Meier, Bernhard See Kuntz, Meinhard
Meijerink, Joan See Cao, Guo-zhong
Meise-Gresch, Karin See Thomas, Sabine
Menegazzo, Bruno Acácio; and Eiras, José Antonio
Preparation of coprecipitated ferroelectric ceramic powders by two-stage calcination. (11) 2734
Mercadini, Massimo See Sorarù, Gian Domenico
Meriani, Sergio See Sergo, Valter
Merkel, Ingolf See Baufeld, Bernd
Merkley, Dennis R. See Weber, J. K. Richard
Mess, Derek See Jones, Robert L.
Messerschmidt, Ulrich See Baufeld, Bernd
Messing, Gary L. See Kumar, Suresh; McArdle, James L.
Messing, Gary L.; Zhang, Shi-Chang; and Jayanthi, Gopal V.
Ceramic powder synthesis by spray pyrolysis. (11) 2707
Metzner, Arthur B. See Tsao, Inlin
Michalske, Terry A.; and Bunker, Bruce C.
A chemical kinetics model for glass fracture. (10) 2613
Michel, Daniel; Faudot, Françoise; Gaffet, Eric; and Mazerolles, Léo
Stabilized zirconias prepared by mechanical alloying. (11) 2884
Milia, Fanny See Papavassiliou, George
Miller, Gary A. See Zhao, Junhong
Milne, Steven J. See Ali, Naseef J.
Minami, Tsutomu See Matsuda, Atsunori; Tatsumisago, Masahiro
Minh, Nguyen Q.
Ceramic fuel cells. (3) 563
Misawa, Masakatsu See Jin, Jisun
Mitamura, Takashi See Kobayashi, Hidehiko
Mitamura, Takashi; Ogino, Hiroyuki; Kobayashi, Hidehiko; Mori, Toshiyuki; and Yamamura; Hiroshi
Influence of metal ions on the order–disorder transition temperature of the Ba-M-O (M: La, Y, In, or Ga) system. (8) 2127
Mitomo, Mamoru See Einarsrud, Mari-Ann; Hirosaki, Naoto
Mitra, Nibedita; Vijayan, Kalyani; Bai, B. N. Pramila; and Biswas, S. K.
Phase transformation introduced by mechanical and chemical surface preparations of tetragonal zirconia polycrystals. (2) 533
Mitsuda, Takeshi See Ishida, Hideki; Sasaki, Kaori
Miyaji, Fumiaki See Jin, Jisun
Miyaji, Fumiaki; Hasegawa, Shinya; Yoko, Toshinobu; and Sakka, Sumio
Mixed alkali effect in nonconventional alkali gallotitanate glasses. (2) 545
Miyamoto, Hiroki See Matsumoto, Yosuke
Miyamoto, Yoshinari See Oda, Kohei; Pan, Wen Xia
Miyazaki, Takashi See Nakashima, Kunihiko
Mobasher, Barzin See Shah, Surendra P.
Montesperelli, Gianpiero See Gusmano, Gualtiero
Montross, Charles S.
Comparison of bulk properties of Mg-PSZ with temperature–time contour diagrams. (8) 1993
Moon, Jong H.; and Jang, Hyun M.
Effects of sintering atmosphere on densification behavior and piezoelectric properties of $Pb(Ni_{1/3}Nb_{2/3})O_3$–$PbTiO_3$–$PbZrO_3$ ceramics. (2) 549
More, Karren L. See Wereszczak, Andrew A.
Mori, Katsumi See Nakashima, Kunihiko
Mori, Toshiyuki See Kobayashi, Hidehiko; Mitamura, Takashi
Mori, Tsutomu See Sato, Kazunori
Morii, Yukio See Igawa, Naoki
Morimoto, Kenji See Yashima, Masatomo
Morinaga, Kenji See Nageno, Yoshikazu
Morita, Kazuki; Umezawa, Akira; Yamato, Shinji; and Makishima, Akio
Surface roughness of yttria-containing aluminosilicate glass-ceramics as indicative of their machinability. (7) 1861
Morooka, Shigeharu See Tsugeki, Keiichi
Moya, José S. See Sainz, Maria A.
Moynihan, Cornelius T.
Correlation between the width of the glass transition region and the temperature dependence of the viscosity of high-Tg glasses. (5) 1081
Mukai, Takashi See Tanaka, Katsuhisa
Mukerji, J.; and Das, P.K.
Wear of some advanced ceramics under a sharp indenter in unidirectional sliding. (9) 2376
Müller, Franz See Boike, Martin
Muller, Gerd See Winter, Wolfgang
Müller-Warmuth, Werner See Thomas, Sabine
Mullins, Michael E. See Surapanani, Srinivas
Mumm, Daniel R.; Faber, K. T.; Drory, Michael D.; and Gardinier, Clayton F.
High-temperature hardness of chemically vapor-deposited diamond. (1) 238

Muraoka, Mikio; Ebata, Kiyoshi; and Abé, Hiroyuki
Effect of humidity on small-crack growth in silica optical fibers. (6) 1545
Murata, Tsuyoshi; Itatani, Kiyoshi; Howell, F. Scott; Kishioka, Akira; and Kinoshita, Makio
Preparation of magnesium nitride powder by low-pressure chemical vapor deposition. (11) 2909
Muto, Norio; Yanagida, Hiroaki; Nakatsuji, Teruyuki; Sugita, Minoru; and Ohtsuka, Yasushi
Preventing fatal fractures in carbon-fiber–glass-fiber-reinforced plastic composites by monitoring change in electrical resistance. (4) 875
Myers, David See Gartner, Ellis
Naaman, Antoine E.; and Alwan, Jamil M.
Characterization of interfacial properties in fiber-reinforced cementitious composites—comment. (6) 1645
Naessens, Georges See Diko, Pavel
Nagai, Masaharu; Yamashita, Kimihiro; Umegaki, Takao; and Takuma, Yasuhisa
Electrophoretic deposition of ferroelectric barium titanate thick films and their dielectric properties. (1) 253
Nagai, Masayuki; and Nishino, Tadashi
Fabrication and evaluation of Al_2O_3–AgCl–AgI composites by use of electrochemical deposition. (4) 1057
Nagamoto, Hidetoshi; Kagotani, Hiroshi; Okubo, Tatsuya; and Koya, Toshiyuki
Positive temperature coefficient of resistivity in $Ba_{1-x}Sr_x$-$Pb_{1+y}O_{3-\delta}$ ceramics. (8) 2053
Nagarajan, Tharmalingam See Ravichandran, Duraiswamy
Nagasaki, Takanori See Igawa, Naoki
Nageno, Yoshikazu; Takebe, Hiromichi; and Morinaga, Kenji
Correlation between radiative transition probabilities of Nd^{3+} and composition in silicate, borate, and phosphate glasses. (12) 3081
Nakamura, Shin-ichi See Kanai, Hideyuki
Nakamura, Yoshikazu See Aruga, Atsushi
Nakano, Yoshinori See Sato, Kazunori
Nakashima, Kunihiko; Takihira, Kenji; Miyazaki, Takashi; and Mori, Katsumi
Wettability and interfacial reaction between molten iron and zirconia substrates. (12) 3000
Nakata, Yoshinori See Suzuki, Masaaki
Nakatani, Isao See Hirata, Toshiya
Nakatsuji, Teruyuki See Muto, Norio
Nakayama, Shin See Uno, Tomoko
Nambu, Shinji; and Sato, Akinori
Elastic effect on domain morphology and kinetics of spinodal decomposition in the tetragonal system. (8) 1978
Naoumidis, Aristides See García-Rosales, Carmen
Narula, Chaitanya K.; Maricq, M. Matti; Demczyk, Brian G.; Salmeen, Irving T.; and Weber, Willes H.
Preparation of composite particles by pulsed Nd-YAG laser decomposition of $[(CH_3)_2N]_4Ti$ to TiN-coat TiO_2, Al_2O_3, or Si_3N_4 powders. (11) 2727
Narushima, Takayuki; Goto, Takashi; Yokoyama, Yoshio; Iguchi, Yasutaka; and Hirai, Toshio
High-temperature active oxidation of chemically vapor-deposited silicon carbide in CO–CO_2 atmosphere. (10) 2521
Narushima, Takayuki; Lin, Ray Y.; Iguchi, Yasutaka; and Hirai, Toshio
Oxidation of chemically vapor-deposited silicon nitride in dry oxygen at 1923 to 2003 K. (4) 1047
Nasby, Robert D. See Tuttle, Bruce A.
Nastasi, Michael See Jervis, Thomas R.
Nasu, Saburo See Tanaka, Isao
Natansohn, Samuel; Pasto, Arvid E.; and Rourke, William J.
Effect of powder surface modifications on the properties of silicon nitride ceramics. (9) 2273
Nauer, Marco See Liang, Hong
Navrotsky, Alexandra See DiCarlo, Joseph; Ying, Jackie Y.
Nell, Johan; and de Villiers, Johan P.R.
T-p_{O_2} topologic analysis of phase relations in the system CaO–CrO–Cr_2O_3–SiO_2. (9) 2193
Nemat-Nessar, Sia See Subhash, Ghatuparthi
Neron, Christian See Jen, Cheng-Kuei
Nettleship, Ian; Slavick, Kurt G.; Kim, Youn Joong; and Kriven, Waltraud M.
Phase transformations in dicalcium silicate: III, Effects of barium on the stability of fine-grained α_L' and β phases. (10) 2628
Newcomb, Stephen A.; and Tressler, Richard E.
Slow crack growth in sapphire fibers at 800° to 1500°C. (10) 2505
Ni, Hu See Manor, Eitan
Nicholas, Theodore See Butkus, Lawrence M.
Nichols, Fred A. See Ajayi, Oyelayo O.
Nicholson, Patrick S. See Huang, Xue-Ning; Sarkar, Partho
Nickel, Hubertus See García-Rosales, Carmen
Nieh, Tai Gang See Wittenauer, Jerry
Nihara, Koichi See Tanaka, Isao
Niller, Andrus See Kecskes, Laszlo J.
Ning, Xian-Jie; Pirouz, Pirouz; and Farmer, Serene C.
Microchemical analysis of the SCS-6 silicon carbide fiber. (8) 2033
Ning, Xiao Shan See Pan, Wen Xia
Nishi, Tokumitsu See Okuda, Koji
Nishino, Tadashi See Nagai, Masayuki
Noguchi, Kenichi See Oishi, Manabu
Nomura, Shunji; Yoshino, Hisashi; and Ando, Ken
Hole doping mechanism in bismuth cuprates. (10) 2687
Nordine, Paul C. See Weber, J. K. Richard
Norton, Laura J. See Keddie, Joseph L.
Norton, M. Grant; Jiang, Wenbiao; Dickinson, J. Thomas; Jensen, Leslie C.; Langford, Stephen C.; Fleischer, Elizabeth L.; and Mayer, James W.
Xenon emission accompanying fracture of xenon-implanted cubic zirconia. (8) 2076
Nowakowski, Marilyn J.; Vohs, John M.; and Bonnell, Dawn A.
Effects of sputtering and plasma etching on the surface reactivity of graphite. (2) 279
Nunn, Stephen D. See Baskaran, Suresh
Nunn, Stephen D.; Popovic, Dragan; Baskaran, Suresh; Holloran, James W.; Subramanian, G.; and Bike, S. G.
Suspension dry spinning and rheological behavior of ceramic-powder-loaded polymer solutions. (10) 2460
Ocaña, Manuel; Sanz, Jesús; Gonzalez-Carreño, Teresita; and Serna, Carlos J.
Spherical mullite particles prepared by hydrolysis of aerosols. (8) 2081
O'Connor, Brian H. See van Riessen, Arie
Oda, Kohei; Yoshio, Tetsuo; Miyamoto, Yoshinari; and Koizumi, Mitsue
Hydrothermal corrosion of pure, hot isostatically pressed silicon nitride. (5) 1365
Odler, Ivan See Thomas, Sabine
Ogawa, Yoshihisa See Matsuda, Motohide
Ogino, Hiroyuki See Mitamura, Takashi
Ohashi, Masayoshi; Hirao, Kiyoshi; Brito, Manuel E.; Takaaki, Nagaoka; Yasuoka, Masaki; and Kanzaki, Shuzo
Solid solubility of aluminum in O′-SiAlON. (8) 2112
Ohji, Tatsuki; and Yamauchi, Yukihiko
Tensile creep and creep rupture behavior of monolithic and SiC-whisker-reinforced silicon nitride ceramics. (12) 3105
Ohno, Hideo See Igawa, Naoki
Ohtsuka, Yasushi See Muto, Norio
Oishi, Manabu; Matsuda, Yukihisa; Noguchi, Kenichi; and Masaki, Takaki
Correlations between strength and acoustic properties in yttria-stabilized zirconia polycrystals. (12) 3159
Oishi, Yasumichi See Sakka, Yoshio
Okada, Kiyoshi See Ban, Takayuki
Okada, Tsutomo See Wakino, Kikuo
Okada, Yoshihiko See Ishida, Hideki; Sasaki, Kaori
Okamoto, Taira See Pan, Wen Xia
Okubo, Akira See Yamane, Hisanori
Okubo, Tatsuya See Nagamoto, Hidetoshi
Okuda, Koji; Takai, Hiroshi; Nishi, Tokumitsu; and Yanagida, Hiroaki
Electrical joining of silicon nitride ceramics. (6) 1459
Okutani, Takeshi See Suzuki, Masaaki
Okuyama, Masahiko See Sakurai, Chihiro
Olander, Donald R. See Wang, Wei-E
Olsson, Eva; Dunlop, Gordon; and Österlund, Ragnar
Development of functional microstructure during sintering of a ZnO varistor material. (1) 65
Omori, Mamoru See Yamane, Hisanori
Oostens, Jean See Zhou, Derong
Opila, Elizabeth J.; Tuller, Harry L.; Wuensch, Bernhardt J.; and Maier, Joachim
Oxygen tracer diffusion in $La_{2-x}Sr_xCuO_{4-y}$ single crystals. (9) 2363
Osawa, Shin-ichi; Furuzawa, Akira; and Fujikawa, Nobuyoshi
Effect of the manganese valence state on the electrical conductivity of barium titanate. (5) 1191
Osseo-Asare, K. See Seidensticker, John R.
Österlund, Ragnar See Olsson, Eva
Ota, Toshitaka See Yamai, Iwao
Ota, Toshitaka; Takahashi, Minoru; Yamai, Iwao; and Suzuki, Hisao
High-thermal-expansion polycrystalline leucite ceramic. (9) 2379
Padture, Nitin P. See Lawn, Brian R.
Padture, Nitin P.; Bennison, Stephen J.; and Chan, Helen M.
Flaw-tolerance and crack-resistance properties of alumina–aluminum titanate composites with tailored microstructures. (9) 2312
Padture, Nitin P.; Runyan, Julie L.; Bennison, Stephen J.; Braun, Linda M.; and Lawn, Brian R.
Model for toughness curves in two-phase ceramics: II, Microstructural variables. (9) 2241
Page, Richard A. See Chan, Kwai S.
Pan, Wen Xia; Okamoto, Taira; Miyamoto, Yoshinari; Ning, Xiao Shan; Matsumoto, Hiroshi; and Yoshida, Toyonobu
Plasma spray deposition of fine SiC powder. (5) 1335
Pannhorst, Wolfgang See Winter, Wolfgang
Papavassiliou, George; Milia, Fanny; Fardis, Michael; Rumm, Ron; Laganas, Edward; Jarh, Orest; Sepe, Anna; Blinc, Robert; and Pintar, Mik Milan
^1H nuclear magnetic resonance imaging of water diffusion in hardened cement pastes. (8) 2109
Parimal See Bourell, David L.
Park, Chan See Hsu, PeiPei
Park, Jong-Ku See Choi, Jun-Youp
Park, Soon-Ja See Kim, Byung-Kook; Lee, Jong-Heun
Park, Yong H. See Holmes, John W.
Parthasarathy, Triplicane A.; Mah, Tai-Il; and Matson, Lawrence E.
Deformation behavior of an Al_2O_3–$Y_3Al_5O_{12}$ eutectic composite in comparison with sapphire and YAG. (1) 29
Parvizi-Majidi, Azar See Wereszczak, Andrew A.
Pasto, Arvid E. See Natansohn, Samuel
Pastor, Jose Ygnacio; Planas, Jaime; and Elices, Manuel
Ambient and high-temperature stable fracture tests in ceramics: Applications to yttria-partially-stabilized zirconia. (11) 2927
Patibandla, Nag; and Hillig, William B.
Processing of molybdenum disilicide using a new reactive vapor infiltration technique. (6) 1630
Pelton, Arthur D. See Wu, Ping
Pereira, Enrique See Mazzoni, Alfredo D.
Pereira, Mario See Bahloul, Djamila
Pérez-Rodríguez, José L. See Sánchez-Soto, Pedro J.
Petrovic, J. J. See Ramamurty, U.
Petuskey, William T. See Sambasivan, Sankar
Petzow, Günter See Debschütz, Klaus D.; Krämer, Martin; Zschech, Ehrenfried
Pezzotti, Giuseppe
Si_3N_4/SiC-platelet composite without sintering aids: A candidate for gas turbine engines. (5) 1313
Phillips, Terry E. See Bargeron, C. Brent
Philipse, Albert P. See Clarke, David R.
Pierce, Daniel E. See Burns, Richard P.
Pindera, Marek-Jerzy See Eldridge, Jeffrey I.
Pintar, Mik Milan See Papavassiliou, George
Pirouz, Pirouz See Ning, Xian-Jie
Planas, Jaime See Pastor, Jose Ygnacio
Pletka, Bruce J. See Staehler, James M.
Plovnick, Ross H. See Funkenbusch, Eric F.
Poisl, W. Howard; and Chaklader, Asoke C.D.
Solid-state sintering of $YBa_2Cu_3O_x$ in different oxygen partial pressures. (5) 1177
Pollock, Peter B. See Griesheim, Gary E.
Ponraj, R. See Annamalai, V. E.
Pope, Edward J. A.; and Mackenzie, John D.
Sol-gel processing of neodymia–silica glass. (5) 1325
Popovic, Dragan See Baskaran, Suresh; Nunn, Stephen D.
Porter, Wallace D. See Su, Pomin
Powers, James D.; and Glaeser, Andreas M.
High-temperature healing of cracklike flaws in titanium ion-implanted sapphire. (9) 2225
Prasadarao, Alamanda V. See Selvaraj, Ulagaraj
Predebon, William W. See Staehler, James M.
Puskas, Robert See Alles, Aldo B.
Pyzik, Aleksander J.; and Beaman, Donald R.
Microstructure and properties of self-reinforced silicon nitride. (11) 2737
Qin, Cai-Dong; and Derby, Brian
Diffusion bonds between a stainless steel and zirconia. (1) 232
Qingfeng, Li See Xiaming, Dai
Rabe, James A. See Xu, Youren
Rahaman, Mohamed N. See Hu, Ching-Li
Rahaman, Mohamed N.; and De Jonghe, Lutgard C.
Reaction sintering of zinc ferrite during constant rates of heating. (7) 1739
Raj, Rishi
Analysis of the sintering pressure—reply. (7) 1903; Fundamental research in structural ceramics for service near 2000°C. (9) 2147
Ramachandran, A. R.; and Grutzeck, Michael W.
Effect of pH on the hydration of tricalcium silicate. (1) 72
Ramachandran, Nageswaran; Chao, Luen-Yuan; and Shetty, Dinesh K.
R-curve behavior and flaw insensitivity of Ce-TZP/Al_2O_3 composite. (4) 961
Ramakrishnan, N.; and Arunachalam, V. S.
Effective elastic moduli of porous ceramic materials. (11) 2745
Ramamurty, U.; Kim, A. S.; Suresh, S.; and Petrovic, J. J.
Micromechanisms of creep–fatigue crack growth in a silicide-matrix composite with SiC particles. (8) 1953
Ramesh, R. See Ghonge, Subodh G.
Randall, Clive A. See Kumar, Suresh
Rath, Bhakta Bhusan See Yu, Hsiang-Yung
Ravichandran, Duraiswamy; Sridharan, Varadarajan; Sivasankaran, Swaminathan; Biswas, Dharani Kanta; Nagarajan, Tharmalingam; and Balachandran, Uthamalingam
Synthesis and irreversibility of oxygen weight loss in 80 K $YBa_2Cu_3O_8$ superconductor. (1) 245
Ray, Chandra S. See Weber, J. K. Richard
Readey, Dennis W. See Sickafoose, Robert R., Jr.

Reeber, Robert R.
Surface engineering of structural ceramics. (2) 261
Reeber, Robert R.; and Wiederhorn, Sheldon M.
Symposium for surface engineering of structural ceramics. (2) 260
Reed, James S.
Liquid permeability of packed particles: Why perpetuate the Carmen–Kozeny model? (2) 547
Reidy, Richard F. See Jones, Robert L.
Rekhson, Simon M.
Thermal stresses, relaxation, and hysteresis in glass. (5) 1113
Ren, Feng See Fujiyoshi, Kaichi; Ishida, Shingo
Ren, Feng; Ishida, Shingo; and Takeuchi, Nobuyuki
Color and vanadium valency in V-doped ZrO_2. (7) 1825
Revesz, Peter See Levine, Timothy E.
Rhine, Wendell E. See Hardy, Anne Bagley; Saegusa, Kunio; Sakai, Hiroshi
Riccitiello, Salvatore R. See Cagliostro, Domenick E.
Rice, Roy W.
Correlation of machining–grain-size effects on tensile strength with tensile strength–grain-size behavior. (4) 1068; Effect of hot extrusion, other constituents, and temperature on the strength and fracture of polycrystalline MgO. (12) 3009; Evaluating porosity parameters for porosity–property relations. (7) 1801; Role of grain size in the strength and *R*-curve properties of alumina—comment. (7) 1898
Richardson, Ian G.; Brough, Adrian R.; Brydson, Rik; Groves, Geoffrey W.; and Dobson, Christopher M.
Location of aluminum in substituted calcium silicate hydrate (C-S-H) gels as determined by ^{29}Si and ^{27}Al NMR and EELS. (9) 2285
Richardson, James T. See Shelukar, Suhas D.
Rigato, Valentino See Della Mea, Gianantonio
Riley, Frank L. See Wang, Chong-Min
Riman, Richard E. See Dejneka, Matthew; Lencka, Malgorzata M.
Ritter, John E. See Jakus, Karl
Roach, David See Shuler, Stephen F.
Roberts, Steve See Marrow, James
Robertson, J. David See Bates, John B.
Rödel, Jürgen See Knechtel, Mathias C.
Rodewald, Katia See Schneider, Hartmut
Rodgers, Steven M. See Tuttle, Bruce A.
Rondinella, Vincenzo V.; and Matthewson, M. John
Effect of loading mode and coating on dynamic fatigue of optical fiber in two-point bending. (1) 139
Rourke, William J. See Natansohn, Samuel
Routbort, Jules L. See Chu, Cha-Yang; De Arellano-López, Antonio R.
Rouxel, Tanguy See Besson, Jean-Louis
Rouxel, Tanguy; Besson, Jean-Louis; and Goursat, Paul
Improvement of creep resistance of sintered silicon nitride by hot isostatic exudation of intergranular glass. (11) 2790
Rowcliffe, David See Zeng, Kaiyang
Roy, Rustum See Selvaraj, Ulagaraj
Rudd, Gregory I; Garofalini, Stephen H.; and Hensley, David A.
Atomic force microscopy and X-ray photoelectron spectroscopy investigation of the onset of reactions on alkali silicate glass surfaces. (10) 2555
Ruh, Edwin See de Baranda, Pedro Sainz
Rühle, Manfred See Cinibulk, Michael K.; Kleebe, Hans-Joachim
Rumm, Ron See Papavassiliou, George
Runyan, Julie L. See Padture, Nitin P.
Russell-Floyd, R. S.; Harris, B.; Cooke, R. G.; Laurie, J.; and Hammett, F. W.
Application of sol-gel processing techniques for the manufacture of fiber-reinforced ceramics. (10) 2635
Ryba, Earle R. See Watkins, Thomas R.
Saegusa, Kunio; Rhine, Wendell E.; and Bowen, H. Kent
Effect of composition and size of crystallite on crystal phase in lead barium titanate. (6) 1505; Preparation of stoichiometric fine lead barium titanate powder. (6) 1495
Safari, Ahmad See Suwannasiri, Thitima
Sagala, Djuniadi A.; and Koyasu, Shigeji
Infrared reflection of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics. (10) 2433
Sainz, Maria A.; Torrecillas, Ramón; and Moya, José S.
Novel technique for zirconia-coated mullite. (7) 1869
Saitoh, Miki See Kobayashi, Hidehiko
Sakai, Hiroshi; Cima, Michael J.; and Rhine, Wendell E.
Adsorption of sulfonic acid doped poly(vinyl chloride) on barium ferrite particles. (12) 3136
Sakai, Mototsugu See Lutz, Ekkehard H.
Sakai, Natsuko; Kawada, Tatsuya; Yokokawa, Harumi; Dokiya, Masayuki; and Kojima, Isao
Liquid-phase-assisted sintering of calcium-doped lanthanum chromites. (3) 609
Sakaki, Yoshinori See Kohno, Kazushige
Sakamoto, Katsuyuki See Kohno, Kazushige
Sakidja, Ridwan See Schartman, Richard R.
Sakka, Sumio See Jin, Jisun; Kim, Sae-Hoon; Miyaji, Fumiaki
Sakka, Yoshio; Oishi, Yasumichi; Ando, Ken; and Ikeda, Yoji
Zirconium–hafnium interdiffusion in polycrystalline fluorite-cubic CeO_2–ZrO_2–HfO_2 solid solution. (5) 1381
Sakurai, Chihiro; Fukui, Toshimi; and Okuyama, Masahiko
Preparation of zirconia coatings by hydrolysis of zirconium alkoxide with hydrogen peroxide. (4) 1061
Salazar, Abe See Lux, Byron C.
Saleh, Mohamed A. E. See Shima, Susumu
Sales, Brian C. See Bates, John B.
Salmeen, Irving T. See Narula, Chaitanya K.
Sambasivan, Sankar; Capobianco, Christopher; and Petuskey, William T.
Measurement of the free energy of formation of silicon carbide using liquid gold as a silicon potentiometer. (2) 397
Sanchez, J. M. See Thomas, Warren A.
Sánchez-Soto, Pedro J.; Macías, Manuel; and Pérez-Rodríguez, José L.
Effects of mechanical treatment on X-ray diffraction line broadening in pyrophyllite. (1) 180
Sánchez-Soto, Pedro J.; Sobrados, Isabel; Sanz, Jesús; and Pérez-Rodríguez, José L.
29-Si and 27-Al magic-angle spinning nuclear magnetic resonance study of the thermal transformations of pyrophyllite. (12) 3024
Sanday, Santiago Carlos See Yu, Hsiang-Yung
Sanders, William A.; and Groseclose, Lance E.
Flexural stress rupture and creep of selected commercial silicon nitrides. (2) 553
Sandlin, Michael S. See Lee, Farnjeng
Sands, T. See Ghonge, Subodh G.
Sanghera, Jas S.; and Aggarwal, Ishwar D.
Micro-Raman analysis of carbon inclusions in heavy-metal fluoride glasses. (9) 2341
Sanz, Jesús See Ocaña, Manuel; Sánchez-Soto, Pedro J.
Sarkar, Partho; Huang, Xue-Ning; and Nicholson, Patrick S.
Zirconia/alumina functionally gradiented composites by electrophoretic deposition techniques. (4) 1055
Sasaki, Kaori See Ishida, Hideki
Sasaki, Kaori; Ishida, Hideki; Okada, Yoshihiko; and Mitsuda, Takeshi
Highly reactive β-dicalcium silicate: V, Influence of specific surface area on hydration. (4) 870
Sasaki, Kazunari; Bohac, Petr; and Gauckler, Ludwig J.
Phase equilibria in the system ZrO_2–$InO_{1.5}$. (3) 689
Sasaki, Yukichi See Kusunoki, Michiko
Sato, Akinori See Nambu, Shinji
Sato, Kazunori; Tanaka, Kohichi; Nakano, Yoshinori; and Mori, Tsutomu
Temperature dependence of anelastic deformation in polycrystalline silicon nitride. (8) 2042
Sato, Ryuji See Komatsu, Takayuki
Saunders, Carl R. See Kusy, Robert P.
Savard, Michael E.; and Speyer, Robert F.
Effects of particle size on the fusion of soda–lime–silicate glass containing NaCl. (3) 671
Sawaguchi, Naoya See Unuma, Hidero
Scattergood, Ronald O. See Smith, Stanley M.; Thiruvengadaswamy, Ramesh
Schacht, Charles A.
Improved mechanical material property definition for predicting the thermomechanical behavior of refractory linings of teeming ladles. (1) 202
Schartman, Richard R.; Sakidja, Ridwan; and Hellstrom, Eric E.
Supersolidus phase investigation of the Bi-Sr-Ca-Cu oxide system in silver tape. (3) 724
Scherer, George W. See Jagota, Anand
Schmalzried, Hermann See Johnson, William C.
Schmid, Chiara See Sergo, Valter
Schmidt, Lanny D. See Chu, Xi
Schmücker, Martin See Schneider, Hartmut
Schneider, Alfred See Li, Kang-Wen K.
Schneider, Gerold A. See Cinibulk, Michael K.; Debschütz, Klaus D.
Schneider, Hartmut; Fischer, Reinhard X.; and Voll, Dietmar
Mullite with lattice constants $a > b$. (7) 1879
Schneider, Hartmut; Rodewald, Katia; and Eberhard, Emil
Thermal expansion discontinuities of mullite. (11) 2896
Schneider, Hartmut; Schmücker, Martin; Ikeda, Ko; and Kaysser, Wolfgang A.
Optically translucent mullite ceramics. (11) 2912
Schultz, J. Albert See Eipers-Smith, Ketti
Schulze, Horst A. See García-Rosales, Carmen
Schwillinski, Roland H. See Jakus, Karl
Seibold, Michael See Erny, Tobias
Seidensticker, John R.; Mayo, Merrilea J.; and Osseo-Asare, K.
Adsorption as a method of doping 3-mol%-yttria-stabilized zirconia powder with copper oxide. (7) 1844
Seifert, Andreas; Lange, Frederick F.; and Speck, J. S.
Liquid precursor route for hetero-epitaxy of $Zr(Y)O_2$ thin films on (001) cubic zirconia. (2) 443
Selvaraj, Ulagaraj; Brooks, Keith; Prasadarao, Alamanda V.; Komarneni, Sridhar; Roy, Rustum; and Cross, L. Eric
Sol–gel fabrication of $Pb(Zr_{0.52}Ti_{0.48})O_3$ thin films using lead acetylacetonate as the lead source. (6) 1441
Semiat, Raphael See Shelukar, Suhas D.
Sepe, Anna See Papavassiliou, George
Sergo, Valter; Schmid, Chiara; Accardo, Patrizio; and Meriani, Sergio
Local measurements of temperature changes associated with the stress-induced tetragonal to monoclinic transformation in zirconia. (5) 1377
Serna, Carlos J. See Ocaña, Manuel
Shah, Surendra P. See Lange, David A.
Shah, Surendra P.; Li, Zongjin; and Mobasher, Barzin
Characterization of interfacial properties in fiber-reinforced cementitious composites—reply. (6) 1647
Shanefield, Daniel J. See Yan, Hongwen
Shang, Alain See Jen, Cheng-Kuei
Shao, Zhong B; Liu, Ke R.; Liu, Ling Q.; Liu, Hua K.; and Dou, Shi-xue
Equilibrium phase diagrams in the systems PbO–Ag and CuO–Ag. (10) 2663
Shashkin, Victor See Chmel, Alexandre
Shaw, Leon; and Abbaschian, Reza
Control of the interfacial reactions in Nb-toughened $MoSi_2$. (9) 2305
Shaw, Thomas M.
Model for the effect of powder packing on the driving force for liquid-phase sintering. (3) 664; See also Clarke, David R.
Shelukar, Suhas D.; Sundar, H. G. Keshava; Semiat, Raphael; Richardson, James T.; and Luss, Dan
Batch rotary kiln calcination of YBaCuO precursor powders. (2) 518
Shen, Ann-Tinn; Lee, Ying-Sheng; and Sungyu, Nan-Kuen
Characterization of calcium lanthanum oxalate powders coprecipitated from different binary solvent mixtures. (6) 1466
Shen, Ming C. See Lee, Soo W.
Shetty, Dinesh K. See Danchaivijit, Sawai; Ramachandran, Nageswaran
Sheu, Tzer-Shin
Anisotropic thermal expansion of tetragonal zirconia polycrystals. (7) 1772
Sheu, Tzer-Shin; Xu, Jae; and Tien, Tseng-Ying
Phase relationships in the ZrO_2–Sc_2O_3 and ZrO_2–In_2O_3 systems. (8) 2027
Shiau, Fuh-Shan See Fang, Tsang-Tse
Shima, Susumu; and Saleh, Mohamed A. E.
Compaction-induced anisotropy in internal structure of ceramic powder. (5) 1303
Shimojima, Hiromasa See Tsukamoto, Keizou
Shimokoshi, Kazuo See Kanzaki, Tadao
Shimosaka, Kenichi See Kobayashi, Hidehiko
Shin, Yu-Seon; and Kang, Suk-Joong L.
Surface strengthening of alumina–zirconia composite by addition of molybdenum dioxide. (8) 2142
Shiokawa, Nobuaki See Matsumoto, Yosuke
Shioya, Kazuhide See Komatsu, Takayuki
Shuler, Stephen F.; Holmes, John W.; Wu, Xin; and Roach, David
Influence of loading frequency on the room-temperature fatigue of a carbon-fiber/SiC-matrix composite. (9) 2327
Sickafoose, Robert R., Jr.; and Readey, Dennis W.
Active gaseous corrosion of porous silicon carbide. (2) 316
Sighel, Corrado See Della Mea, Gianantonio
Sigl, Lorenz S.; and Kleebe, Hans-Joachim
Core/rim structure of liquid-phase-sintered silicon carbide. (3) 773
Simpkins, Peter G. See Kurkjian, Charles R.
Singh, Jitendra P. See Chu, Cha-Yang; Smith, Stanley M.
Sivasankaran, Swaminathan See Ravichandran, Duraiswamy
Škapin, Srečo; Kolar, Drago; and Suvorov, Danilo
X-ray diffraction and microstructural investigation of the Al_2O_3–La_2O_3–TiO_2 system. (9) 2359
Slamovich, Elliott B.; and Lange, Frederick F.
Densification of large pores: II, Driving potentials and kinetics. (6) 1584
Slavick, Kurt G. See Nettleship, Ian
Smith, Agnès See Caillaud, Frédéric
Smith, Douglas M. See Fahrenholtz, William G.
Smith, Londa J. See Lewis, Michele A.
Smith, Paul A. See Lawson, Simon
Smith, Stanley M.; Singh, Jitendra P.; and Scattergood, Ronald O.
Processing and characterization of SiC-whisker-reinforced alumina-matrix composites. (2) 497
Snitzer, Elias See Dejneka, Matthew
Sobrados, Isabel See Sánchez-Soto, Pedro J.
Soga, Kohei See Inoue, Satoru
Soga, Naohiro See Tanaka, Katsuhisa
Sogo, Seiji See Tanaka, Katsuhisa
Sorarù, Gian Domenico; Mercadini, Massimo; Dal Maschio, Roberto; Taulelle, Francis; and Babonneau, Florence
Si-Al-O-N fibers from polymeric precursor: Synthesis, structural, and mechanical characterization. (10) 2595
Söremark, Rune See Li, Jianguo
Spearing, S. M. See Beyerle, Douglas S.
Speck, J. S. See Seifert, Andreas
Speyer, Robert F. See Hong, Kug Sun; Savard, Michael E.
Sridharan, Varadarajan See Ravichandran, Duraiswamy
Srinivasan, Gajawalli V. See Curtin, William A.

Staehler, James M.; Predebon, William W.; Pletka, Bruce J.; and Lankford, James
Testing of high-strength ceramics with the split Hopkinson pressure bar. (2) 536
Standish, Nicholas See Yu, Ai-Bing
Steffestun, Bärbel; and Frischat, Günther H.
Alkali-resistant magnesium aluminosilicate oxynitride glasses. (3) 699
Steif, Paul S. See Dollar, Anna
Sternitzke, Martin
Growth of oxide layers on thin aluminum nitride samples measured by electron energy-loss spectroscopy. (9) 2289
Sterns, Laura C. See Zhao, Junhong
Stockenhuber, Michael; Mayer, Helmut; and Lercher, Johannes A.
Preparation of barium titanates from oxalates. (5) 1185
Strife, James R. See Lee, Woo Y.
Strutt, Peter R. See Xiao, Tongsan D.
Stuart, James M. See Kusy, Robert P.
Stubican, Vladimir S. See Macey, Edward P.
Su, Pomin; Virkar, Anil V.; Hubbard, Camden R.; Cavin, O. Burl; and Porter, Wallace D.
Cubic-to-tetragonal displacive transformation in Gd_2O_3–Bi_2O_3 ceramics. (10) 2513
Subhash, Ghatuparthi; and Nemat-Nasser, Sia
Dynamic stress-induced transformation and texture formation in uniaxial compression of zirconia ceramics. (1) 153
Subramanian, G. See Nunn, Stephen D.
Sugita, Minoru See Muto, Norio
Sugiyama, Kiyoshi See Hirano, Shin-ichi
Suh, Jeong See Kim, Kitae T.
Suh, Jeong-Hun See Jee, Young A.
Sun, Guokuang See Lu, Ping
Sun, Hong-Tao; Zhang, Liang-Ying; and Yao, Xi
Electrical nonuniformity of grain boundaries within ZnO varistors. (5) 1150
Sundar, H. G. Keshava See Shelukar, Suhas D.
Sungyu, Nan-Kuen See Shen, Ann-Tinn
Surapanani, Srinivas; Mullins, Michael E.; and Waber, James T.
Positron annihilation studies of the internal surfaces of selected zeolites and the effect of hydration. (2) 292
Suresh, S. See Ramamurty, U.
Sutterlin, Robert C. See Lu, Guo-Quan
Suvorov, Danilo See Škapin, Srečo
Suwannasiri, Thitima; and Safari, Ahmad
Effect of rare-earth additives on electromechanical properties of modified lead titanate ceramics. (12) 3155
Suzuki, Hisao See Kamiya, Hidehiro; Ota, Toshitaka
Suzuki, Masaaki; Maniette, Yves; Nakata, Yoshinori; and Okutani, Takeshi
Synthesis of silicon carbide–silicon nitride composite ultrafine particles using a carbon dioxide laser. (5) 1195
Suzuki, Suguru; Fuzita, Toshifumi; Maruyama, Toru; Takahashi, Minoru; and Hikichi, Yasuo
Cation-exchange characteristics of sintered hydroxyapatite in the strongly acidic region. (6) 1638
Sveum, Larry K. See Lux, Byron C.
Swanson, Donald K. See Bruno, Salvatore A.
Taimatsu, Hitoshi See Kaneko, Hiroyuki
Takaaki, Nagaoka See Ohashi, Masayoshi
Takahashi, Minoru See Ota, Toshitaka; Suzuki, Suguru
Takai, Hiroshi See Okuda, Koji
Takao, Hisaaki See Itoh, Hideaki
Takebe, Hiromichi See Nageno, Yoshikazu
Takeda, Yasuo See Kohno, Kazushige
Takeuchi, Nobuyuki See Ishida, Shingo; Ren, Feng
Takihira, Kenji See Nakashima, Kunihiko
Takuma, Yasuhisa See Nagai, Masaharu
Tanaka, Isao; Niihara, Koichi; Nasu, Saburo; and Adachi, Hirohiko
Calculation of the electronic structure of *sp* elements in β-Si_3N_4 with correlation to solubility and solution effects. (11) 2833
Tanaka, Katsuhisa; Mukai, Takashi; Ishihara, Tsuguo; Hirao, Kazuyuki; Soga, Naohiro; Sogo, Seiji; Ashida, Masaaki; and Kato, Riso
Preparation and optical properties of transparent glass-ceramics containing cobalt(II) ions. (11) 2839
Tanaka, Kohichi See Sato, Kazunori
Tandon, Rajan; and Cook, Robert F.
Indentation crack initiation and propagation in tempered glass. (4) 885
Tang, Jie; and Endo, Shoichi
P–T boundary of α-PbO_2 type and baddeleyite type high-pressure phases of titanium dioxide. (3) 796
Taniguchi, Akihiro See Tatsumisago, Masahiro
Tas, A. Cuneyt; and Akinc, Mufit
Phase relations in the system Al_2O_3–$Ce_2Si_2O_7$ in the temperature range 900° to 1925°C in inert atmosphere. (6) 1595
Tashiro, Yuji See Funayama, Osamu
Tatsumisago, Masahiro; Taniguchi, Akihiro; and Minami, Tsutomu
Formation of frozen α-AgI in twin-roller-quenched AgI–Ag_2O–M_xO_y (M_xO_y = WO_3, V_2O_5) glasses at ambient temperature. (1) 235
Taulelle, Francis See Sorarù, Gian Domenico
Taya, Minoru See Dunn, Martin L.
Taylor, Mark P. See Donaldson, Kimberly Y.
Templier, Claude See Hishmeh, Gary
Tesk, John A. See Kelly, J. Robert
Teyssandier, Francis See Touanen, Muriel
Thiruvengadaswamy, Ramesh; and Scattergood, Ronald O.
Indentation-cycling tests on soda–lime glass. (6) 1611
Thomas, Jeffrey J.; Christensen, Renee J.; Johnson, D. Lynn; and Jennings, Hamlin M.
Nonisothermal microwave processing of reaction-bonded silicon nitride. (5) 1384
Thomas, Sabine; Meise-Gresch, Karin; Müller-Warmuth, Werner; and Odler, Ivan
MAS NMR studies of partially carbonated portland cement and tricalcium silicate pastes. (8) 1998
Thomas, Warren A.; Kopp, Michael W.; and Sanchez, J. M.
Stress–strain behavior of nicalon-fiber-reinforced calcium aluminosilicate composites under tensile fatigue conditions. (9) 2175
Thompson, A. Mark; and Harmer, Martin P.
Influence of atmosphere on the final-stage sintering kinetics of ultra-high-purity alumina. (9) 2248
Thompson, Derek P. See Cheng, Yi-Bing
Thouless, M. D.
Combined buckling and cracking of films. (11) 2936
Tian, Qiang See Chen, Jong
Tien, John K. See Borofka, Janine C.; Hendrix, Bryan C.
Tien, Tseng-Ying See Lai, Kou-Rueh; Sheu, Tzer-Shin
Tikare, Veena; and Choi, Sung R.
Combined Mode I and Mode II fracture of monolithic ceramics. (9) 2265
Tohge, Noboru See Matsuda, Atsunori
Tomono, Kunisaburo See Wakino, Kikuo
Tong, Jianzhu; Zuo, Jian Min; and Eyring, LeRoy
A transmission electron microscopy diffraction and simulation method for early-stage studies of the evolution of gel-derived zirconia precursors. (4) 857
Torrecillas, Ramón See Sainz, Maria A.
Touanen, Muriel; Teyssandier, Francis; Ducarroir, Michel; Maline, Mohammed; Hillel, Roger; and Derep, Jean Luc
Microcomposite and nanocomposite structures from chemical vapor deposition in the silicon–titanium–carbon system. (6) 1473
Toyoda, Kazuhiro See Fukuda, Koichiro
Traversa, Enrico See Gusmano, Gualtiero
Tressler, Richard E. See Darroudi, Taghi; Jia, Nanying; Newcomb, Stephen A.; Yavuz, Bulent O.
Tsao, Inlin; Danforth, Stephen C.; and Metzner, Arthur B.
Rheological behavior of injection-moldable silicon powder–silicon carbide whisker formulations. (12) 2977
Tseng, Tseung-Yuen See Lai, Chun-Hung
Tsong, Ignatius S. T.
Atomic-level characterization of cubic silicon carbide surfaces—a review. (2) 269
Tsuge, Akihiko See Goto, Yasuhiro
Tsugeki, Keiichi; Yoshikawa, Tomohisa; Maeda, Hideaki; Kusakabe, Katsuki; and Morooka, Shigeharu
Tin(IV) oxide coating of aluminum borate whiskers and alumina particles by chemical vapor deposition. (12) 3061
Tsuji, Kazuhiro See Matsumoto, Yosuke
Tsukamoto, Keizou; Shimojima, Hiromasa; Ishii, Mamoru; Enomoto, Naoya; and Yamagishi, Chitake
Preparation and properties of low-calcium-content superconductive thin films in bismuth systems. (4) 1031
Tsuno, Toshio See Matsuda, Atsunori
Tuller, Harry L. See Opila, Elizabeth J.
Turner, Gary L. See Brow, Richard K.
Tuttle, Bruce A.; Voigt, James A.; Goodnow, David C.; Lamppa, Diana L.; Headley, Thomas J.; Eatough, Michael O.; Zender, Gary; Nasby, Robert D.; and Rodgers, Steven M.
Highly oriented, chemically prepared $Pb(Zr,Ti)O_3$ thin films. (6) 1537
Tvergaard, Viggo; Xia, Z. Cedric; and Hutchinson, John W.
Cracking due to localized hot shock. (3) 729
Uchino, Kenji See Furuta, Atsushi
Udayakumar, K. R. See Kushida, Keiko
Uhlmann, Donald R. See Kim, Seong-Jin
Uhlmann, Eugenie V.; Weinberg, Michael C.; Kreidl, Norbert J.; and Goktas, Aydin A.
Glass-forming ability in calcium aluminate-based systems. (2) 449
Umarji, Arun M. See Vepa, Sai Sundar V. S. S.
Umegaki, Takao See Matsuda, Motohide; Nagai, Masahura
Umezawa, Akira See Morita, Kazuki
Unal, Ozer; Lagerlof, Peter D.
Hot-grip tensile method for alumina-fiber testing. (12) 3167
Uno, Tomoko; Kasuga, Toshihiro; Nakayama, Shin; and Ikushima, Akira J.
Microstructure of mica-based nanocomposite glass-ceramics. (2) 539
Unuma, Hidero; Kawamura, Katsuyuki; Sawaguchi, Naoya; Maekawa, Hideki; and Yokokawa, Toshio
Molecular dynamics study of Na-Si-O-N oxynitride glasses. (5) 1308
Vandenbulcke, Lionel See Cholet, Vincent
Vander Sande, John B. See Ikeda, Jeri Ann S.
Van Moer, André See Diko, Pavel
van Riessen, Arie; and O'Connor, Brian H.
Assessment of residual strain in zirconia-toughened alumina using neutron diffraction. (8) 2133
Venigalla, Sridhar See Bendale, Priya
Vepa, Sai Sundar V. S. S.; and Umarji, Arun M.
Effect of substitution of Ca on thermal expansion of cordierite ($Mg_2Al_4Si_5O_{18}$). (7) 1873
Verink, Ellis D., Jr. See Bendale, Priya
Vijayan, Kalyani See Mitra, Nibedita
Virkar, Anil V. See Chen, Jong; Fung, Kuan Zong; Su, Pomin
Vohs, John M. See Nowakowski, Marilyn J.; Zhong, Qian
Voigt, James A. See Tuttle, Bruce A.
Voll, Dietmar See Schneider, Hartmut
Waber, James T. See Surapanani, Srinivas
Wadsworth, Jeffrey See Wittenauer, Jerry
Wakino, Kikuo; Okada, Tsutomo; Yoshida, Norio; and Tomono, Kunisaburo
A new equation for predicting the dielectric constant of a mixture. (10) 2588
Wallace, Terry C., Sr. See Butt, Darryl P.
Wang, Chong-Min; Riley, Frank L.; Castro, Francisco; and Iturriza, Iñigo
Dislocation loops in α-silicon nitride. (8) 2136
Wang, Hongying See Wang, Yunzhi
Wang, Pin-Chin See Hendrix, Bryan C.
Wang, Sea Fue; and Huebner, Wayne
Interaction of silver/palladium electrodes with lead- and bismuth-based electroceramics. (2) 474
Wang, Ting-ji; Liu, Gui-xing; Ding, Pu; and Jin, Zong-zhe
Modification of SiC ceramics using chemical vapor deposition surface treatment. (2) 492
Wang, Wei-E; and Olander, Donald R.
Thermochemistry of the U–O and Zr–O systems. (5) 1242
Wang, Yunzhi; Wang, Hongying; Chen, Long-Qing; and Khachaturyan, A. G.
Shape evolution of a coherent tetragonal precipitate in partially stabilized cubic ZrO_2: A computer simulation. (12) 3029
Wang, Yu C. See Du, Honghua
Warren, Richard See Hansson, Thomas
Warwick, Wilbur H. See Becher, Paul F.
Wasén, Jonas See Hansson, Thomas
Watanabe, Yoshihisa See Aruga, Atsushi
Waters, Kelley See Eipers-Smith, Ketti
Waters, Shirley B. See Becher, Paul F.
Watkins, Thomas R; and Green, David J.
Fracture behavior of chemically-vapor-deposited SiC-coated graphite: I, Experimental results. (12) 3066
Watkins, Thomas R.; Green, David J.; and Ryba, Earle R.
Determination of Young's modulus in chemically vapor-deposited SiC coatings. (8) 1965
Weber, J. K. Richard; Merkley, Dennis R.; Anderson, Collin D.; Nordine, Paul C.; Ray, Chandra S.; and Day, Delbert E.
Enhanced formation of calcia–gallia glass by containerless processing. (8) 2139
Weber, Willes H. See Narula, Chaitanya K.
Weber, William J.
Alpha-decay-induced amorphization in complex silicate structures. (7) 1729
Weinberg, Michael C. See Bae, Byeong-Soo; Uhlmann, Eugenie V.
Wereszczak, Andrew A.; Breder, Kristin; and Ferber, Mattison K.
Role of oxidation in the time-dependent failure behavior of hot isostatically pressed silicon nitride at 1370°C. (11) 2919
Wereszczak, Andrew A.; Parvizi-Majidi, Azar; More, Karren L.; and Ferber, Mattison K.
High-resolution electron microscopy of silicon carbide-whisker-reinforced alumina composite interfaces in specimens subjected to elevated temperatures. (9) 2397
Whalen, Thomas See Woodilla, David
White, Kenneth W. See Hay, Jack C.
White, William B. See Kumar, Suresh
Whitley, John Q. See Kusy, Robert P.
Wiederhorn, Sheldon M. See Reeber, Robert R.
Wiening, Jonathan P. See Eldridge, Jeffrey I.
Wilkinson, David S. See Chadwick, Margaret M.
Winter, Wolfgang; Berger, Axel; Muller, Gerd; and Pannhorst, Wolfgang
Crystallization mechanism of MAS-osumilite with composition $Mg_2Al_3Si_{11}O_{30}$ from glass. (7) 1837
Withers, James C.; Loutfy, Raouf O.; Donaldson, Kimberly Y.; and Hasselman, D. P. H.
Thermal diffusivity/conductivity of compacts of C_{60} buckminsterfullerene and a C_{60}–C_{70} mixture. (3) 754
Wittenauer, Jerry; Nieh, Tai Gang; and Wadsworth, Jeffrey
Superplastic gas-pressure deformation of YTZ sheet. (7) 1665
Wolf, William D.; Francis, Lorraine Falter; Lin, Chun-Pin; and Douglas, William H.
Melt-infiltration processing and fracture toughness of alumina–glass dental composites. (10) 2691
Wolfenstine, Jeff See Duong, H.; Gust, Maria

Woodilla, David; Buonomo, Michael; Bar-On, Isa; Katz, R. Nathan; and Whalen, Thomas
Elevated-temperature behavior of high-strength silicon carbide. (1) 249
Wu, Jenn-Ming See Yang, Seng-Lu
Wu, Long See Liang, Chich-Kwo
Wu, Ping; Eriksson, Gunnar; and Pelton, Arthur D.
Optimization of the thermodynamic properties and phase diagrams of the Na_2O–SiO_2 and K_2O–SiO_2 systems. (8) 2059; Critical evaluation and optimization of the thermodynamic properties and phase diagrams of the CaO–FeO, CaO–MgO, CaO–MnO, FeO–MgO, FeO–MnO, and MgO–MnO systems. (8) 2065
Wu, Suxing; Holz, Dietmar; and Claussen, Nils
Mechanisms and kinetics of reaction-bonded aluminum oxide ceramics. (4) 970
Wu, Xin See Shuler, Stephen F.
Wu, Xin; and Holmes, John W.
Tensile creep and creep-strain recovery behavior of silicon carbide fiber/calcium aluminosilicate matrix ceramic composites. (10) 2695
Wuensch, Bernhardt J. See Opila, Elizabeth J.
Xia, Z. Cedric See Tvergaard, Viggo
Xiaming, Dai; Qingfeng, Li; and Yuying, Tang
Study of phase formation in spray pyrolysis of ZrO_2 and ZrO_2 – Y_2O_3 powders. (3) 760
Xiao, Tongsan D.; Gonsalves, Kenneth E.; and Strutt, Peter R.
Synthesis of aluminum nitride/boron nitride composite materials. (4) 987
Xu, Jae See Sheu, Tzer-Shin
Xu, Qunyin; and Anderson, Marc A.
Sol–gel route to synthesis of microporous ceramic membranes: Thermal stability of TiO_2–ZrO_2 mixed oxides. (8) 2093
Xu, Youren; Zangvil, Avigdor; Lipowitz, Jonathan; Rabe, James A.; and Zank, Gregg A.
Microstructure and microchemistry of polymer-derived crystalline SiC fibers. (12) 3034
Xue, Liang A.; and Chen, I-Wei
A new SiC-whisker-reinforced lithium aluminosilicate composite. (11) 2785
Yamagishi, Chitake See Tsukamoto, Keizou
Yamaguchi, Osamu See Matsumoto, Yosuke
Yamaguchi, Takashi; Ayaki, Hiroko; and Assi, Lika
Reaction of $CaTiO_3$ with PbO–B_2O_3 and PbO–SiO_2 glasses. (4) 993
Yamai, Iwao See Ota,Toshitaka
Yamai, Iwao; and Ota, Toshitaka
Grain size–microcracking relation for $NaZr_2(PO_4)_3$ family ceramics. (2) 487
Yamamoto, Hiroshi See Hirano, Shin-ichi
Yamamoto, Osamu See Kohno, Kazushige
Yamamura, Hiroshi See Kobayashi, Hidehiko; Mitamura, Takashi
Yamane, Hisanori; Omori, Mamoru; Okubo, Akira; and Hirai, Toshio
High-temperature phase transition of $Y_4Al_2O_9$. (9) 2382
Yamashita, Kimihiro See Matsuda, Motohide; Nagai, Masaharu
Yamashita, Yohachi See Kanai, Hideyuki
Yamato, Shinji See Morita, Kazuki
Yamauchi, Hisao See Li, Yi
Yamauchi, Yukihiko See Ohji, Tatsuki
Yamazaki, Satoru See Ishida, Hideki
Yan, Hongwen; Cannon, W. Roger; and Shanefield, Daniel J.
Evolution of carbon during burnout and sintering of tape-cast aluminum nitride. (1) 166
Yanagida, Hiroaki See Muto, Norio; Okuda, Koji
Yang, Hung-Duen See Meen, Teen-Hang
Yang, In-Sang See Kim, Dae-Joon
Yang, Jae-Kyun See Lee, Sang-Ho
Yang, Seng-Lu; and Wu, Jenn-Ming
Novel niobium-doped titania varistor with added barium and bismuth. (1) 145
Yang, Zunde See Du, Honghua
Yao, Xi See Liu, Donhang; Sun, Hong-Tao
Yashima, Masatomo; Ishizawa, Nobuo; and Yoshimura, Masahiro
High-temperature X-ray study of the cubic–tetragonal diffusionless phase transition in the ZrO_2–$ErO_{1.5}$ system: I, Phase change between two forms of a tetragonal phase, t' - ZrO_2 and t'' -ZrO_2, in the compositionally homogeneous 14 mol%-$ErO_{1.5}$–ZrO_2. (3) 641; High-temperature X-ray study of the cubic–tetragonal diffusionless phase transition in the ZrO_2–$ErO_{1.5}$ system: II, Temperature dependences of oxygen ion displacement and lattice parameter of compositionally homogeneous 12 mol% $ErO_{1.5}$–ZrO_2. (3) 649
Yashima, Masatomo; Morimoto, Kenji; Ishizawa, Nobuo; and Yoshimura, Masahiro
Diffusionless tetragonal–cubic transformation temperature in zirconia–ceria solid solutions. (11) 2865; Zirconia–ceria solid solution synthesis and the temperature–time–transformation diagram for the 1:1 composition. (7) 1745
Yasuoka, Masaki See Ohashi, Masayoshi
Yavuz, Bulent O.; and Tressler, Richard E.
Threshold stress intensity for crack growth in silicon carbide ceramics. (4) 1017
Yen, Shing-Chung See Griesheim, Gary E.
Ying, Jackie Y.; and Benziger, Jay B.
Structural evolution of alkoxide silica gels to glass: Effect of catalyst pH. (10) 2571
Ying, Jackie Y.; Benziger, Jay B.; and Navrotsky, Alexandra
Structural evolution of colloidal silica gels to glass. (10) 2561
Yive, N. S. Choong Kwet See Bahloul, Djamila
Yoden, Hiroyoshi See Hashimoto, Noboru
Yogo, Toshinobu See Hirano, Shin-ichi; Jin, Jisun; Kim, Sae-Hoon; Miyaji, Fumiaki
Yokokawa, Harumi See Sakai, Natsuko
Yokokawa, Toshio See Unuma, Hidero
Yokoyama, Hisanori See Fujiyoshi, Kaichi
Yokoyama, Yoshio See Narushima, Takayuki
Yonemitsu, Kyoko See Kusunoki, Michiko
Yoon, Duk Yong See Jee, Young A.
Yoon, Ki Hyun; Cho, Yong-Soo; Lee, Dong-Heon; and Kang, Dong-Heon
Powder characteristics of $Pb(Mg_{1/3}Nb_{2/3})O_3$ prepared by molten salt synthesis. (5) 1373
Yoon, Kyung J.; and Kang, Suk-Joong L.
Chemical control of the grain-boundary migration of $SrTiO_3$ in the $SrTiO_3$–$BaTiO_3$–$CaTiO_3$ system. (6) 1641
Yoshida, Norio See Wakino, Kikuo
Yoshida, Toyonobu See Pan, Wen Xia
Yoshikawa, Tomohisa See Tsugeki, Keiichi
Yoshimura, Masahiro See Yashima, Masatomo
Yoshino, Hisashi See Nomura, Shunji
Yoshio, Tetsuo See Oda, Kohei
Youdelis, William V. See Li, Yi
Young, J. Francis See Borglum, Brian P.; Lu, Ping
Yu, Ai-Bing; Standish, Nicholas; and McLean, Arnold
Porosity calculation of binary mixtures of nonspherical particles. (11) 2813
Yu, Hsiang-Yung; Sanday, Santiago Carlos; and Rath, Bhakta Bhusan
Residual stresses in ceramic–interlayer–metal joints. (7) 1661
Yuan, Jun See Gupta, Vijay
Yuying, Tang See Xiaming, Dai
Zaleski, Mark A.; Jervis, Thomas R.; and Mayer, James W.
Tribology and hardness of excimer-laser-processed titanium layers on cubic zirconia. (2) 356
Zangvil, Avigdor See Xu, Youren
Zank, Gregg A. See Xu, Youren
Zender, Gary See Tuttle, Bruce A.
Zeng, Kaiyang; Breder, Kristin; and Rowcliffe, David
Comparison of slow crack growth behavior in alumina and SiC-whisker-reinforced alumina. (7) 1673
Zhang, Hong; and Dravid, Vinayak P.
Transmission high-energy electron energy loss spectrometry (EELS) analysis of hole formation and charge transfer in *p*-type doped cuprate superconductors. (5) 1143
Zhang, Jimin; and Ardell, Alan J.
Measurement of the fracture toughness of ceramic materials using a miniaturized disk-bend test. (5) 1340
Zhang, Liang-Ying See Sun, Hong-Tao
Zhang, Shi-Chang See Messing, Gary L.
Zhang, Tao; and Evans, Julian R. G.
Predicting the incidence of voids in the injection molding of thick ceramic sections. (2) 481
Zhao, Junhong; Sterns, Laura C.; Harmer, Martin P.; Chan, Helen M.; Miller, Gary A.; and Cook, Robert F.
Mechanical behavior of alumina–silicon carbide "nanocomposites". (2) 503
Zheng, Jingmin; and Johnson, Paul F.
Evolution of topology during simulated sintering of powder compacts. (11) 2760
Zhizhenkov, Valery See Chmel, Alexandre
Zhong, Qian See Inniss, Daryl
Zhong, Qian; Vohs, John M.; and Bonnell, Dawn A.
Local structure of defects on hydrogen- and vaccum-reduced TiO_2 surfaces. (5) 1137
Zhou, Derong; Biswas, Pratim; Oostens, Jean; and Boolchand, Puuit
Superconducting properties of aerosol-generated $YBa_2Cu_3O_{7-\delta}$ powders. (3) 678
Zhu, Bin See Cheng, Humin
Zhu, Haiyan See Hirata, Toshiya
Zok, Frank W. See Beyerle, Douglas S.; Drory, Michael D., Flinn, Brian D.
Zschech, Ehrenfried; Kountouros, Paris N.; Petzow, Günter, Behrens, Peter; Lessmann, Alex; and Frahn, Ronald
Synchrotron radiation Ti-*K* XANES study of TiO_2–Y_2O_3-stabilized tetragonal zirconia polycrystals. (1) 197
Zuhr, Raymond A. See Bates, John B.
Zuo, Jian Min See Tong, Jianzhu
Zuri, Limor See Grader, Gideon S.

SUBJECT INDEX TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY

INCLUDING ADVANCED CERAMIC MATERIALS AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal;* numbers following are *page* numbers.

Acids,
H_3PO_4, reaction of Al_2O_3 with (9) 2353
pH, effect on hydration of C_3S (1) 72
Acoustics,
properties, of Y-TZP, correlations with strength (12) 3159
Additives,
B_2O_3, effect on cBN synthesis (10) 2525
CaO, effect on thermal conductivity of AlN (7) 1751
SiO_2, effect on thermal conductivity of AlN (7) 1761
Y_2O_3, effect on densification of Al_2O_3-TiC composites (7) 1857
$YAlO_3$, sintering Si_3N_4 with (9) 2373
rare-earth, effect on electromechanical properties of modified $PbTiO_3$ (12) 3155
sintering aids, effect on microstructure and PTCR of $(Sr_{0.2}Ba_{0.8})TiO_3$ (4) 827
Adsorption,
of Cu^{2+}, on 3Y-TZP (7) 1844
of sulfonic acid-doped poly(vinyl chloride), on barium ferrite particles (12) 3136
Aging,
of Y-TZP, new technique for monitoring (12) 3170
Alkalis,
mixed effect, in alkali gallotitanate glasses (2) 545
-resistant glasses, magnesium aluminosilicate oxynitride (3) 699
Alloys,
KCl-RbCl, creep behavior (1) 185
ZrO_2-CeO_2-HfO_2, properties of (6) 1531
Aluminates,
La, aerosol generation of (10) 2669
$MgAl_2O_4$, films, for humidity sensing, electrical properties (3) 743
$Y_4Al_2O_9$, phase transition of (9) 2382
Aluminum,
isopropoxide, freeze-dried, Al_2O_3 from (5) 1357
solid solubility, in O′-SiAlON (8) 2112
in substituted C-S-H, location (9) 2285
Aluminum oxide,
from aluminum isopropoxide, freeze-dried (5) 1357
α-Fe_2O_3-seeded boehmite-derived, transformation and densification in (1) 214
RBAO, mechanisms and kinetics of (4) 970
SiC-whisker-reinforced, plastic deformation in (6) 1425
and SiC-whisker-reinforced Al_2O_3, comparison of slow crack growth in (7) 1673
ZTA, HIPed, mechanical properties (10) 2677
assessment of residual strain using neutron diffraction (8) 2133
-ZrO_2 composites, surface strengthening with MoO_2 (8) 2142
abnormal grain growth, determination of concentrations of SiO_2 and CaO for (4) 1065
cavitation in, grain-boundary-sliding-induced (7) 1651
crack-bridging mechanisms, scanning acoustic microscopy study (11) 2915
as devitrification inhibitor, during sintering of borosilicate glass powders (8) 2010
during sintering of borosilicate glass—correction (12) 3180
fatigue, effect of compressive stress (1) 229
fibers, hot-grip tensile testing of (12) 3167
glassy, sintered, crack-bridging forces in (1) 33
monolithic, grain-bridging mechanisms in (7) 1849
nature in glasses, phosphate (4) 913; (4) 919
optical rms roughness, and laser reflectance (2) 299
polycrystalline, surface-modified, coefficient of friction (2) 336
presintered, elimination of large pores during HIPing (4) 880
reaction with H_3PO_4 (9) 2353
sintering kinetics, effect of atmosphere (9) 2248
sliding wear, microfracture-controlled, modeling of (9) 2393
strength and *R*-curve properties, role of grain size—comment (7) 1898
role of grain size—reply (7) 1900
testing, with Hopkinson pressure bar (2) 536
Analysis,
^{29}Si and ^{27}Al NMR, of thermal transformation of pyrophyllite (12) 3024
DMTA, of lithium zinc silicate glass-ceramics (2) 417
EELS, of hole formation and charge transfer in cuprate superconductors (5) 1143
IR spectroscopic and XRD, of structural phase transition in ZrO_2-12 mol% CeO_2 (5) 1361
micro-Raman, of C inclusions in heavy-metal fluoride glasses (9) 2341
MAS NMR, of partially carbonated ordinary portland cement and C_3S (8) 1998
NMR, of hydration of calcium aluminate cements (2) 409
of local cation arrangement in mullite (10) 2491
NMR and EELS, of location of aluminum in substituted C-S-H (9) 2285
Raman spectrometrics, of oxygen self-diffusion coefficients in Y_2O_3-containing TZP (8) 2119
X-ray, of phase transition in system ZrO_2-$ErO_{1.5}$ (3) 641; (3) 649
XANES, of Ti-Y-TZP (1) 197
XRD, of system Al_2O_3-La_2O_3-TiO_2 (9) 2359
acoustic, of SiO_2 glasses (3) 712
microchemical, of SCS-6 SiC fibers (8) 2033
molecular dynamics, of Na-Si-O-N oxynitride glasses (5) 1308
neutron diffraction, of residual strain in ZTA (8) 2133
of structure of Na-Si-O-N oxynitride glasses (3) 630
positron annihilation, of internal surfaces of zeolites (2) 292
of sintering pressure—comment (7) 1902
of sintering pressure—reply (7) 1903
statistical, of intergranular film thickness in Si_3N_4 (8) 1969
supersolidus phase, of Bi-Sr-Ca-Cu oxide system in Ag tape (3) 724
thermal, of reactions in soda lime silicate batches containing melting accelerants (3) 598; (3) 605
thermochemical, of combustion synthesis of $MoSi_2$-SiC composites (1) 226
Anatase,
colloidal films, relation between water desorption and densification (10) 2529
Anisotropy,
compaction-induced, in internal structure of powders (5) 1302
thermal expansion, of 2 mol% Y_2O_3-stabilized tetragonal ZrO_2, effect of Nb_2O_5 (11) 2904
toughness, in textured composites (7) 1793
Anorthite,
hexagonal, synthesis of (5) 1354
Apatite,
hydroxy-, cation-exchange properties in acidic region (6) 1638
Atmosphere,
effect on sintering, of Al_2O_3 (9) 2248
Atoms,
beam modification, of insulator surfaces (2) 284
Barium titanate,
donor-doped, origin of grain growth anomaly (1) 123
semiconductor-insulating transition for (6) 1605
electrical conductivity, effect of Mn valence state (5) 1191
films, dielectric properties of (1) 253
preparation of (10) 2619
humidity response of (3) 766
preparation, from oxalates (5) 1185
resin-derived (3) 617
tetragonal-cubic transition, effect of pore morphology and grain size (5) 1205
thermistors, grain-boundary oxidation in (2) 401
Bellite,
crystals, microtextures formed by remelting (11) 2942
Binding,
energies, metal atom-ceramic (2) 273
Bonding,
diffusion, between stainless steel and ZrO_2 (1) 232
reaction, of Al_2O_3 ceramics (4) 970
solid-state diffusion, of C-C composites with borides and carbides (5) 1274
Borates,
Al, whiskers and Al_2O_3 particles, SiO_2 coating on, by CVD (12) 3061
Brittle materials,
cellular, uniaxial strength behavior (9) 2185
failure, in multiaxial stress states, statistics of (11) 2933
lifetime characterization, controlled flaw technique (8) 2123
Bubbles,
in viscous Newtonian liquids, rise velocities of (1) 241
Capacitors,
powders for, dielectric (5) 1233
Carbides,
HfC, oxidation of (4) 1040
ZrC, powders, by reaction of Mg in ZrO_2-Mg-CH_4 (9) 2389
oxy-, composites, microstructure of (1) 207
Carbon,
-carbon composites, diffusion bonding with borides and carbides (5) 1274
C_{60} buckminsterfullerene and $C_{60}C_{70}$ mixture, thermal diffusivity/conductivity of compacts of (3) 754
evolution, during burnout and sintering of AlN (1) 166
inclusions, in heavy-metal fluoride glasses, micro-Raman analysis (9) 2341
Casting,
tape slip, by *in situ* polymerization (7) 1809
Cells,
fuel (3) 563
Cements,
C_3A and C_4AF, hydration in presence of $CaSO_4$ (12) 2971
DSP paste, slag-portland cement based (5) 1329
calcium aluminate, hydration of (2) 409
hardened paste, microstructure of (12) 2993
ordinary portland cement and C_3S, partially carbonated, MAS NMR study (8) 1998
paste, hydrated DSP, phase composition (4) 1003
impedance spectroscopy, computer model (6) 1513
pastes, hardened, water diffusion in, NMR imaging study (8) 2109
pastes and mortars, effect of surface roughness on fracture behavior (3) 589
portland, hydration, effect of tertiary alkanolamines (6) 1521
Ceramic materials,
Pb- and Bi-based electro-, interaction of Ag-Pd electrodes with (2) 474
metal-toughened, fracture resistance of (2) 369
monolithic, combined Mode I and II fracture (9) 2265
two-phase, model for toughness curves (9) 2235; (9) 2241
Ceramics,
processing, laser surface (2) 350
structural, surface engineering of (2) 261
Cermets,
TiC-Mo-Ni, microstructural evolution during sintering (8) 2049
Chemical properties,
electro-, of porous piezoelectric materials (7) 1697
Chemistry,
thermo-, of U-O and Zr-O systems (5) 1242
Chlorides,
NaCl, crystal, elastic and failure behavior (2) 465
effect on upconversion emission, in Er- and Yb-codoped ZBLAN fluoride glasses (6) 1591
Chromium,
calcium-doped lanthanum chromites, sintering of (3) 609
in rutile, measurement of (1) 223
Clays,
carbonitriding of (9) 2337
Coatings,
SiC, CVD, determination of Young's modulus (8) 1965
SnO_2, on aluminum borate whiskers and Al_2O_3 particles, by CVD (12) 3061
TiO_2, porous, processing and characterization of (3) 737
TiO_2-SiO_2, structural changes at high temperature and high humidity (11) 2899
ZrO_2, preparation of (4) 1061
fiber, for brittle-matrix composites (5) 1249
Color,
of V valency, in V-doped ZrO_2 (7) 1825
Compacts,
C_{60} buckminsterfullerene and $C_{60}C_{70}$ mixture, thermal diffusivity/conductivity of (3) 754

$MoSi_2$+C, chemical reactions in processing (8) 2005
-induced anisotropy, in internal structure of powders (5) 1303
powder, SiO_2, densification of (1) 54
evolution of topology during simulated sintering (11) 2760
Composites,
Al_2O_3-AgCl-AgI, by electrochemical deposition (4) 1057
Al_2O_3-aluminum titanate, effect of thermal history on diffusivity and expansion (9) 2180
Al_2O_3-SiC nano-, mechanical behavior (2) 503
Al_2O_3-TiC, effect of Y_2O_3 additions on densification (7) 1857
Al_2O_3-$Y_3Al_5O_{12}$, deformation behavior, comparison with sapphire and YAG (1) 29
Al_2O_3-ZrO_2, surface strengthening with MoO_2 (a) 2142
Al_2O_3/SiC_w, fracture toughness anisotropy (4) 841
α-Al_2O_3-platelet-reinforced Y-PSZ, mechanical properties (5) 1294
AlN/Al and Al_2O_3/Al, structure of (7) 1865
AlN/BN, synthesis of (4) 987
C fiber/SiC matrix, effect of loading frequency on fatigue (9) 2327
C-C, diffusion bonding with borides and carbides (5) 1274
CMCs, damage and failure in—correction (2) 560
Ce-TZP/Al_2O_3, *R*-curve behavior and flaw insensitivity (4) 0612
2-D C-C, notch strength and fracture behavior (4) 9442
2-D granular, viscosities and sintering rates (12) 3123
$MoSi_2$-SiC, by combustion synthesis, thermochemical study (1) 226
Ni/Al_2O_3, toughening by metallic lamina in (5) 1258
Nicalon-calcium aluminosilicate, under fatigue, damage and moduli reductions in (7) 1720
Nicalon-fiber-reinforced calcium aluminosilicate, stress-strain behavior in tensile fatigue (9) 2175
Pt-ceramic, powders and films, preparation and characterization of (1) 192
Si powder-SiC whisker, injection-moldable, rheological behavior (12) 2977
Si_3N_4-$MoSi_2$ particulate, properties of (11) 2879
Si_3N_4/Si_3N_4-whisker-reinforced, high-temperature failure mechanisms of (5) 1349
Si_3N_4/SiC-platelet, without sintering aids (5) 1313
SiC fiber/calcium aluminosilicate matrix, tensile creep and creep-strain recovery of (10) 2695
SiC-fiber-reinforced calcium aluminosilicate, fatigue behavior (11) 2817
β-SiC-implanted Al, chemistry and structure (2) 330
SiC platelet/Al_2O_3, mechanical properties (6) 1452
toughening mechanisms in (8) 1985
SiC-whisker-reinforced Al_2O_3, interfaces, HREM study (9) 2397
plastic deformation mechanisms (6) 1425
by sintering of coated powders (10) 2549
slow crack growth in (7) 1673
SiC-whisker-reinforced lithium aluminosilicate (11) 2785
SiC-whisker-reinforced Si_3N_4, mechanical properties (6) 1420
SiC-Si_3N_4, synthesis of (5) 1195
SiC-TiB_2 ceramic matrix, sliding wear of (2) 511
SiC-fiber-Si_3N_4-matrix, creep behavior (5) 1281
SiC-whisker-reinforced Al_2O_3-matrix, processing and characterization of (2) 497
SiC-whisker-reinforced Si_3N_4, lubricated rolling and sliding wear against M2 steel (1) 105
SiC/Al_2O_3/Al-alloy, microstructure evolution (7) 1777
SiC/RBSC matrix, fiber pushout tests on (9) 2300
Ti-B-C, plastic phase processing of (6) 1445
$YBa_2Cu_3O_{7-\delta}$/Ag, and $YBa_2Cu_3O_{7-\delta}$, hot deformation of (4) 1008
and $YBa_2Cu_3O_{7-\delta}$, hot pressing of (4) 1011
ZrO_2/Al_2O_3, functionally gradient materials, deposition of (4) 1055
alumina-aluminum titanate, flaw-tolerance and crack-resistance properties (9) 2312
binary borosilicate glass, crystal growth inhibitor in (3) 751
brittle-matrix, fiber coatings for (5) 1249
carbon-fiber-glass-fiber-reinforced plastic, preventing fatal fractures by monitoring electrical resistance (4) 875
ceramic-matrix, interlaminar shear strength of (10) 2539
matrix cracking in (10) 2497
cordierite-ZrO_2, fabrication and densification of (6) 1482
dental, Al_2O_3-glass, preparation and strength (10) 2691
fiber-reinforced, residual stresses due to thermal expansion mismatch (10) 2607
sol-gel processing of (10) 2635
fiber-reinforced cement, interfacial properties—comment (6) 1645
interfacial properties—reply (6) 1647
fiber-reinforced ceramic, interfacial properties, microprobe analysis (12) 3041
fiber-reinforced diamond matrix (5) 1387
interface strength, measurement and control of (2) 305
mica-based nano- glass-ceramic, microstructure (2) 539
oxidation-resistance, effect of reactions between mica and oxides (5) 1265
oxycarbide, microstructure development (1) 207
silicide matrix with SiC particles, creep-fatigue crack growth in (8) 1953
systems, Si-Ti-C, CVD of (6) 1473
textured, toughness anisotropy in (7) 1793
Concretes,
C fiber-reinforced aluminoborosilicate glass, role of interfacial gaseous heat transfer on conductivity (7) 1888
Conductivity, electrical,
of $BaTiO_3$, effect of Mn valence state (5) 1191
of ZrO_2, stabilized with Sc_2O_3 and Y_2O_3 (3) 793
Conductivity, thermal,
of AlN, effect of CaO (7) 1751
effect of SiO_2 (7) 1761
of C fiber-reinforced aluminoborosilicate glass, role of interfacial gaseous heat transfer (7) 1888
Copper,
bismuth cuprates, hole doping mechanism in (10) 2687
Cordierite,
thermal expansion, effect of substitution of Ca (7) 1873
Corrosion,
of SiC-based ceramics, in combustion environments (1) 3
gaseous, of porous SiC (2) 316
hydrothermal, of HIPed Si_3N_4 (5) 1365
vanadate hot, of india, yttria-stabilized zirconia (10) 2660
Cracking,
and buckling, combined, of films (11) 2936
R-curve behavior, of Ce-TZP/Al_2O_3 composites (4) 961
R-curve and compliance change, upon renotching (12) 3113
R-curve properties, of Al_2O_3, role of grain size—comment (7) 1898
role of grain size—reply (7) 1900
indentation, in ZrO_2, transformation driving force for (12) 3144
in glass, kinetics of (5) 1096
matrix, in ceramic-matrix composites (10) 2497
micro-, of $NaZr_2(PO_4)_3$ (2) 487
due to shock, localized hot (3) 729
Cracks,
bridging, in sintered glassy Al_2O_3 (1) 33
bridging mechanisms, in Al_2O_3, scanning acoustic microscopy study (11) 2915
creep-fatigue, growth in silicide matrix composites with SiC particles (8) 1953
fatigue, propagation in 9Ce-TZP (10) 2601
growth, in SiC, threshold stress intensity for (4) 1017
in SiO_2 optical fibers, effect of humidity (6) 1545
in constrained sintering of films (10) 2475
initiation and propagation, in tempered glass (4) 885
-like flaws, in Ti ion-implanted sapphire, high-temperature healing of (9) 2225
propagation, in piezoelectric actuators (6) 1615
resistance, of alumina-aluminum titanate composites (9) 2312
slow growth, in Al_2O_3 and SiC whisker-reinforced Al_2O_3 (7) 1673
in sapphire fibers (10) 2505
subcritical, growth in Y-TZP and Al_2O_3-toughened Y-TZP (10) 2681
Creep,
of Si_3N_4 (2) 553
behavior, of KCl-RbCl alloys (1) 185
of Nicalon fibers in Ar, effect of microstructural instability (12) 3051
of SiC-fiber-Si_3N_4-matrix composites (5) 1281
of sintered Si_3N_4 (2) 385
cavitation, in Al_2O_3 (7) 1651
compression, evaluation of tests for (10) 2468
damage, in structural ceramics (4) 803
indentation, of hydrated soda lime silicate glasses (4) 904
resistance, of Si_3N_4, improvement by exudation of intergranular glass (11) 2790
tensile, behavior of SiC fiber/calcium aluminosilicate matrix composites (10) 2695
of monolithic and SiC_w-reinforced Si_3N_4 (12) 3105
Crystallites,
size, effect on crystal phase of lead barium titanate (6) 1505
Crystallization,
of MAS-osumilite, with composition $Mg_2Al_4Si_{11}O_{30}$ from glass (7) 1837
of $Bi_2Sr_2CaCu_2O_x$, with different Cu valence states (11) 2795
of glass-ceramics, Si-Y-Al-O-N (8) 2103
of glasses, copper metaphosphate (6) 1395
of mullite, effect of precursor particle size (2) 433
Crystals,
belite, microtextures formed by remelting (11) 2942
growth inhibitor, in binary borosilicate glass composites (3) 751
ionic, elastically stressed, thermodynamic treatment of (7) 2604
Decomposition,
spinodal, in tetragonal system, elastic effect on domain morphology (8) 1978
Defects,
insensitivity, of Ce-TZP/Al_2O_3 composites (4) 961
on surfaces, H- and vacuum-reduced TiO_2, local structure of (5) 1137
voids, in injection molding of thick sections (2) 481
Deformation,
of Mg-PSZ, effect of transformation and microcracking (7) 1895
anelastic, in Si_3N_4, temperature dependence of (8) 2042
behavior, of Al_2O_3-$Y_3Al_5O_{12}$ (1) 29
nonlinear, of ferroelectric ceramics (4) 890
plastic, of SiC-whisker-reinforced Al_2O_3 (6) 1425
superplastic gas-pressure, of YTZ sheet (7) 1665
Densification,
of Al_2O_3, α-Fe_2O_3-seeded boehmite-derived (1) 214
of $Pb(Ni_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-$PbZrO_3$, effects of sintering atmosphere (2) 549
of compacts, SiO_2 powder (1) 54
of composites, Al_2O_3-TiC, effect of Y_2O_3 additions (7) 1857
cordierite-ZrO_2 (6) 1482
of films, colloidal anatase, effect of water desorption (10) 2529
ion-beam, of ZrO_2 sol-gel films (5) 1369
of mullite, effect of precursor particle size (2) 433
of pores, large (6) 1584
Dental ceramics,
composites, Al_2O_3-glass, melt-infiltration processing and fracture toughness (10) 2691
Deposition,
CVD, of Mg_3N_2 powders (11) 2909
of Si_3N_4 from SiF_4 and NH_3 (8) 1930
of SnO_2 coatings on aluminum borate whiskers and Al_2O_3 particles (12) 3061
of α-Si_3N_4, effect of SiF_4 and NH_3 concentrations (2) 542
of diamond (1) 238
modification of SiC by (2) 492
of composites, of system Si-Ti-C (6) 1473
electrochemical, of Al_2O_3-AgCl-AgI composites (4) 1057
of films, Li_2O-SiO_2-P_2O_5 (4) 929
ZnO, effect of pH of solution (4) 998
plasma spray, of SiC powder (5) 1335
Diagrams,
phase, of Na_2O-SiO_2 and K_2O-SiO_2 systems (8) 2059
of system Na_2O-B_2O_3-SiO_2 (8) 2017
of system Ti-Cu-O (7) 1815
of system U-Zr-C (6) 1409
of wollastonite-ZrO_2 (4) 1052
temperature-time contour, comparison of bulk properties of Mg-PSZ with (8) 1993
temperature-time-transformation, of ZrO_2-CeO_2 solid solutions (7) 1745
Diamond,
CVD, hardness (1) 238
Dielectric materials,
capacitor, from powders (5) 1233
relaxor, $(Pb_{0.875}Ba_{0.125})[(Mg_{1/3}Nb_{2/3})_{0.5}(Zn_{1/3}Nb_{2/3})_{0.5}]O_3$ (2) 459; $(Pb_{0.875}Ba_{0.125})[(Mg_{1/3}Nb_{2/3})_{0.5}(Zn_{1/3}Nb_{2/3})_{0.5}]O_3$ properties (2) 454
Dielectric properties,
of $BaTiO_3$, effect of pore morphology and grain size (5) 1205
of Bi_2O_3-ZnO-Nb_2O_5-based ceramics (8) 2129
of PMN (11) 2939
constant, of a mixture, equation for predicting (10) 2588
of films, $BaTiO_3$ (1) 253
Diffusion,
of ^{57}Co, in surface layers of NiO and Al_2O_3 (2) 557
Zr-Hf inter-, in fluorite-cubic CeO_2-ZrO_2-HfO_2 solid solution (5) 1381
oxygen tracer, in $La_{2-x}Sr_xCuO_{4-y}$ (9) 2363
of water, in hardened cement pastes, NMR imaging study (8) 2109
Diffusivity,
thermal, of Al_2O_3-aluminum titanate composites, effect of thermal history (9) 2180
Dislocations,
loops, in α-Si_3N_4 (8) 2136
Dopants,
Fe, effect on microstructure of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ (11) 2859
aliovalent, effect of transformation and ordering in RE_2O_3-Bi_2O_3 (RE = Yb, Er, Y, or Dy) solid solutions (10) 2403
Drying,
films, granular (9) 2257; (11) 2769
Elasticity,
Young's modulus, determination in SiC coatings (8) 1965
moduli, of porous materials (11) 2745
Electrical properties,
of $Bi_{2.1}Sr_{1.9}(Ca_{1-x}Y_x)Cu_2O_y$ (3) 635
PTCR, of $Ba_{1-x}Sr_xPb_{1+y}O_{3-\delta}$ (8) 2053
ac response, of $(Ba,Pb)TiO_3$ PTCR ceramics (3) 781
conduction, in AlN (4) 957
conductivity, of tzheranite (2) 530
Electrodes,
Ag/Pd, interaction with Pb- and Bi-based electroceramics (2) 474
Electronic properties,
of interfaces, $PbTiO_3$/Cu (12) 3019
Electronics,
cofired ceramic package, effect of mismatched sintering on camber (8) 1907
Emission,
of Xe, accompanying fracture of Xe-implanted cubic ZrO_2 (8) 2076
fracto-, during fracture of engineering ceramics (10) 2583
Energy,
free, of formation of SiC (2) 397
metal atom-ceramic binding (2) 273
of tetrahedral forms, of CoO (10) 2465
Engineering,
surface, of structural ceramics (2) 261
Engineering materials,
creep damage in (4) 803
Equations,
for predicting dielectric constant, for mixtures (10) 2588
Expansion,
anisotropic thermal, of TZP (7) 1772
of composites, Al_2O_3-aluminum titanate, effect of thermal history (9) 2180
thermal, of cordierite, effect of substitution of Ca (7) 1873
enhanced in mica (2) 343
Fatigue,
of Al_2O_3, effect of compressive stress (1) 229
behavior, of SiC-fiber-reinforced calcium aluminosilicate composites (11) 2817
of composites, C fiber/SiC matrix, effect of loading frequency (9) 2327
Nicalon-calcium aluminosilicate, damage and moduli reductions (7) 1720

indentation cyclic, of MgO (7) 1832
of optical fiber, effect of loading mode and coating (1) 139
resistance, enhanced in HIPed Si_3N_4 (3) 788
Ferrites,
Ba, particles, adsorption of sulfonic acid-doped poly(vinyl chloride) on (12) 3136
Zn, reaction sintering of (7) 1739
Zn-bearing, Mossbauer spectroscopy (6) 1491
Ferroelectric materials,
YBCO/PLZT/YBCO, films on $LaAlO_3$, microstructure (12) 3141
deformation of, nonlinear (4) 890
powders, by coprecipitation (11) 2734
Fiber optics,
SiO_2, effect of humidity on crack growth (6) 1545
fatigue of, effect of loading mode and coating (1) 139
Fibers,
Al_2O_3, hot-grip tensile testing of (12) 3167
Nicalon, creep behavior in Ar, effect of microstructural instability (12) 3051
SCS-6 SiC, microchemical analysis of (8) 2033
transverse strength of (12) 3151
SiAlON, from polymeric precursors (10) 2595
SiC, microstructure and microchemistry of (12) 3034
SiO_2, chemically corroded pristine (12) 3173
coating, for brittle-matrix composites (5) 1249
dry spinning, from ceramic-powder-loaded polymer solutions (10) 2460
preforms, CVI of BN in (11) 2846
push-out test, cohesive zone approach to (4) 897
sapphire, slow crack growth in (10) 2505
Fibrous materials,
monolithic, fracture behavior (9) 2217
microstructure and indentation behavior (9) 2209
Films,
$Ba_2Si_2TiO_8$, sputtered, effect of substrate texture on orientations (12) 2985
$BaTiO_3$, dielectric properties (1) 253
preparation of (10) 2619
$(Co,Fe)_3O_4$, preparation and phase separation behavior (7) 1788
Li_2O-SiO_2-P_2O_5, deposition and properties of (4) 929
$MgAl_2O_4$, for humidity sensing, microstructure and electrical properties (3) 743
PT, origin of orientation in (5) 1345
PZT, preparation of (3) 769
sol-gel processing (6) 1441
$Pb(Zr,Ti)O_3$, highly oriented (6) 1537
Pb_3O_4-SiO_2 glass, electrically conducting, by rf sputtering (11) 2930
Pt-ceramic composite, preparation and properties of (1) 192
in Si_3N_4, amorphous intergranular (11) 2801
Ti, on cubic ZrO_2, tribology and hardness of (2) 356
TiO_2 and SiO_2, study of interface width between (10) 2534
YBCO/PLZT/YBCO, on $LaAlO_3$ microstructure (12) 3141
ZnO, effect of pH of solution on deposition (4) 998
$Zr(Y)O_2$, on c-ZrO_2, by liquid precursor route (2) 443
ZrO_2, by ion implantation (2) 347
sol-gel, ion-beam densification of (5) 1369
buckling and cracking of, combined (11) 2936
colloidal anatase, relation between water desorption and densification (10) 2529
constrained sintering of, crack growth and damage (10) 2475
granular, drying (9) 2257; (11) 2769
intergranular, thickness in Si_3N_4 (8) 1969
intergranular glass, electrical double-layer contribution to equilibrium thickness (5) 1201
metallorganic and ceramic, preparation for TEM observation (7) 1882
modification of, atomic beam (2) 284
superconducting, low-Ca-content in Bi system, preparation and properties (4) 1031
thickness, TEM determination (2) 426
Fluorescence,
optical, stress measurement with (6) 1433
Formation,
of aluminum orthophosphate (2) 362
of AlN, by carbothermal reduction of Al_2O_3 in nitrogen (9) 2295
of composites, SiC-whisker-reinforced Al_2O_3, by sintering of coated powders (10) 2549
Fracture,
in CMCs—correction (2) 560
of MgO, effect of hot extrusion and temperature on (12) 3009
Mode I and Mode II, of monolithic ceramics (9) 2265
R-curve and compliance change, upon renotching (12) 3113
of Si_3N_4, HIPed, role of oxidation (11) 2919
of ZrO_2, Xe-implanted cubic, Xe emission accompanying (8) 2076
analysis, of two-phase ceramics (9) 2241
behavior, of 2-D C-C composites (4) 944
of CVD SiC-coated graphite (12) 3066
of fibrous monolithic ceramics (9) 2217
of two-phase ceramics (9) 2235
brittle, in multiaxial stress states, statistics of (11) 2933
of cement pastes and mortars, effect of surface roughness (3) 589
creep rupture, of monolithic and SiC_w-reinforced Si_3N_4 (12) 3105
of crystals, NaCl (2) 465
of engineering ceramics, fracto-emission during (10) 2583
fatal, in carbon-fier-glass-fiber-reinforced plastic composites, preventing by monitoring electrical resistance (4) 875
glass, chemical kinetics model for (10) 2613
high-temperature, of Si_3N_4/Si_3N_4-whisker-reinforced composites (5) 1349
indentation, error propagation biases in (10) 2665
resistance, of metal-toughened ceramic (2) 369
strength, of PSZ, measurement of (3) 785
stress, of Si_3N_4 (2) 553
toughness, of Al_2O_3/SiC_w composites (4) 841
measurement using disk-bend test (5) 1340
Friction,
coefficient of, for surface-modified Al_2O_3 (2) 336
Fuels,
cells (3) 563
Functionally gradient materials,
ZrO_2/Al_2O_3, by deposition (4) 1055
Gases,
implanted, retention in mica (2) 343
Gels,
C-S-H, substituted, location of Al in (9) 2285
SiO_2, evolution to glass (10) 2561
alkoxide SiO_2, evolution to glass (10) 2571
-to-glass transformation, various levels of (6) 1563
Glass,
AgI-Ag_2O-M_xO_y (M_xO_y = WO_3, V_2O_5), formation of frozen α-AgI in (1) 235
$BiSrCaCu_2Al_{0.5}O_x$, phase separation and crystallization (7) 1885
Bi-Sr-Ca-Cu-O, early-stage microstructure development in (12) 3087
$Bi_2Sr_2CaCu_2O_x$, with different Cu valence states, crystallization of (11) 2795
$44CaO$-$56Ga_2O_3$, by containerless processing (8) 2139
Er- and Yb-codoped ZBLAN fluoride, effect of chloride on upconversion emission (6) 1591
MAS-osumilite, crystallization of $Mg_2Al_4Si_{11}O_{30}$ from (7) 1837
Na_2O-CaO, indentation-cycling tests on (6) 1611
Na_2O-CaO-SiO_2, thermooptic coefficients (7) 1855
$xNa_2S + (1-x)B_2S_3$, composition range, IR spectroscopy (11) 2753
Na-Si-O-N oxynitride, molecular dynamics study (5) 1308
structure of, neutron diffraction study (3) 630
Nd_2O_3-SiO_2, sol-gel processing of (5) 1325
Pb_3O_4-SiO_2, electrically conducting films, by rf sputtering (11) 2930
PbO-B_2O_3 and PbO-SiO_2, reaction of $CaTiO_3$ with (4) 993
SiO_2, acoustic properties (3) 712
TeO_2, optical properties (10) 2486
TeO_2-based, optical properties (4) 865
alkali gallotitanate, mixed alkali effect in (2) 545
alkali silicate, surfaces, onset of reactions on (10) 2555
alkali-alkaline-earth borate containing Cr, interaction of γ-rays with (2) 523
borosilicate, powder, Al_2O_3 as devitrification inhibitor during sintering—correction (12) 3180
copper metaphosphate, crystallization of (6) 1395
cracking in, indentation, kinetics of (5) 1096
evolution of gels to, SiO_2 (10) 2561
alkoxide SiO_2 (10) 2571
films, electrical double-layer contribution to equilibrium thickness (5) 1201
-forming ability, rigidity, connectivity and (5) 1088
fracture, chemical kinetics model for (10) 2613
heavy-metal fluoride, C inclusions in, micro-Raman analysis of (9) 2341
sol-gel synthesis of (12) 3147
high-T_g, relation between width of transition region and temperature dependence of viscosity (5) 1081
hydrated soda lime silicate, indentation creep of (4) 904
low-alkali anhydrous lithium phosphate, glass transition and IR spectra (7) 1691
magnesium aluminosilicate oxynitride, alkali-resistant (3) 699
oxynitride, Si_3N_4 dispersed in, grain growth studies (11) 2778
phosphate, nature of Al_2O_3 in (4) 913; (4) 919
with scribing flaws, predicting strength of (1) 256
silicate, borate, and phosphate, relation between radiative transition of Nd^{3+} and composition (12) 3081
soda lime-silicate containing NaCl, effects of particle size on fusion (3) 671
systems, calcium aluminate-based, glass-forming ability in (2) 449
tellurite, transparent, containing potassium niobate crystals, fabrication of (11) 2923
tempered, indentation crack initiation and propagation in (4) 885
thermal stresses, relaxation, and hysteresis in (5) 1113
Glass-ceramics,
Si-Y-Al-O-N, crystallization and properties (8) 2103
Y_2O_3-containing aluminosilicate, surface roughness as indication of machinability (7) 1861
lithium zinc silicate, dynamic mechanical thermal analysis of (2) 417
transparent containing Co(II) ions, preparation and optical properties (11) 2839
Glass fibers,
melt-drawn, diameter dependence of refractive index (5) 1390
Gold,
wettability of oxides by, test (6) 1568
Grain boundaries,
of TiO_2, space charge segregation at (10) 2437; (10) 2447
in varistors, ZnO, electrical nonuniformity of (5) 1150
Grain growth,
of β-Si_3N_4, in Si_3N_4 under high nitrogen pressure (12) 3178
effect on strength (7) 1892
of β-SiAlON (6) 1624
abnormal, in Al_2O_3, concentrations of SiO_2 and CaO to induce (4) 1065
β-, during sintering of Si_3N_4 under high nitrogen pressure (1) 91
in donor-doped $BaTiO_3$, origin of anomaly in (1) 123
Granular materials,
films, drying (9) 2257; (11) 2769
Graphite,
SiC-coated, CVD, fracture behavior (12) 3066
reactivity, effects of sputtering and plasma etching (2) 279
Grinding,
strength reduction from (4) 1068
Hardness,
of Si_3N_4, HIPing, effect of load (6) 1602
of diamond, CVD (1) 238
Humidity,
response, of $BaTiO_3$ (3) 766
Hydrates,
α-dicalcium silicate, preparation and hydration of (7) 1707
Hydration,
of β-C_2S (4) 870
of C_3A and C_4AF, in presence of $CaSO_4$ (11) 2971
of C_3S, effect of pH (1) 72
of cements, calcium aluminate (2) 409
portland, effect of tertiary alkanolamines (6) 1521
of α-dicalcium silicate hydrate (7) 1707
Imaging,
NMR, of water diffusion in hardened cement pastes (8) 2109
microstructural, of engineering materials (6) 1551
Indentation,
behavior, of fibrous monoliths (9) 2209
cracking, in glass, kinetics of (5) 1096
creep, of hydrated soda lime silicate glasses (4) 904
flaw technique, for lifetime characterization (8) 2123
Infiltration
CVI, in microwave-heated preforms, model for (8) 1924
vapor, processing of $MoSi_2$ by (6) 1630
Infrared,
reflection, of $Ba(Mg_{1/3}Ta_{2/3})O_3$ (10) 2433
Interfaces,
$PbTiO_3$/Cu, structure and properties (12) 3019
in composites, SiC-whisker-reinforced Al_2O_3, HREM study (9) 2397
properties, of fiber-reinforced cement composites—comment (6) 1645
of fiber-reinforced cement composites—reply (6) 1647
of fiber-reinforced ceramic composites, microprobe analysis (12) 3041
reactions, in Nb-toughened $MoSi_2$, control of (9) 2305
strength, of composites, measurement and control of (2) 305
width between films, TiO_2 and SiO_2 (10) 2534
Ions,
Co(II), optical properties of transparent glass-ceramics containing (11) 2839
^{59}Co, diffusion in surface layers of NiO and Al_2O_3 (2) 557
Nd^{3+}, radiative transition probabilities, relations to composition in silicate, borate, and phosphate glasses (12) 3081
anion vacancies, role in nitrogen-stabilized ZrO_2 (3) 683
cation-exchange, of hydroxyapatite in acidic region (6) 1638
copper oxide, adsorption on 3Y-TZP (7) 1844
local cation arrangement, in mullite, NMR study (10) 2491
metal, effect on order-disorder transition in system Ba-M-O (M: La, Y, In, or Ga) (8) 2127
monovalent, effect on degradation of ZnO varistors (9) 2370
Iron,
molten, wettability and interfacial reaction with ZrO_2 substrates (12) 3000
in rutile, measurement of (1) 223
Joining,
by HIPing (10) 2685
electrical, of Si_3N_4 (6) 1459
Joints,
ceramic-interlayer-metal, residual stresses in (7) 1661
ceramic-to-metal, effect of thickness on residual thermal stresses (3) 757
Lasers,
excimer, surface processing of (2) 350
reflectance, of Al_2O_3 (2) 299
Lead,
$Ba_{1-x}Sr_xPb_{1+y}O_{3+\delta}$, PTCR of (8) 2053
Leucite,
polycrystalline, high-thermal-expansion (9) 2379
Liquids,
Newtonian, rise velocity of large bubbles in (1) 241
two viscous cylinders, coalescence by capillarity (12) 2947; (12) 2953
Machining,
Y_2O_3-containing aluminosilicate glass-ceramics, effect of surface roughness (7) 1861
strength reduction from (4) 1068
Magnesium oxide,
fatigue of, indentation cyclic (7) 1832
strength and fracture, effect of hot extrusion and temperature on (12) 3009
Magnetic properties,
of $Y_{1-x}Pr_xBa_2Cu_4O_8$, effect of Pr (8) 1948
Manganese,
valence state, effect on electrical conductivity of $BaTiO_3$ (5) 1191
Materials, engineering,
fracture, fracto-emission during (10) 2583
microstructure, using image processing (6) 1551
research in, near 2000°C (9) 2147
wear, under indenter in sliding (9) 2376
Measurement,
fracture toughness, in PSZ (3) 785
using disk-bead test (5) 1340

of free energy of formation, of SiC, using liquid Au (2) 397
of interface strength, of composites (2) 305
stress, using optical fluorescence (6) 1433
Mechanical properties,
of ZTA, HIPed (10) 2677
of ZrO_2 surfaces, effect of grain-boundary impurities (2) 325
of alloys, ZrO_2-CeO_2-HfO_2 (6) 1531
of composites, Al_2O_3-SiC nano- (2) 503
α-Al_2O_3-platelet-reinforced Y-PSZ (5) 1294
SiC platelet/Al_2O_3 (6) 1452
SiC-whisker-reinforced Si_3N_4 (6) 1420
SiC-whisker-reinforced lithium aluminosilicate (11) 2785
Si_3N_4-$MoSi_2$ particles (11) 2879
electro-, of modified $PbTiO_3$, effect of rare-earth additives (12) 3155
of porous piezoelectric ceramics (7) 1697
of linings, for teeming ladles (1) 202
of oxides, at high temperatures, estimating (1) 129
Melts,
B_2O_3-SiO_2, thermodynamic activities in (11) 2809
44CaO·56Ga_2O_3, enhanced formation by containerless processing (8) 2139
soda lime silicate, containing melting accelerants, reactions in (3) 598; (3) 605
vanadate-sulfate, resistance of SnO_2 to reaction with (6) 1635
Membranes,
TiO_2-ZrO_2, sol-gel route to (8) 2093
YSZ layers in, CVD, pore narrowing and formation of (9) 2201
Mica,
implanted gases and enhanced thermal expansion, retention of (2) 343
Microscopy,
HREM, of SiC-whisker-reinforced Al_2O_3 composite interfaces (9) 2397
TEM, of gel-derived ZrO_2 precursors (4) 857
preparation of films for (7) 1882
of sintering of sol-gel-prepared particles (8) 2115
electron, study of ZrO_2 particles (3) 763
high-voltage electron, generation of radiation damage in cubic ZrO_2 in (12) 3163
scanning acoustic, of crack-bridging in Al_2O_3 (11) 2915
scanning tunneling, of cubic SiC (2) 269
Microwaves,
-heated bodies, calculation of temperatures in (8) 1915
processing, of RBSN (5) 1384
Mixtures,
binary, of nonspherical particles, porosity calculation of (11) 2813
dielectric, equation for predicting dielectric constant (10) 2588
Modeling,
of microfracture-controlled sliding wear, of Al_2O_3 (9) 2393
Models,
Carmen-Kozeny, of liquid permeability of packed particles (2) 547
chemical kinetics, of glass fracture (10) 2613
computer, of elastic and fracture behavior of NaCl (2) 465
of impedance spectroscopy of cement pastes (6) 1513
of tetragonal preipitate in PSZ (12) 3029
mathematical, for CVI in microwave-heated preform (8) 1924
for predicting tracer profiles, in Si double-oxidation experiments (5) 1124
for toughness curves, in two-phase ceramics (9) 2235
Molding,
injection, of thick sections, voids in (2) 481
Morphology,
precipitate, in MgO,CaO-PSZ (4) 833
Mullite,
ZrO_2-coated, technique for (7) 1869
densification and crystallization, effect of precursor particle size (2) 433
discontinuities of, thermal expansion (11) 2896
with lattice constants $a > b$ (7) 1879
local cation arrangement, NMR analysis (10) 2491
particles, spherical, by hydrolysis of aerosols (8) 2081
translucent (11) 2912
Niobates,
Bi_2O_3-ZnO-Nb_2O_5-based ceramics, phase structure and dielectric properties (8) 2129
PMN, powders, by molten salt synthesis (5) 1373
synthesis and dielectric properties (11) 2939
$Pb(Ni_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-$PbZrO_3$, effects of sintering atmosphere on densification (2) 549
Nitridation,
carbo-, of clay (9) 2337
Nitrides,
AlN, effect of CaO on thermal conductivity (7) 1751
effect of SiO_2 on thermal conductivity (7) 1761
electrical conduction in (4) 957
evolution of C during burnout and sintering (1) 166
formation through carbothermal reduction of Al_2O_3 in nitrogen (9) 2295
powder, effect of milling treatment on particle size (2) 438
samples, growth of oxide layers on (9) 2289
vibrational spectroscopy (5) 1132
cBn, reaction sintering using volatile catalysts (11) 2889
BN, CVI in fiber preforms (11) 2846
hBN and cBN, effect of B_2O_3 (10) 2525
Mg_3N_2, powders, by CVD (11) 2909
TiN, particles to coat TiO_2, Al_2O_3, or Si_3N_4 powders (11) 2727
silicon carbo-, from organosilicon polymers (5) 1156; (5) 1163
Nuclear materials,
systems, U-Zr-C (6) 1409
Optical materials,
mullite, translucent (11) 2912
Optical properties,
of glass-ceramics, containing Co(II) ions (11) 2839
of glasses, TeO_2 (4) 865; (10) 2486
rms roughness, of Al_2O_3 (2) 299
transmittance, of mullite (11) 2912
Orientation,
in films, PT, origin of (5) 1345
of films, sputtered $Ba_2Si_2TiO_8$, effect of substrate texture (12) 2985
Oxalates,
Ca-La, coprecipitated powders, characterization of (6) 1466
preparation of barium titanates from (5) 1185
Oxidation,
of HfC (4) 1040
of Si_3N_4, CVD, in dry oxygen (4) 1047
of SiC, CVD, in CO-CO_2 (10) 2521
effect on failure, of HIPed Si_3N_4 (11) 2919
grain-boundary, in $BaTiO_3$ thermistors (2) 401
-resistance of composites, effect of reactions between mica and oxides (5) 1265
stress-enhanced, of Si_3N_4 (12) 3093
Oxides,
Ce(IV), powders, by precipitation (6) 1577
$(Co,Fe)_3O_4$, films, preparation and phase separation behavior (7) 1788
CoO, with zinc-blende structure, energetics of (10) 2465
Gd_2O_3-Bi_2O_3, cubic-to-tetragonal transformation in (10) 2513
NiO and Al_2O_3, diffusion of ^{57}Co in surface layers (2) 557
SnO_2, resistance to reaction with vanadate-sulfate melts (6) 1635
TiO_2-SiO_2, coatings, structural changes at high temperature and high humidity (11) 2899
at high temperatures, estimating mechanical properties (1) 129
layers, growth on AlN samples (9) 2289
particles, preparation of (1) 97
wettability, by Au, test for (6) 1568
Oxygen,
irreversibility of weight loss, in $YBa_2Cu_4O_8$ (1) 245
partial pressure, effect on system Cr-Mn-Ti (11) 2869
self-diffusion coefficients, in Y_2O_3-containing TZP (8) 2119
Particles,
ZrO_2, electron microscopy study (3) 763
barium ferrite, adsorption of sulfonic acid-doped poly(vinyl chloride) on (12) 3136
composites, by laser decomposition of $[(CH_3)_2N]_4Ti$ to TiN, to cost TiO_2, Al_2O_3, or Si_3N_4 powders (11) 2727
mullite, spherical, by hydrolysis of aerosols (8) 2081
nonspherical, binary mixtures, porosity calculation of (11) 2813
oxide, preparation of (1) 97
packed, liquid permeability of (2) 547
size, effect on fusion of soda lime-silicate glass containing NaCl (3) 671
sol-gel-prepared, sintering, TEM study (8) 2115
Pastes,
DSP, slag-portland cement based (5) 1329
hardened cement, microstructure of (12) 2993
hydrated DSP cement, phase composition of (4) 1003
Permeability,
liquid, of packed particles (2) 547
Phase equilibria,
systems, MgO-P_2O_5-H_2O (6) 1558
Al_2O_3-$Ce_2Si_2O_7$ (6) 1595
CaO-CrO-Cr_2O_3-SiO_2 (9) 2193
PbO-Ag and CuO-Ag (10) 2663
ZrO_2-$InO_{1.5}$ (3) 689
ZrO_2-Sc_2O_3 and ZrO_2-In_2O_3 (8) 2027
Phases,
α-PbO_2-type and baddeleyite-type, of TiO_2 (3) 796
composition, of hydrated DSP cement paste (4) 1003
formation, in ZrO_2 and ZrO_2-Y_2O_3 powders (3) 760
grain boundary, effect on superplasticity of 3Y-TZP (7) 1681
plastic, processing of Ti-B-C composites (6) 1445
separation, behavior of $(Co,Fe)_3O_4$ films (7) 1788
in system AlN-Al_2OC (10) 2419
Phosphates,
$NaZr_2(PO_4)_3$, grain size-microcracking relation (2) 487
aluminum ortho-, formation of (2) 362
glasses, nature of Al_2O_3 in (4) 913; (4) 919
Piezoelectric materials,
actuators, crack propagation in (6) 1615
porous, electrochemical properties (7) 1697
electromechanical properties (7) 1697
Piezoelectric properties,
of Cr_2O_3-doped PZT (8) 2023
of $Pb(Ni_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-$PbZrO_3$ (2) 549
Pigments,
yellow, Sn-based, chemical state of V in (4) 981
based on codoping $Y_2Ti_2O_7$ with V^{3+} and Ca^{2+} (10) 2644
Plasticity,
super-, of 3Y-TZP, effect of grain boundaries (7) 1681
Polymerization,
preparation of slips by, tape casting (7) 1809
Polymers,
organosilicon, preparation of silicon carbonitrides from (5) 1156; (5) 1163
Pores,
large, densification of (6) 1584
elimination during HIPing of Al_2O_3 (4) 880
size distribution, in ZnS, IR scattering study (8) 2086
Porosity,
of binary mixtures, of nonspherical particles, calculation of (11) 2813
-property relations, evaluating (7) 1801
in refractories, corroded (5) 1169
Porous materials,
SiC, gaseous corrosion of (2) 316
coatings, TiO_2, processing (3) 737
elastic moduli of, effective (11) 2745
piezoelectric, electrochemical properties (7) 1697
Potassium,
in PTCR resistors, effect on preparation and performance (9) 2385
Powders,
PMN, by molten salt synthesis (5) 1373
AlN, effect of milling treatment on particle size (2) 438
$Ba_{0.65}Sr_{0.35}TiO_3$, from catecholate precursors (9) 2321
Mg_3N_2, by CVD (11) 2909
Pt-ceramic composite, preparation and properties (1) 192
SiC, plasma spray deposition of (5) 1335
SiO_2, compact, densification of (1) 54
SnO_2, by spray pyrolysis (3) 777
TiO_2, Al_2O_3, or Si_3N_4, TiN coating for, preparation of (11) 27273
Y-TZP, adsorption behavior of copper oxide on (7) 1844
$YBa_2Cu_3O_{7-\delta}$ (3) 678
ZrC, by reaction of Mg in ZrO_2-Mg-CH_4 (9) 2389
ZrO_2 and ZrO_2-Y_2O_3, phase formation in (3) 760
borosilicate glass, Al_2O_3 as devitrification inhibitor during sintering (8) 2010
Al_2O_3 as devitrification inhibitor during sintering—correction (12) 3180
calcium lanthanum oxalate, coprecipitation, characterization of (6) 1466
cerium(IV) oxide, reactive, by precipitation (6) 1577
compacts, evolution of topology during simulated sintering (11) 2760
dielectric, for capacitors (5) 1233
ferroelectric, by coprecipitation (11) 2734
internal structure, compaction-induced anisotropy in (5) 1302
lead barium titanate, preparation of (6) 1495
packing, in liquid-phase sintering, model for (3) 664
precursor, to Y-Ba-Cu-O, calcination of (2) 518
preparation of stabilized ZrO_2 by alloying (11) 2884
surface modifications, effect on properties of Si_3N_4 (9) 2273
synthesis, by spray pyrolysis (11) 2707
Praseodymium,
effect on properties, in $Y_{1-x}Pr_xBa_2Cu_4O_8$ (8) 1948
Precipitation,
coherent tetragonal, in PSZ, shape evolution (12) 3029
of powders, reactive cerium(IV) oxide (6) 1577
Precursors,
ZrO_2, gel-derived, TEM study (4) 857
catecholate, synthesis of $Ba_{0.65}Sr_{0.35}TiO_3$ powders from (9) 2321
morphology, effect on combustion synthesized/ dynamically consolidated of TiC and TiB_2 (12) 2961
polymeric, SiAlON fibers from (10) 2595
Preforms,
fiber, CVI of BN in (11) 2846
microwave-heated, model for CVI in (8) 1924
Pressing,
HIPing, of Al_2O_3, elimination of large pores during (4) 880
joining by (10) 2685
Pyrolysis,
of dichlorodimethylsilane in hydrogen, formation of SiC by (1) 39; (1) 49
spray, of lanthanum aluminate powders (10) 2669
preparation of SnO_2 powders by (3) 777
synthesis of powders by (11) 2707
Pyrophyllite,
XRD line broadening in, effect of mechanical properties (1) 180
thermal transformation, ^{29}Si and ^{27}Al NMR study (12) 3024
Radiation,
damage, generated in cubic ZrO_2 in electron (11) 3163
γ-, reaction with alkali-alkaline-earth borate glasses containing Cr (2) 523
Reactions,
of Al_2O_3, with H_3PO_4 (9) 2353
of $CaTiO_3$, with PbO-B_2O_3 and PbO-SiO_2 glasses (4) 993
chemical, in processing of $MoSi_2$ + C compacts (8) 2005
of electrodes, Ag/Pd with Pb- and Bi-based electroceramics (2) 474
interfacial, in Nb-toughened $MoSi_2$, control of (9) 2305
internal defect, mass transport in presence of (5) 1212; (5) 1218; (5) 1223; (5) 1228
in melts, soda lime silicate containing melting accelerants (3) 598; (3) 605
on surfaces, alkali silicate glass, XPS study (10) 2555
Reactivity,
of graphite, effects of sputtering and plasma etching (2) 279
Refractive index,
of fibers, melt-drawn glass, diameter dependence (5) 1390
of glasses, Na_2O-CaO-SiO_2 (7) 1855
Refractories,
corroded, porosity in (5) 1169
linings, for ladles, thermomechanical behavior (1) 202
Relaxation,
in glasses (5) 1113
structural, in alkali silicate systems by Brillouin light scattering (12) 3073
Research,
in structural ceramics, near 2000°C (9) 2147
Resistors, electrical,
PTCR, effect of K on preparation and performance (9) 2385

Rheology,
of Si powder-SiC whisker formulations, injection-moldable (12) 2977
Salt,
chloride waste, salt-occluded zeolites for immobilization of (11) 2826
Sapphire,
Ti ion-implanted, high-temperature healing of cracklike flaws in (9) 2225
fibers, slow crack growth in (10) 2505
Scattering,
Brillouin light, structural relaxation in alkali silicate systems by (12) 3073
Segregation,
space charge, at grain boundaries in TiO_2 (10) 2437; (10) 2447
Shock,
localized hot, cracking due to (3) 729
SiAlON,
O'-, solid solubility of Al in (8) 2112
ZrO_2-toughened, microstructure and fracture toughness (6) 1401
ß-, grain growth of (6) 1624
fibers, from polymeric precursors (10) 2595
Silazane,
polyboro-, synthesis of (3) 717
Silicates,
ß-C_2S, highly reactive (4) 870
C_2S, effect of pH on hydration (1) 72
Ca_2SiO_4, phase transformations in (10) 2628
solid solutions, phase transition of (7) 1821
$SrAl_2Si_2O_8$, hexacelsian-to-celsian phase transformation in (5) 1321
amorphization in, α-decay-induced (7) 1729
complex, α-decay-induced amorphization in (7) 1729
α-dicalcium hydrate, preparation and hydration of (7) 1707
Silicides,
$MoSi_2$, by vapor infiltration (6) 1630
Nb-toughened $MoSi_2$, control of interfacial reactions in (9) 2305
Silicon,
double-oxidation experiments, models for predicting tracer profiles (5) 1124
oxidation, in gases containing oxygen and chlorine (6) 1621
processing, for RBSN (1) 81
Silicon carbide,
CVD, oxidation in CO-CO_2 (10) 2521
SCS-6 fibers, microchemical analysis of (8) 2033
transverse strength of (12) 3151
-Si_3N_4 composites, synthesis of (5) 1195
ß-, implanted with Al, chemistry and structure (2) 330
-based ceramics, corrosion in combustion environments (1) 3
-coated graphite, fracture behavior (12) 3066
coatings, CVD, determination of Young's modulus (8) 1965
crack growth, threshold stress intensity for (4) 1017
cubic, atomic-level characterization of (2) 269
fibers, microstructure and microchemistry of (12) 3034
formation, from pyrolysis of dichlorodimethylsilane in hydrogen (1) 39; (1) 49
free energy of formation, measurement using liquid Au (2) 397
high-strength, elevated-temperature behavior (1) 249
liquid-phase-sintered, core/rim structure of (3) 773
modification, using CVD (2) 492
oxidation, in gases containing oxygen and chlorine (6) 1621
porous, gaseous corrosion of (2) 316
powder, plasma spray deposition of (5) 1335
siliconized, radiant tube (1) 173
Silicon dioxide,
alkoxide gels, evolution to glass (10) 2571
fibers, chemically corroded pristine (12) 3173
gels, evolution to glass (10) 2561
glass, acoustic characterization of (3) 712
light guides, strength, degradation, and coating of (5) 1106
optical fibers, effect of humidity on crack growth (6) 1545
Silicon nitride,
CVD, from SiF_4 and NH_3 (8) 1930
oxidation in dry oxygen (4) 1047
HIPed, role of oxidation in failure (11) 2919
HIPing, effect of load on hardness (6) 1602
enhanced fatigue resistance (3) 788
hydrothermal corrosion of (5) 1365
RBSN, microwave processing of (5) 1384
processing of Si for (1) 81
α-, dislocation loops in (8) 2136
effect of SiF_4 and NH_3 concentrations on CVD of (2) 542
ß-, grain growth in Si_3N_4 under high nitrogen pressure (12) 3178
local electronic structure (11) 2833
anelastic deformation in, temperature dependent (8) 2042
annealed and crept, microstructural evolution (2) 376
ß-, effect of grain growth on strength (7) 1892
topotactically oriented α-Si_3N_4 cores in (6) 1627
dispersed, in oxynitride glass, grain growth studies (11) 2778
films in, amorphous intergranular (11) 2801
under high nitrogen pressure, ß-grain growth in (1) 91
intergranular film thickness in, statistical analysis (8) 1969
joining, electrical (6) 1459
monolithic and SiC_w-reinforced, tensile creep and creep rupture behavior (12) 3105
oxidation, in gases containing oxygen and chlorine (6) 1621
oxidation of, stress-enhanced (12) 3093
properties, effect of powder surface modifications (9) 2273
rupture and creep of, flexural stress (2) 553
self-reinforced, microstructure and properties (11) 2737
sintered, creep behavior (2) 385
improvement of creep resistance by exudation of intergranular glass (11) 2790
sintering, with $YAlO_3$ additive (9) 2373
Sintering,
Al_2O_3, effect of atmosphere (9) 2248
AlN, evolution of C during (1) 166
Ca-doped lanthanum chromites (3) 609
Si_3N_4, with $YAlO_3$ additive (9) 2373
under high nitrogen pressure, ß- grain growth in (1) 91
cermets, TiC-Mo-Ni, microstructural evolution during (8) 2049
composites, 2-D granular (12) 3123
constrained, of films, crack growth and damage (10) 2475
liquid-phase, effect of powder packing, model for (3) 664
mismatched, effect on camber in cofired ceramic package (8) 1907
particles, sol-gel-prepared, TEM study (8) 2115
powders, borosilicate glass, Al_2O_3 as devitrification inhibitor (8) 2010
pressure, analysis of—comment (7) 1903
analysis of—reply (7) 1902
reaction, of cBN, using volatile catalysts (11) 2889
of zinc ferrites (7) 1739
solid-state, of $YBa_2Cu_3O_x$ (5) 1177
of varistors, Pr_6O_{11}-ZnO-based, effect of composition (8) 2098
ZnO, development of microstructure during (1) 65
Slips,
tape casting, by *in situ* polymerization (7) 1809
Sol-gel process,
of Y-TZP (3) 705
of composites, fiber-reinforced (10) 2635
of films, PZT (6) 1441
of glasses, Nd_2O_3-SiO_2 (5) 1325
heavy-metal fluoride (12) 3147
of membranes, TiO_2-ZrO_2 (8) 2093
Solubility,
solid, of Al in O'-SiAlON (8) 2112
Solutions,
ceramic-powder-loaded polymer, suspension dry spinning and rheological behavior (10) 2460
Solutions, solid,
Ca_2SiO_4, phase transition of (7) 1821
CeO_2-ZrO_2-HfO_2, fluorite-cubic, Zr-Hf interdiffusion in (5) 1381
PZT, reactions during formation (3) 625
RE_2O_3-Bi_2O_3 (RE = Yb, Er, Y, or Dy), effect of dopants on phase transformation and ordering (10) 2403
ZrO_2-CeO_2, synthesis of (7) 1745
tetragonal-cubic transformation temperature in (11) 2865
tetragonal ZrO_2, Raman spectroscopy of (8) 2106
Spectra,
IR, of low-alkali anhydrous lithium phosphate glasses (7) 1691
Spectroscopy,
impedance, of cement pastes, computer model (6) 1513
IR, of composition range of $xNa_2S + (1-x)B_2O_3$ glasses (11) 2753
Mossbauer, of Zn-bearing ferrite (6) 1491
Raman, of tetragonal ZrO_2 solid solutions (8) 2106
vibrational, of AlN (5) 1132
Spinels,
decomposition, in tetragonal system, elastic effect on domain morphology (8) 1978
monolithic, grain-bridging mechanisms in (7) 1849
Stability,
ternary phase, of M_6X compounds in Ti-Cu-O system (7) 1815
Statistics,
of brittle fracture, in multiaxial stress states (11) 2933
Steels,
stainless, bonding to ZrO_2 (1) 232
Stoichiometry,
non-, of $YBa_2Cu_3O_{6+\delta}$, effects of temperature and oxygen partial pressure (6) 1609
Strain,
coherency, effect on phase separation in AlN-Al_2OC system (10) 2419
creep- recovery, behavior of SiC fiber/calcium aluminosilicate matrix composites (10) 2695
residual, in ZTA, assessment using neutron diffraction (8) 2133
Strength,
of Al_2O_3, role of grain size—comment (7) 1898
role of grain size—reply (7) 1900
of MgO, effect of hot extrusion and temperature on (12) 3009
of Y-TZP, correlation with acoustic properties (12) 3159
of ß-Si_3N_4, effect of grain growth (7) 1892
effect of powder surface modifications (9) 2273
anisotropy, in textured composites (7) 1793
of brittle materials, cellular (9) 2185
flexural, of fibrous monoliths (9) 2217
fracture, of Al_2O_3/SiC_w composites (4) 841
of ZrO_2-toughened SiAlON (6) 1401
measurement of (5) 1340
of glasses, with scribing flaws, predicting (1) 256
indentation fracture, error propagation biases in (10) 2665
interlaminar shear, of ceramic-matrix composites (10) 2539
of lightguides, SiO_2 (5) 1106
reduction, from grinding (4) 1068
toughness curves, in two-phase ceramics, model for (9) 2241
transverse, of SCS-6 SiC fibers (12) 3151
Strengthening,
of composites, Ni/Al_2O_3, by metallic lamina in (5) 1258
mechanisms, in SiC platelet/Al_2O_3 composites (8) 1985
surface, of Al_2O_3-ZrO_2 composites by addition of MoO_2 (8) 2142
Stresses,
compressive, effect on fatigue of Al_2O_3 (1) 229
elastic, in ionic crystals, thermodynamic treatment of (7) 2604
-enhanced oxidation, of Si_3N_4 (12) 3093
measurement, using optical fluorescence (6) 1433
residual, in ceramic-interlayer-metal joints (7) 1661
in fiber-reinforced composites due to thermal expansion mismatch (10) 2607
-strain behavior, of Nicalon fiber-reinforced calcium aluminosilicate composites under fatigue (9) 2175
thermal, in ceramic-to-metal joint, effect of thickness (3) 757
in glass (5) 1113
Structure,
XRD line broadening, in pyrophyllite (1) 180
of coatings, TiO_2-SiO_2, changes at high temperature and high humidity (11) 2899
of composites, AlN/Al and Al_2O_3/Al (7) 1865
ß-SiC implanted Al (2) 330
core/rim, of liquid-phase-sintered SiC (3) 773
crystal, of metastable tetragonal ZrO_2 (10) 2673
of glasses, Na-Si-O-N oxynitride glasses (3) 630
grain alignment, in $YBa_2Cu_3O_x$ (10) 2701
of interfaces, $PbTiO_3$/Cu (12) 3019
local electronic, in ß-Si_3N_4 (11) 2833
phase, of Bi_2O_3-ZnO-Nb_2O_5-based ceramics (8) 2129
zinc-blende, energetics of CoO with (10) 2465
Structure, micro-,
of Cr_2O_3-doped PZT (8) 2023
of Si_3N_4, annealed and crept (2) 376
self-reinforced (11) 2737
of $(Sr_{0.2}Ba_{0.8})TiO_3$, effect of sintering aids (4) 827
of $YBa_2(Cu_{1-y}Fe_y)_3O_{7-\delta}$, effect of Fe doping (11) 2859
of Y-TZP (3) 705
of ZrO_2-toughened SiAlON (6) 1401
development, in Bi-Sr-Ca-Cu-O glass (12) 3087
of engineering materials, image analysis (6) 1551
evolution, in SiC/Al_2O_3/Al alloy composites (7) 1777
during sintering of TiC-Mo-Ni cermets (8) 2049
of fibers, SiC (12) 3034
of fibrous monolithic ceramics (9) 2209
of films, $MgAl_2O_4$ for humidity sensing (3) 743
YBCO/PLZT/YBCO on $LaAlO_3$ (12) 3141
of hardened pastes, cement (12) 2993
instability, effect on creep behavior of Nicalon fibers in Ar (12) 3051
of nanocomposites, mica-based glass-ceramic (2) 539
of systems, Al_2O_3-La_2O_3-TiO_2 (9) 2359
Substrates,
ZrO_2, wettability and interfacial reaction between molten Fe and (12) 3000
texture, effect on orientations of sputtered $Ba_2Si_2TiO_8$ films (12) 2985
Sulfides,
Ni, synthesis by mechanical alloying (9) 2345
ZnS, particle size distribution in, IR scattering study (8) 2086
Superconductors,
Ag_2O-doped $Bi_2Sr_2Ca_1Cu_2O_x$, via melt-quenching (4) 849
$Ba_2RCu_4O_8$ (R = Y, Sm), synthesis of (6) 1618
$Bi_{2.1}Sr_{1.9}(Ca_{1-y}Y_y)Cu_2O_x$, electrical properties (3) 635
$Bi_2Sr_2CaCu_2O_x$, glass, with different Cu valence states, crystallization of (11) 2795
Bi-Sr-Ca-Cu-O, glass, microstructure development in (12) 3087
Bi-Sr-Ca-Cu oxide, in Ag tape, supersolidus phase study (3) 724
$BiSrCaCu_2Al_{0.5}O_x$, glass, phase separation and crystallization (7) 1885
$La_{2-x}Sr_xCuO_{4-y}$, oxygen tracer diffusion in (9) 2363
$Y_{1-x}Pr_xBa_2Cu_4O_8$, effect of Pr on properties (8) 1948
Y-Ba-Cu-O, precursor powders, calcination of (2) 518
$YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$, effect of Fe doping on microstructure (11) 2859
$YBa_2Cu_3O_{6+\delta}$, effects of temperature and oxygen partial pressure on nonstoichiometry (6) 1609
$YBa_2Cu_3O_{7-\delta}$, and $YBa_2Cu_3O_{7-\delta}$/Ag composites, HIPing (4) 1011
and composite $YBa_2Cu_3O_{7-\delta}$/Ag, hot deformation of (4) 1008
powders (3) 678
$YBa_2Cu_3O_x$, grain alignment in (10) 2701
solid-state sintering of (5) 1177
$YBa_2Cu_4O_8$, synthesis and irreversibility of oxygen weight loss (1) 245
bismuth cuprates, hole doping mechanism in (10) 2687
cuprate, EELS analysis of hole formation and charge transfer (5) 1143
low-Ca-content in Bi systems, films, preparation and properties (4) 1031
Surface,
ZrO_2, effect of grain-boundary impurities on properties (2) 325
alkali silicate glass, onset of reactions on (10) 2555
engineering, of structural ceramics (2) 261
hydrogen- and vacuum-reduced TiO_2, local structure of defects on (5) 1137
insulator, atom beam modification of (2) 284
internal, of zeolites, positron annihilation studies (2) 292
processing, laser (2) 350
roughness, of Y_2O_3-containing aluminosilicate glass-ceramic, as indication of machinability (7) 186
effect on fracture of cement pastes and mortars (3) 589
Synthesis,
of cBN, effect of B_2O_3 and hBN crystallinity (10) 2525
of $Ba_2RCu_4O_8$, (R = Y, Sm) (6) 1618

of $PbTiO_3$ (10) 2649
of $YBa_2Cu_4O_8$ (1) 245
of anorthite (5) 1354
combustion, of $MoSi_2$-SiC composites (1) 226
of TiC and TiB_2, effect of precursor morphology (12) 2961
of composites, AlN/BN (4) 987
SiC-Si_3N_4 (5) 1195
molten salt, of PMN powder (5) 1373
of nickel sulfides, by mechanical alloying (9) 2345
of polyborosilazane (3) 717
of powders, by spray pyrolysis (11) 2707

Systems,
Al_2O_3-$Ce_2Si_2O_7$, phase relations in (6) 1595
Al_2O_3-La_2O_3-TiO_2, XRD and microstructural studies (9) 2359
Al_2O_3-ZrO_2 (12 mol% CeO_2), effect of ZrO_2 grain size on transformation (3) 657
AlN-Al_2OC, effect of coherency strains on phase separation (10) 2419
Ba-M-O (M: La, Y, In, or Ga), effect of metal ions on order-disorder transition (8) 2127
B_2O_3-SiO_2, thermodynamic activities of melts (11) 2809
CaO-CrO-Cr_2O_3-SiO_2, phase relations in (9) 2193
CaO-FeO, CaO-MgO, CaO-MnO, FeO-MgO, FeO-MnO, and MgO-MnO, phase diagram (8) 2065
Cr-Mn-Ti, effect of oxygen partial pressure (11) 2869
Li_2O-SiO_2-P_2O_5, films, deposition and properties (4) 929
MgO-P_2O_5-H_2O (6) 1558
Na_2O-B_2O_3-SiO_2, phase diagram (8) 2017
Na_2O-SiO_2 and K_2O-SiO_2, phase diagram (8) 2059
PbO-Ag and CuO-Ag, equilibrium phase diagrams in (10) 2663
Si-Ti-C, composites, CVD of (6) 1473
$SrTiO_3$-$BaTiO_3$-$CaTiO_3$, control of grain-boundary migration of $SrTiO_3$ (6) 1641
Ti-Cu-O, synthesis, properties, and stability of M_6X compounds in (7) 1815
U-O and Zr-O, thermochemistry of (5) 1242
U-Zr-C, phase diagram (6) 1409
ZrO_2-$ErO_{1.5}$, phase transition in, X-ray study (3) 641; (3) 649
ZrO_2-$InO_{1.5}$, phase equilibria (3) 689
ZrO_2-Sc_2O_3 and ZrO_2-In_2O_3, phase relationships in (8) 2027
alkali silicate, structural relaxation by Brillouin light scattering (12) 3073
calcium aluminate-based, glass-forming in (2) 449
glass-forming ability, rigidity, connectivity and (5) 1088
wollastonite-ZrO_2, phase diagram (4) 1052

Tantalates,
$Ba(Mg_{1/3}Ta_{2/3})O_3$, IR reflection of (10) 2433

Tellurite,
glasses, transparent, containing potassium niobate crystals, fabrication of (11) 2923

Temperature,
effect on phase transformation, stress-induced, in ZrO_2 (5) 1377
in microwave-heated bodies, calculation of (8) 1915
tetragonal-cubic transformation, in ZrO_2-CeO_2 solid solutions (11) 2865

Testing,
Al_2O_3, with Hopkinson pressure bar (2) 536
hot-grip tensile, of Al_2O_3 fibers (12) 3167

Tests,
compressive creep, evaluation of (10) 2468
fiber push-out, cohesive zone approach to (4) 897; (9) 2300
indentation-cycling, on Na_2O-CaO glass (6) 1611
stable fracture, in Y-PSZ (11) 2927
for wettability, of oxides by Au (6) 1568

Texture,
formation, in compression of ZrO_2 (1) 153
transformation, in ZrO_2 (1) 113

Thermal properties,
of SiC (1) 249
expansion discontinuities, of mullite (11) 2896
expansion mismatch, in fiber-reinforced composites, residual stresses due to (10) 2607

Thermal transformations,
thermal, of pyrophyllite, ^{29}Si and ^{27}Al NMR study (12) 3024

Thermistors,
$BaTiO_3$, grain-boundary oxidation in (2) 401

Thermodynamics,
of melts, B_2O_3-SiO_2 (11) 2809

Thickness,
effect on stresses, residual thermal, in ceramic-to-metal joint (3) 757
equilibrium, of intergranular glass films, electrical double-layer contribution to (5) 1201
of films, TEM determination (2) 426

Tin,
SnO_2, powders, by spray pyrolysis (3) 777
-based pigments, yellow, chemical state of V in (4) 981

Titanates,
Ba, preparation from oxalates (5) 1185
$Ba_{0.65}Sr_{0.35}TiO_3$, powders, from catecholate precursors (9) 2321
(Ba,Pb)TiO_3, PTCR, preparation and ac electrical response (3) 781
$CaTiO_3$, reaction with PbO-B_2O_3 and PbO-SiO_2 glasses (4) 993
Cr_2O_3-doped PZT, microstructure and properties (8) 2023
PT, films, origin of orientation in (5) 1345
PZT, films, by sol-gel process (6) 1441
films, preparation of (3) 769
solid solutions, reactions during formation (3) 625
Pb, synthesis of (10) 2649
$PbTiO_3$, modified, effect of rare-earth additives on electromechanical properties (12) 3155
$Pb(Zr,Ti)O_3$, highly oriented films (6) 1537
Pb-Ba, effect of composition and size of crystallite on crystal phase (6) 1505
powders, preparation of (6) 1495
$(Sr_{0.2}Ba_{0.8})TiO_3$, effect of sintering aids on microstructure and PTCR (4) 827
$SrTiO_3$, in system $SrTiO_3$-$BaTiO_3$-$CaTiO_3$, control of grain-boundary migration (6) 1641
$Y_2Ti_2O_7$ codoped with V^{5+} and Ca^{2+}, yellow pigment based on (10) 2644
tazheranite, conductivity of (2) 530

Titanium,
TiC and TiB_2, dynamically consolidated, effect of precursor morphology (12) 2961
layers, on cubic ZrO_2, tribology and hardness of (2) 356

Titanium dioxide,
Nb-doped with added Ba and Bi, varistors (1) 145
α-PbO_2-type and baddeleyite-type phases of (3) 796
-ZrO_2 membranes, sol-gel processing of (8) 2093
coatings, porous, processing and characterization of (3) 737
grain boundaries, space charge segregation at (10) 2437; (10) 2447
rutile, measurement of Cr and Fe in (1) 223
surfaces, hydrogen- and vacuum-reduced, local structure of defects on (5) 1137

Topology,
evolution of, during simulated sintering of powder compacts (11) 2760

Transformations,
of Al_2O_3, α-Fe_2O_3-seeded boehmite-derived (1) 214
in Al_2O_3-ZrO_2 (12 mol% CeO_2), effect of ZrO_2 grain size (3) 657
of Mg-PSZ, effect on deformation (7) 1895
cubic-to-tetragonal, in Gd_2O_3-Bi_2O_3 (10) 2513
driving force, for indentation cracking in ZrO_2 (12) 3144
gel-to-glass, various scale levels of (6) 1563
hexacelsian-to-celsian phase, in $SrAl_2Si_2O_8$ (5) 1321
martensitic, in 3Y-TZP (4) 1025
phase, in Ca_2SiO_4 (10) 2628
in RE_2O_3-Bi_2O_3 (RE = Yb, Er, Y, or Dy) solid solutions, effect of dopants (10) 2403
stress-induced in ZrO_2, effect of temperature (5) 1377
by surface preparation of TZP (2) 533
stress-induced, in compression of ZrO_2 (1) 153
textures, in ZrO_2 (1) 113

Transitions,
amorphization, α-decay-induced in complex silicates (7) 1729
glass, in low-alkali anhydrous lithium phosphate glasses (7) 1691
order-disorder, in system Ba-M-O (M: La, Y, In, or Ga), effect of metal ions (8) 2127
phase, of Ca_2SiO_4 solid solution (7) 1821
of $Y_4Al_2O_9$ (9) 2382
in system ZrO_2-$ErO_{1.5}$ (3) 641; (3) 649
region, of glasses, effect on viscosity (5) 1081
semiconducting-insulating, for donor-doped $BaTiO_3$ (6) 1605
structural phase, in ZrO_2-12 mol% CeO_2 (5) 1361
tetragonal-cubic, in $BaTiO_3$, effect of pore morphology and grain size (5) 1205

Transport,
mass, in presence of internal defect reactions (5) 1212; (5) 1218; (5) 1223; (5) 1228

Tubes,
radiant, siliconized SiC (1) 173

Vanadium,
in pigments, Sn-based yellow, chemical state (4) 981
valency, color in V-doped ZrO_2 (7) 1825

Varistors,
Nb-doped TiO_2 with added Ba and Bi (1) 145
Pr_6O_{11}-ZnO-based, effect of composition on sintering (8) 2098
ZnO, development of microstructure during sintering (1) 65
effect of monovalent ions on degradation (9) 2370
electrical nonuniformity of grain boundaries (5) 1150

Velocity,
rise, of large bubbles in Newtonian liquids (1) 241

Viscosity,
of composites, 2-D granular (12) 3123
of glasses, effect of width of transition region (5) 1081
two viscous cylinders, coalescence by capillarity (12) 2947, 2953

Wastes,
chloride salt, salt-occluded zeolites for immobilization of (11) 2826

Waveguides,
SiO_2, strength, degradation, and coating of (5) 1106

Wear,
of advanced ceramics, under indenter in sliding (9) 2376
characteristics, of ZrO_2 (8) 1937
lubricated rolling and sliding, of SiC-whisker-reinforced Si_3N_4 composites against M2 steel (1) 105
sliding, of SiC-TiB_2 ceramic matrix composites (2) 511
microfracture-controlled, modeling of (9) 2393

Zeolites,
internal surfaces, positron annihilation studies (2) 292
salt-occluded, for immobilization of chloride waste salt (11) 2826

Zinc,
-bearing ferrite, Mossbauer spectroscopy (6) 1491
ferrites, reaction sintering of (7) 1739

Zinc oxide,
films, effect of pH of solution on deposition (4) 998
varistors, development of microstructure during sintering (1) 65
effect of monovalent ions on degradation (9) 237
electrical nonuniformity of grain boundaries (5) 1150

Zirconium dioxide,
-CeO_2 solid solutions, tetragonal-cubic transformation temperature in (11) 2865
Ce-TZP, fatigue crack propagation behavior (10) 2601
Mg-PSZ, comparison of bulk properties with temperature-time contour diagrams (8) 1993
deformation of, effect of transformation and microcracking (7) 1895
MgO,CaO-PSZ, precipitate morphology in (4) 833
PSZ, fracture toughness measurements in (3) 785
shape, evolution of tetragonal precipitate in (12) 3029
TZP, anisotropic thermal expansion of (7) 1772
phase transformation by surface preparations (2) 533
Ti-Y-TZP, XANES study (1) 197
V-doped, color of V valency (7) 1825
Xe-implanted cubic, Xe emission accompanying fracture (8) 2076
Y_2O_3-containing TZP, determination of oxygen self-diffusion coefficients (8) 2119
Y-PSZ, stable fracture tests in (11) 2927
3Y-TZP, effect of grain boundary phases on superplastic behavior (7) 1681
martensitic transformation in (4) 1025
sol-gel synthesis of (3) 705
Y-TZP, aging, new technique for monitoring (12) 3170
correlation between strength and acoustic properties (12) 3159
Y-TZP and Al_2O_3-toughened Y-TZP, subcritical crack growth in (10) 2681
YSZ, layers in membranes by CVD, pore narrowing and formation of (9) 2201
YTZ sheet, superplastic gas-pressure deformation of (7) 1665
Zr(Y)O_2, on cZrO_2, by liquid precursor route (2) 443
and ZrO_2-Y_2O_3 powders, phase formation in (3) 760
bonding to stainless steel (1) 232
coatings, on mullite, technique for (7) 1869
preparation of (4) 1061
compression, transformation and textural formation in (1) 153
cracking in, indentation, transformation driving force for (12) 3144
cubic, generation of radiation damage in electron microscope (12) 3163
tribology and hardness of Ti layers on (2) 356
films, by ion implantation (2) 347
sol-gel, ion-beam densification of (5) 1369
grain size, effect on transformation in Al_2O_3-ZrO_2 (12 mol% CeO_2) (3) 657
india, yttria-stabilized zirconia, vanadate hot corrosion behavior (10) 2660
metastable tetragonal, crystal structure (10) 2673
-12 mol% CeO_2, structural phase transition in (5) 136
12 mol% Y_2O_3-stabilized tetragonal ZrO_2, effect of Nb_2O_5 (11) 2904
nitrogen-stabilized, role of anion vacancies (3) 683
particles, electron microscopy study (3) 763
phase transformation, stress-induced, effect of temperature (5) 1377
precursors, gel-derived, TEM study (4) 857
stabilized, by mechanical alloying (11) 2884
stabilized with Sc_2O_3 and Y_2O_3, electrical conductivity of (3) 793
substrates, wettability and interfacial reaction between molten Fe and (12) 3000
surfaces, effect of grain-boundary impurities on properties (2) 325
tetragonal solid solutions, Raman spectroscopy of (8) 2106
textures in, transformation (1) 113
wear maps (8) 1937